PolvOne

MATERIAL SAFETY DATA SHEET UVFPC XXXXXXX

Version Number 1.1 Revision Date 02/06/2012 Page 1 of 6 Print Date 2/6/2012

1.	PROD	UCT AND COMPANY IDENTIFICATION	
POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	UVFPC XXXXXXX	
Product code	:	CC10151367	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use		Industrial Applications	

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Decanedioic acid, bis(2,2,6,6-tetramethyl-4-	52829-07-9	10 - 30
piperidinyl) ester		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET UVFPC XXXXXXX

Version Number 1.1 Revision Date 02/06/2012 Page 2 of 6 Print Date 2/6/2012

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat



MATERIAL SAFETY DATA SHEET UVFPC XXXXXXX

sion Date 02/06/2012			Page : Print Date 2/6/
	only in areas with ap	propriate exhaust ventilati	on.
Storage		and tightly closed to avoid Keep in a dry, cool place.	moisture absorption
8. EXI	POSURE CONTROLS/PE	RSONAL PROTECTION	Ň
Respiratory protection	: No personal respirate	ory protective equipment n	ormally required.
Eye/Face Protection	: Safety glasses with s	ide-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothin	g	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		e with good industrial hygi s before breaks and at the	
.		ith annuanista automat war	tilation Provide
Engineering measures Exposure limit(s)		ith appropriate exhaust ver ventilation at machinery.	
Exposure limit(s)	appropriate exhaust	ventilation at machinery.	
Exposure limit(s) 9.	appropriate exhaust	ventilation at machinery.	
<u>Exposure limit(s)</u> 9. Form	appropriate exhaust v PHYSICAL AND CHEM : solid	Ventilation at machinery.	: Not applicable : Not determined
Exposure limit(s) 9.	appropriate exhaust	ventilation at machinery.	: Not applicable
Exposure limit(s) 9. Form Appearance Colour Odour	appropriate exhaust v PHYSICAL AND CHEM : solid : pellets	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure	 Not applicable Not determined Not established not applicable
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range	appropriate exhaust v PHYSICAL AND CHEMI : solid : pellets : NO PIGMENT : very faint : Not determined	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not applicable Not determined Not established not applicable not applicable
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust v PHYSICAL AND CHEMI : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure	 Not applicable Not determined Not established not applicable
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range	appropriate exhaust v PHYSICAL AND CHEMI : solid : pellets : NO PIGMENT : very faint : Not determined	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not applicable Not determined Not established not applicable not applicable
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust v PHYSICAL AND CHEMI : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust v PHYSICAL AND CHEMI : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	appropriate exhaust v PHYSICAL AND CHEMI : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY AND	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	appropriate exhaust v PHYSICAL AND CHEMI : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY AND : Stable : Will not occur.	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not applicable Not determined Not established not applicable not applicable not applicable
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	appropriate exhaust v PHYSICAL AND CHEMI : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY AND : Stable : Will not occur. : Keep away from oxid decomposition, do not	ICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not applicable Not determined Not established not applicable not applicable not applicable

PolyOne.

MATERIAL SAFETY DATA SHEET UVFPC XXXXXXX

Version Number 1.1 Revision Date 02/06/2012

Page 4 of 6 Print Date 2/6/2012

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
52829-07-9	Decanedioic acid, bis(2,2,6,6-tetramethyl-4- piperidinyl) ester	Irritant	Eyes.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
52829-07-9	Decanedioic acid, bis(2,2,6,6-tetramethyl-4- piperidinyl) ester	Oral LD50 Dermal LD50	3,700 mg/kg > 3,100 mg/kg	rat rabbit

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
	14. I KANSPOKI INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET UVFPC XXXXXXX

ersion Number 1.1 evision Date 02/06/2012	Page 5 of 6 Print Date <i>2/6/2012</i>
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ex	remely Hazardous Substance
Unless specific chemicals are id	lentified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	xic Chemicals:
Unless specific chemicals are id	lentified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Relea	se Inventory (NPRI)
not applicable	
WHMIS Classification	: D2B
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed



MATERIAL SAFETY DATA SHEET UVFPC XXXXXXX

Version Number 1.1 Revision Date 02/06/2012 Page 6 of 6 Print Date 2/6/2012

China IECS:ListedEurope EINECS:ListedJapan ENCS:ListedKorea KECI:ListedPhilippines PICCS:Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.