PolyOne

MATERIAL SAFETY DATA SHEET MCK RED AMBER PET

Version Number 1.1 Revision Date 03/30/2014

Page 1 of 7 Print Date 4/8/2014

1.	PRODUCT AND COMPANY IDENTIFICATION
POLYONE CORPORATI 33587 Walker Road, Avon	
Telephone Emergency telephone number	 1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code	: MCK RED AMBER PET : CC10152169
Chemical Name	: Mixture
CAS-No.	Mixture
Product Use	: Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
[2,3'-Bis[[(2-	64696-98-6	0.1 - 1
hydroxyphenyl)methylene]amino]but-2-		
enedinitrilato(2-)-N2,N3,O2,O3]nickel		
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne

MATERIAL SAFETY DATA SHEET MCK RED AMBER PET

Version Number 1.1 Revision Date 03/30/2014 Page 2 of 7 Print Date 4/8/2014

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable not applicable carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET MCK RED AMBER PET

ion Number 1.1 sion Date 03/30/2014				Page 3 Print Date 4/8/2
Handling		ake measures to prevent the nly in areas with appropria		
Storage		eep containers dry and tig		oisture absorption
8.1	EXPOSURE	CONTROLS/PERSON	AL PROTECTION	
Respiratory protection	: N	o personal respiratory pro	tective equipment nor	mally required.
Eye/Face Protection	: S	afety glasses with side-shi	elds	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		andle in accordance with a ractice. Wash hands befor		
Engineering measures		leat only in areas with app ppropriate exhaust ventilat		ation. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure ty	pe List:
Silica, amorphous, precipitated and gel	6 mg/m3	Time Weighted Averag (TWA):	ge	OSHA Z1A
	10 mg/m3	Time Weighted Averag (TWA):	ge	MX OEL
	0.8 mg/m3	Time Weighted Averag (TWA):	ge	Z3
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES	
Form Appearance	: solid : pelle		vapouration rate	Not applicable Not determined
Colour Odour	: BRO : very	WN Bu	apour pressure	Not established not applicable
Malting point/range	•		nour donsity	not applicable

Vapour density : not applicable not applicable :

10. STABILITY AND REACTIVITY

: Not determined

: not applicable

: insoluble

Stability

Melting point/range Boiling Point:

Water solubility

: The product is stable if stored and handled as prescribed.

pН

MATERIAL SAFETY DATA SHEET MCK RED AMBER PET

Version Number 1.1 Revision Date 03/30/2014 Page 4 of 7 Print Date 4/8/2014

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
64696-98-6	[2,3'-Bis[[(2- hydroxyphenyl)methylene]amino]but-2- enedinitrilato(2-)-	sensitizer	Skin.
	N2,N3,O2,O3]nickel		
112926-00-8	Silica, amorphous, precipitated and gel	Irritant	Respiratory system, Eyes.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
64696-98-6	[2,3'-Bis[[(2- hydroxyphenyl)methylene]am ino]but-2-enedinitrilato(2-)- N2.N3.O2.O3]nickel	no	1	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

- 2A The component is probably carcinogenic to humans.
- 2B The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

[2,3'-Bis[[(2-hydroxyphenyl)methylene]amino]but-2-enedinitrilato(2-)-N2,N3,O2,O3]nickel 64696-98-6 Skin sensitizer ''nickel itch'', with pulmonary, brain, liver, kidney and muscle effects.

PolyOne.

MATERIAL SAFETY DATA SHEET MCK RED AMBER PET

Version Number 1.1 Revision Date 03/30/2014 Page 5 of 7 Print Date 4/8/2014

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

PolyOne

MATERIAL SAFETY DATA SHEET MCK RED AMBER PET

Version Number 1.1 Revision Date 03/30/2014 Page 6 of 7 Print Date 4/8/2014

California Proposition : WARNING! This product contains a chemical known to the State of California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

NICKEL COMPOUNDSNICKEL COMPOUNDS 64696-98-6 0.10 - 1.00	Chemical Name	CAS-No.	Weight percent
	NICKEL COMPOUNDSNICKEL COMPOUNDS	64696-98-6	0.10 - 1.00

Canadian Regulations:

Chemical Name			CAS-No.	Weight percent	NPRI ID#
[2,3'-Bis[[(2- hydroxyphenyl)methylene]an enedinitrilato(2-)-N2,N3,O2,G			64696-98-6	0.10 - 1.00	
WHMIS Classification	:	D2A			
DSL	:	DSL status has restricted by reg		ned. Quantity use	e in Canada ma
ational Inventories:					
Australia AICS	:	Not determined			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			
Philippines PICCS	:	Not determined			
		16 OTHER I	FORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,

PolyOne.

MATERIAL SAFETY DATA SHEET MCK RED AMBER PET

Version Number 1.1 Revision Date 03/30/2014 Page 7 of 7 Print Date 4/8/2014

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.