## MATERIAL SAFETY DATA SHEET **TR POLAR BLUE FD 2**

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 5 Print Date 3/29/2014

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TR POLAR BLUE FD 2
Product code	:	CC10152635
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **TR POLAR BLUE FD 2**

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 5 Print Date 3/29/2014

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

2/5

PolyOne.

## MATERIAL SAFETY DATA SHEET **TR POLAR BLUE FD 2**

Version Number 1.1 Revision Date 03/13/2014 Page 3 of 5 Print Date 3/29/2014

0. EAF	POSURE CONTROLS/PE	RSONAL PROTECTION	
Respiratory protection		ory protective equipment no ur wear appropriate respirat	
Eye/Face Protection	: Safety glasses		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothin	ıg	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		e before breaks and immedia in accordance with good in agnostics.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
There are no known hazardou	s components above regulat	ory thresholds in this produ	ct.
There are no known hazardou	s components above regulat	ory thresholds in this produ	ct.
			ct.
	s components above regulat PHYSICAL AND CHEM		ct.
9.		ICAL PROPERTIES Evapouration rate	: Not applicable
<b>9.</b> Form	PHYSICAL AND CHEM	ICAL PROPERTIES	
<b>9.</b> Form Appearance	PHYSICAL AND CHEM	ICAL PROPERTIES Evapouration rate	: Not applicable
9. Form Appearance Colour	PHYSICAL AND CHEM : solid : flakes : BLUE	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density	: Not applicable : Not determined
<b>9.</b> Form Appearance Colour Odour	PHYSICAL AND CHEM : solid : flakes	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul><li>Not applicable</li><li>Not determined</li><li>Not determined</li></ul>
<b>9.</b> Form Appearance Colour Odour Melting point/range	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not determined</li> <li>not determined</li> <li>Not determined</li> </ul>
9. Form Appearance Colour Odour Melting point/range Boiling Point:	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not determined</li> <li>not determined</li> </ul>
9. Form Appearance Colour Odour Melting point/range Boiling Point:	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C : not applicable	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not determined</li> <li>not determined</li> <li>Not determined</li> </ul>
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not determined</li> <li>not determined</li> <li>Not determined</li> <li>not applicable</li> </ul>
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not determined</li> <li>not determined</li> <li>Not determined</li> <li>not applicable</li> </ul>
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND : The product is stable : Will not occur.	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	: Not applicable : Not determined : Not determined : not determined : Not determined : not applicable escribed.
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND : The product is stable : Will not occur. : To avoid thermal dec	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	: Not applicable : Not determined : Not determined : not determined : Not determined : not applicable escribed.
There are no known hazardou 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid Incompatible Materials Hazardous decomposition products	PHYSICAL AND CHEM : solid : flakes : BLUE : very faint : Greater than 130 °C : not applicable : insoluble 10. STABILITY AND : The product is stable : Will not occur. : To avoid thermal dec : Incompatible with st	ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY e if stored and handled as pro- composition, do not overhea rong acids and oxidizing ag 2), carbon monoxide (CO),	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not determined</li> <li>not determined</li> <li>Not determined</li> <li>not applicable</li> </ul>

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET **TR POLAR BLUE FD 2**

Version Number 1.1 Revision Date 03/13/2014 Page 4 of 5 Print Date 3/29/2014

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the polymer matrix.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)

## MATERIAL SAFETY DATA SHEET TR POLAR BLUE FD 2

Version Number 1.1 Revision Date 03/13/2014 Page 5 of 5 Print Date 3/29/2014

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.