PolyOne

MATERIAL SAFETY DATA SHEET UVPE 152791

Version Number 1.1 Revision Date 03/13/2014 Page 1 of 6 Print Date 3/29/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	UVPE 152791		
Product code	:	CC10152791		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

ComponentsCAS-No.Weight percent1,6-Hexanediamine, N,N'-bis(2,2,6,6-
tetramethyl-4-piperidinyl)-,polymer with
2,4,6-trichloro-1,3,5-triazine, reaction
products70624-18-910 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET UVPE 152791

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/29/2014

Medical Conditions	: None known.			
Aggravated by Exposure:				
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIREFIGHTING MEASURES			
Flash point	: not applicable			
Flammable Limits				
Upper explosion limit	: not applicable			
Lower explosion limit	: not applicable			
Auto-ignition temperature	: not applicable			
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.			
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.			
	7. HANDLING AND STORAGE			



MATERIAL SAFETY DATA SHEET UVPE 152791

and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally require Eye/Face Protection : Safety glasses with side-shields Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes General Hygiene : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery. Exposure limit(s) : solid Evapouration rate : Not applic Form : solid Evapouration rate : Not applic Appearance : pellets Specific Gravity : Not deternic Colour : NO FIGMENT Bulk density : Not destabl Odour : very faint Vapour density : not applic Melting point/range : Not determined Vapour density : not applic			Print Date 3	/29/2	
and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Respiratory protection : No personal respiratory protective equipment normally require Eye/Face Protection : Safety glasses with side-shields Hand protection : Dong sleeved clothing Additional Protective : Safety shoes Measures : Safety shoes General Hygiene : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery. Exposure limit(s) : Not applic POPHYSICAL AND CHEMICAL PROPERTIES : Not applic Adour : very faint Vapour pressure : Not applic Odour : very faint Vapour pressure : not applic Welting point/range : Not determined Vapour density : not applic Water solubility : insoluble : insoluble : not applic Water solubility : insoluble : The product is stable if stored and handled as prescribed. Hazardous Polymerization : Will not occur. : Conditions to avoid : Keep away from oxidizing age	Handling			Ieat	
Respiratory protection : No personal respiratory protective equipment normally require Eye/Face Protection : Safety glasses with side-shields Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery. Exposure limit(s) 9. PHYSICAL AND CHEMICAL PROPERTIES Form : solid Evapouration rate : Not applic Appearance Clour : NO PIGMENT Bulk density : Not applic Odour Odour : very faint Vapour density : not applic Metry Meting point/range : Not determined Vapour density : not applic Metry Boiling Point: : not applicable pH : not applic Boiling Point: : not applicable pH : not applic Boiling Point: : not applicable pH : not applic Boiling Point: : not applicable pH : not applic	Storage		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
Eye/Face Protection : Safety glasses with side-shields Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery. Exposure limit(s) : Not applic Form : solid Evapouration rate : Not applic Odour : NO PIGMENT Bulk density : Not applic Odour : NO VIGMENT Bulk density : not applic Boiling Point: : not applicable pH : not applic Boiling Point: : : not applicable pH : not applic Boiling Point: : : insoluble : : </td <td>8. EXP</td> <td>OSURE CONTROLS/</td> <td>PERSONAL PROTECTION</td> <td></td>	8. EXP	OSURE CONTROLS/	PERSONAL PROTECTION		
Hand protection : Protective gloves Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures General Hygiene : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery. Exposure limit(s) Form : solid Evapouration rate : Not applic Appearance : pellets Specific Gravity : Not detern Colour : NO PIGMENT Bulk density : Not estable Odour : very faint Vapour pressure : not applic Boiling Point: : not applicable pH : not applic Boiling Point: : not applicable pH : not applic Boiling Point: : to tapplicable in stored and handled as prescribed. Hazardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid t	Respiratory protection	: No personal respi	ratory protective equipment normally required		
Skin and body protection : Long sleeved clothing Additional Protective : Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery. Exposure limit(s) : PHYSICAL AND CHEMICAL PROPERTIES Form : solid Evapouration rate : Not applic Appearance : pellets Specific Gravity : Not detern Odour Odour : very faint Vapour pressure : not applic Boiling Point: : not applicable pH : in ot applic Water solubility : insoluble : Not applic Heardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid t	Eye/Face Protection	: Safety glasses wi	th side-shields		
Additional Protective : Safety shoes Measures : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery. Exposure limit(s) : Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery. Exposure limit(s) : Not Apple Society in the expouration rate in the exposure is solid. Form : solid Evapouration rate in the exposure is not applic Odour in the exposure is not applic Melting point/range is Not determined. Vapour pressure : not applicable is not applic oble. : not applic oble. Use the solubility : insoluble : not applic stable if stored and handled as prescribed. Hazardous Polymerization : Will not occur. : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid te is the isolable is to avoid te is the promote isolable is stable is isolable is stable if stored and handled as prescribed.	Hand protection	: Protective gloves			
Measures . General Hygiene Considerations : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday engineering measures Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provi appropriate exhaust ventilation at machinery. Exposure limit(s) . . PHYSICAL AND CHEMICAL PROPERTIES Form : solid Appearance : pellets Specific Gravity : Not applie Not determined Odour : very faint Vapour pressure : not applic Diling Point: : not applicable pH Water solubility : insoluble IO. STABILITY AND REACTIVITY Stability : The product is stable if stored and handled as prescribed. Hazardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid t	Skin and body protection	: Long sleeved clo	thing		
Considerations practice. Wash hands before breaks and at the end of workday Engineering measures : Heat only in areas with appropriate exhaust ventilation. Proviate appropriate exhaust ventilation at machinery. Exposure limit(s) : 9. PHYSICAL AND CHEMICAL PROPERTIES Form : solid Appearance : pellets Specific Gravity : Not applid Odour : very faint Vapour pressure : not applic Boiling Point: : not applicable PH : not applicable PH : not applicable Water solubility : insoluble 10. STABILITY AND REACTIVITY Stability : The product is stable if stored and handled as prescribed. Hazardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid the stable if stored and handled as prescribed.		: Safety shoes	: Safety shoes		
appropriate exhaust ventilation at machinery. Exposure limit(s) 9. PHYSICAL AND CHEMICAL PROPERTIES Form : solid Evapouration rate : Not applic Appearance : pellets Specific Gravity : Not detern Colour : NO PIGMENT Bulk density : Not establ Odour : very faint Vapour pressure : not applic Melting point/range : Not determined Vapour density : not applic Boiling Point: : not applicable pH : not applic Water solubility : insoluble IO. STABILITY AND REACTIVITY Stability : The product is stable if stored and handled as prescribed. Hazardous Polymerization : Will not occur. Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid t			: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Exposure limit(s) 9. PHYSICAL AND CHEMICAL PROPERTIES Form : solid Evapouration rate : Not applie Appearance : pellets Specific Gravity : Not detern Colour : NO PIGMENT Bulk density : Not estable Odour : very faint Vapour pressure : not applic Melting point/range : Not determined Vapour density : not applic Boiling Point: : not applicable pH : not applic Water solubility : insoluble Interpretion of a stable if stored and handled as prescribed. Hazardous Polymerization : Will not occur. : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid the stable if stored and handled as prescribed.	Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide			
Form : solid Evapouration rate : Not applid Appearance : pellets Specific Gravity : Not detern Colour : NO PIGMENT Bulk density : Not establ Odour : very faint Vapour pressure : not applic Melting point/range : Not determined Vapour density : not applic Boiling Point: : not applicable pH : not applic Water solubility : insoluble Io. STABILITY AND REACTIVITY Stability : The product is stable if stored and handled as prescribed. Hazardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid to	Exposure $limit(s)$				
Appearance: pelletsSpecific Gravity: Not deternColour: NO PIGMENTBulk density: Not establOdour: very faintVapour pressure: not applicMelting point/range: Not determinedVapour density: not applicBoiling Point:: not applicablepH: not applicWater solubility: insoluble:InterpretationStabilityHazardous Polymerization: Will not occur.Conditions to avoid: Keep away from oxidizing agents and open flame. To avoid t		PHVSICAL AND CHE	MICAL PROPERTIES		
Colour: NO PIGMENTBulk density: Not estableOdour: very faintVapour pressure: not applicMelting point/range: Not determinedVapour density: not applicBoiling Point:: not applicablepH: not applicWater solubility: insolubleIO. STABILITY AND REACTIVITYStabilityStability: The product is stable if stored and handled as prescribed.Hazardous Polymerization: Will not occur.Conditions to avoid: Keep away from oxidizing agents and open flame. To avoid the stable if stored and prescribed.	9.1	PHYSICAL AND CHE			
Odour : very faint Vapour pressure : not applic Melting point/range : Not determined Vapour density : not applic Boiling Point: : not applicable pH : not applic Water solubility : insoluble Insoluble Insoluble Stability : The product is stable if stored and handled as prescribed. Hazardous Polymerization : Will not occur. : Keep away from oxidizing agents and open flame. To avoid the product is stable if stored and prescribed.	9. 1 Form	: solid	Evapouration rate : Not applica		
Melting point/range : Not determined Vapour density : not applic Boiling Point: : not applicable pH : not applic Water solubility : insoluble 10. STABILITY AND REACTIVITY Stability : The product is stable if stored and handled as prescribed. Hazardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid to	9. I Form Appearance	: solid : pellets	Evapouration rate : Not applica Specific Gravity : Not determi	ned	
Boiling Point: : not applicable pH : not applic Water solubility : insoluble : Insoluble IO. STABILITY AND REACTIVITY Stability : The product is stable if stored and handled as prescribed. Hazardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid to avoid to avoid	9. 1 Form Appearance Colour	: solid : pellets : NO PIGMENT	Evapouration rate : Not applica Specific Gravity : Not determi Bulk density : Not establis	ned hed	
Water solubility : insoluble 10. STABILITY AND REACTIVITY Stability : The product is stable if stored and handled as prescribed. Hazardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid t	9. 1 Form Appearance Colour Odour	 solid pellets NO PIGMENT very faint 	Evapouration rate: Not applicaSpecific Gravity: Not determiBulk density: Not establisVapour pressure: not applicat	ned hed ole	
Stability:The product is stable if stored and handled as prescribed.Hazardous Polymerization:Will not occur.Conditions to avoid:Keep away from oxidizing agents and open flame. To avoid the stable if stored and handled as prescribed.	9.1 Form Appearance Colour Odour Melting point/range	 solid pellets NO PIGMENT very faint Not determined 	Evapouration rate: Not applicalSpecific Gravity: Not determiteBulk density: Not establistVapour pressure: not applicalVapour density: not applical	ned hed ole ole	
Stability: The product is stable if stored and handled as prescribed.Hazardous Polymerization: Will not occur.Conditions to avoid: Keep away from oxidizing agents and open flame. To avoid t	9.1 Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets NO PIGMENT very faint Not determined not applicable 	Evapouration rate: Not applicalSpecific Gravity: Not determiteBulk density: Not establistVapour pressure: not applicalVapour density: not applical	ned hed ole ole	
Hazardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid the second secon	9.1 Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 	Evapouration rate : Not applica Specific Gravity : Not determi Bulk density : Not establis Vapour pressure : not applicat Vapour density : not applicat pH : not applicat	ned hed ole ole	
	9.1 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY ANDIALY ANDIAL STABILITY AND ANDIAL STABILITY AND	Evapouration rate : Not applica Specific Gravity : Not determi Bulk density : Not establis Vapour pressure : not applicat Vapour density : not applicat pH : not applicat	ned hed ole ole	
	9.1 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AN The product is stated 	Evapouration rate : Not applica Specific Gravity : Not determi Bulk density : Not establis Vapour pressure : not applicat Vapour density : not applicat pH : not applicat	ned hed ole ole	
Incompatible Materials : Incompatible with strong acids and oxidizing agents.	9.1 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Stability Hazardous Polymerization	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AN The product is state Will not occur. Keep away from 	Evapouration rate : Not applical Specific Gravity : Not determi Bulk density : Not establis Vapour pressure : not applicat Vapour density : not applicat pH : not applicat ND REACTIVITY where if stored and handled as prescribed.	ned hed ble ble ble	

MATERIAL SAFETY DATA SHEET UVPE 152791

Version Number 1.1 Revision Date 03/13/2014

Page 4 of 6 Print Date 3/29/2014

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'- bis(2,2,6,6-tetramethyl-4-	Irritant	Eyes, Skin, Respiratory system.
	piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5- triazine, reaction products		

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine, N,N'- bis(2,2,6,6-tetramethyl-4- piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5- triazine, reaction products	Oral LD50 Dermal LD50	> 2,000 mg/kg > 3,000 mg/kg	rat rat

12. ECOLOGICAL INFORMATION

:	Not readily biodegradable.
:	Chemicals are not readily available as they are bound within the polymer matrix.
:	Chemicals are not readily available as they are bound within the polymer matrix.
:	no data available
13	3. DISPOSAL CONSIDERATIONS
:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
:	Recycling is preferred when possible. The generator of waste

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET UVPE 152791

sion Date 03/13/2014				Print Date 3/29
		tion and disposal in ac ncial and local regulat		plicable federal,
	14. TRANS	PORT INFORMATI	ON	
U.S. DOT Classification	: Not regula	ted for transportation.		
ICAO/IATA	: Refer to sp	pecific regulation.		
IMO/IMDG (maritime)	: Refer to sp	pecific regulation.		
	15. REGULA	TORY INFORMAT	ION	
US Regulations:				
OSHA Status	: Classified	as hazardous based or	n components.	
TSCA Status				cempt from the
US. EPA CERCLA Hazardo	ous Substances (40	CFR 302)		
not applicable				
California Propositio 65	on : Not applic	able		
SARA Title III Section 302	Extremely Hazardo	ous Substance		
Unless specific chemicals ar	e identified under t	his section, this produc	ct is Not Applicat	ole under this regu
SARA Title III Section 313	Toxic Chemicals:			
Unless specific chemicals ar	e identified under t	his section, this produc	ct is Not Applical	ole under this regu
Canadian Regulations:				
National Pollutant Re	elease Inventory (N		XX · 1 /	
Chemical Name		CAS-No.	Weight percent	NPRI ID#
	Xylenes (o-, m-, p- isomers) 1330-20-7 0.10 - 1.00			



MATERIAL SAFETY DATA SHEET UVPE 152791

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 6 Print Date 3/29/2014

WHMIS Classific	ation : :	
National Inventories:		Substances List (DSL) of are exempt.
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	S :	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.