PolvOne.

MATERIAL SAFETY DATA SHEET 050GN2019 GREEN AO PE

Version Number 1.1 Revision Date 03/29/2014

Product Use

Page 1 of 7 Print Date 4/7/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	050GN2019 GREEN AO PE
Product code	:	CC10152870
Chemical Name	:	Mixture
CAS-No.	:	Mixture

: Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Benzenepropanoic acid, 3,5-bis(1,1-	32687-78-8	5 - 10
dimethylethyl)-4-hydroxy-,2-[3-[3,5-bis(1,1-		
dimethylethyl)-4-hydroxyphenyl]-1-		
oxopropyl]hydrazide		
Titanium dioxide	13463-67-7	5 - 10
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion Eyes	May be harmful if swallowed.Resin particles, like other inert materials, are mechanically irritating to

PolyOne.

MATERIAL SAFETY DATA SHEET 050GN2019 GREEN AO PE

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 7 Print Date 4/7/2014

Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions : None known. Aggravated by Exposure: :			
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIREFIGHTING MEASURES		
Flash point	: not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive 		
Procedures Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Personal precautions Environmental precautions			

PolyOne.

MATERIAL SAFETY DATA SHEET 050GN2019 GREEN AO PE

Version Number 1.1 Revision Date 03/29/2014 Page 3 of 7 Print Date 4/7/2014

		7. HANDLING AND STORAGE		
Handling : Take measures to prevent the build up of electrostatic charge. If only in areas with appropriate exhaust ventilation.				
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EX	POSU	RE CONTROLS/PERSONAL PROTECTION		
Respiratory protection	:	No personal respiratory protective equipment normally required.		
Eye/Face Protection	:	Safety glasses with side-shields		
Hand protection	:	Protective gloves		
Skin and body protection	:	Long sleeved clothing		
Additional Protective Measures	:	Safety shoes		
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		

Exposure limit(s)


Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

PolyOne

MATERIAL SAFETY DATA SHEET 050GN2019 GREEN AO PE

Version Number 1.1 Revision Date 03/29/2014



Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets GREEN very faint Not determined not applicable insoluble 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable not applicable
	10. STABILITY AN	D REACTIVITY	

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
32687-78-8	Benzenepropanoic acid,	Chronic effects	Liver.
	3,5-bis(1,1-		
	dimethylethyl)-4-hydroxy-		
	,2-[3-[3,5-bis(1,1-		
	dimethylethyl)-4-		
	hydroxyphenyl]-1-		
	oxopropyl]hydrazide		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species

PolyOne

MATERIAL SAFETY DATA SHEET 050GN2019 GREEN AO PE

Version Number 1.1 Revision Date 03/29/2014 Page 5 of 7 Print Date 4/7/2014

32687-78-8	Benzenepropanoic acid,	Oral LD50	> 7,000 mg/kg	rat
	3,5-bis(1,1-			
	dimethylethyl)-4-hydroxy-			
	,2-[3-[3,5-bis(1,1-			
	dimethylethyl)-4-			
	hydroxyphenyl]-1-			
	oxopropyl]hydrazide			

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Wher possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET 050GN2019 GREEN AO PE

Version Number 1.1 Revision Date 03/29/2014

Page 6 of 7 Print Date 4/7/2014

U.S. DOT Classification	: Not regulated for	or transportation.		
ICAO/IATA	: Refer to specific	c regulation.		
IMO/IMDG (maritime)	: Refer to specific	c regulation.		
	15. REGULATOR	Y INFORMATI	ION	
US Regulations:				
OSHA Status	: Classified as has	zardous based on	components.	
TSCA Status	: All components TSCA Inventory		re listed on or exe	empt from the
US. EPA CERCLA Hazardous	Substances (40 CFR .	302)		
not applicable				
California Proposition 65	: Not applicable			
SARA Title III Section 302 Ex	tremely Hazardous Su	bstance		
Unless specific chemicals are id	lentified under this se	ction, this produc	t is Not Applicabl	e under this regulat
SARA Title III Section 313 To:	xic Chemicals:			
		ction this produc	t is Not Applicabl	e under this regulat
Unless specific chemicals are id		ction, this produc	t is Not Applicabl	e under this regulat
Unless specific chemicals are id Canadian Regulations:	dentified under this se	ction, this produc	t is Not Applicabl	e under this regulat
Unless specific chemicals are id Canadian Regulations: National Pollutant Relea	dentified under this se			
Unless specific chemicals are id Canadian Regulations:	dentified under this se	ction, this produc	t is Not Applicabl Weight percent	e under this regulat
Unless specific chemicals are id Canadian Regulations: National Pollutant Relea	dentified under this se		Weight	

PolyOne

MATERIAL SAFETY DATA SHEET 050GN2019 GREEN AO PE

Version Number 1.1 Revision Date 03/29/2014 Page 7 of 7 Print Date 4/7/2014

CAS-No.							
1328-53-6							
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.						
National Inventories:							
Australia AICS	: Listed						
China IECS	: Listed						
Europe EINECS	: Listed						
Japan ENCS	: Listed						
Korea KECI	: Listed						
Philippines PICCS	: Listed						
	16. OTHER INFORMATION						

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.