MATERIAL SAFETY DATA SHEET LQ DK BLUE 286C

Version Number 1.1 Revision Date 03/30/2014

Page 1 of 5 Print Date 4/8/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone : Emergency telephone : number | : | 1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|------------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------|
| Product name | : | LQ DK BLUE 286C |
| Product code | : | CC10152884 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Skin contact, Ingestion |
|-----------------------------------------------|----------------------------------------------------------------------------------|
| Acute exposure | |
| Inhalation | : Inhalation of airborne droplets may cause irritation of the respiratory tract. |
| Ingestion | : May be harmful if swallowed. |
| Eyes | : Irritating to eyes and respiratory system. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |

PolyOne.

MATERIAL SAFETY DATA SHEET LQ DK BLUE 286C

Version Number 1.1 Revision Date 03/30/2014 Page 2 of 5 Print Date 4/8/2014

| | | 4. FIRST AID MEASURES |
|---------------------------------------------------------------------------------------------------------------------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Inhalation | : | Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure. |
| Ingestion | : | Do not induce vomiting without medical advice. Seek medical attention if necessary. |
| Eyes | : | Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : | Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | | 5. FIREFIGHTING MEASURES |
| Flash point | : | Greater than 200 °F (93 °C) |
| Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media | : : : | not applicable not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam. |
| Special Fire Fighting Procedures Unusual Fire/Explosion | : | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen |
| Hazards | | (NOx), other hazardous materials, and smoke are all possible. |
| | 6. A(| CCIDENTAL RELEASE MEASURES |
| Personal precautions | : | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : | The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment. |
| Methods for cleaning up | : | Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. |
| | | 7. HANDLING AND STORAGE |
| Handling | : | Heat only in areas with appropriate exhaust ventilation. |
| Storage | : | Keep containers dry and tightly closed to avoid moisture absorption and contamination. Store in a cool dry place. |

2/5

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET LQ DK BLUE 286C

Version Number 1.1 Revision Date 03/30/2014 Page 3 of 5 Print Date 4/8/2014

| 8. EX | OSURE CONTROLS/PERSONAL P | ROTECTION | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Respiratory protection | : Under normal handling condition | ns a respirator may not be required. | |
| Eye/Face Protection | : Safety glasses with side-shields | Safety glasses with side-shields | |
| Hand protection | : Protective gloves | | |
| Skin and body protection | : Long sleeved clothing | | |
| Additional Protective Measures | : Safety shoes | | |
| General Hygiene Considerations | | : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. | |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. | | |
| Exposure limit(s) | | | |
| * · · · | | | |
| There are no known hazardou | s components above regulatory threshol | ds in this product. | |
| 9. | PHYSICAL AND CHEMICAL PRO | PERTIES | |
| 9. | | | |
| Form | : liquid Evapou | ration rate : Not established | |
| Form Appearance | : liquid Evapou : viscous, liquid Specific | ration rate : Not established c Gravity : Not determined | |
| Form Appearance Colour | : liquid Evapou : viscous, liquid Specifi : BLUE Bulk de | ration rate : Not established c Gravity : Not determined ensity : Not applicable | |
| Form Appearance Colour Odour | : liquid Evapou : viscous, liquid Specific : BLUE Bulk de : very faint Vapour | ration rate : Not established c Gravity : Not determined ensity : Not applicable pressure : not determined | |
| Form Appearance Colour Odour Melting point/range | : liquid Evapou : viscous, liquid Specific : BLUE Bulk de : very faint Vapour : not applicable Vapour | ration rate : Not established c Gravity : Not determined ensity : Not applicable pressure : not determined density : Not determined | |
| Form Appearance Colour Odour Melting point/range Boiling Point: | : liquid Evapou : viscous, liquid Specific : BLUE Bulk de : very faint Vapour : not applicable Vapour : not applicable pH | ration rate : Not established c Gravity : Not determined ensity : Not applicable pressure : not determined | |
| Form Appearance Colour Odour Melting point/range Boiling Point: | : liquid Evapou : viscous, liquid Specific : BLUE Bulk de : very faint Vapour : not applicable Vapour | ration rate : Not established c Gravity : Not determined ensity : Not applicable pressure : not determined density : Not determined | |
| Form Appearance Colour Odour Melting point/range Boiling Point: | : liquid Evapou : viscous, liquid Specific : BLUE Bulk de : very faint Vapour : not applicable Vapour : not applicable pH | ration rate : Not established c Gravity : Not determined ensity : Not applicable pressure : not determined density : Not determined : not applicable | |
| Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility | : liquid Evapou : viscous, liquid Specific : BLUE Bulk de : very faint Vapour : not applicable Vapour : not applicable pH : immiscible | ration rate : Not established c Gravity : Not determined ensity : Not applicable pressure : not determined density : Not determined : not applicable | |
| Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability | liquid Evapou viscous, liquid Specifie BLUE Bulk de very faint Vapour not applicable Vapour not applicable pH immiscible 10. STABILITY AND REACTIV | ration rate : Not established c Gravity : Not determined ensity : Not applicable pressure : not determined density : Not determined : not applicable | |
| Form Appearance Colour Odour | liquid Evapou viscous, liquid Specifie BLUE Bulk de very faint Vapour not applicable Vapour not applicable pH immiscible 10. STABILITY AND REACTIV : The product is stable if stored and | ration rate : Not established c Gravity : Not determined ensity : Not applicable pressure : not determined density : Not determined : not applicable ITTY d handled as prescribed. | |
| Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid | liquid Evapou viscous, liquid Specific BLUE Bulk de very faint Vapour not applicable Vapour not applicable pH immiscible 10. STABILITY AND REACTIV The product is stable if stored and Will not occur. | ration rate : Not established c Gravity : Not determined ensity : Not applicable pressure : not determined density : Not determined : not applicable ITTY d handled as prescribed. | |
| Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization | liquid Evapou viscous, liquid Specifie BLUE Bulk de very faint Vapour not applicable Vapour not applicable pH immiscible 10. STABILITY AND REACTIV The product is stable if stored and Will not occur. Keep away from oxidizing agent Incompatible with strong acids a | ration rate : Not established c Gravity : Not determined ensity : Not applicable pressure : not determined density : Not determined : not applicable TTY d handled as prescribed. s and open flame. nd oxidizing agents. nonoxide (CO), oxides of nitrogen | |

There are no known hazardous components above regulatory thresholds in this product.

PolyOne.

MATERIAL SAFETY DATA SHEET LQ DK BLUE 286C

Version Number 1.1 Revision Date 03/30/2014 Page 4 of 5 Print Date 4/8/2014

| | 12. ECOLOGICAL INFORMATION | | |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| Persistence and degradability | : Not readily biodegradable. | | |
| Environmental Toxicity | : Adverse ecological impact is not known or expected under normal use. | | |
| Bioaccumulation Potential | : Does not bioaccumulate. | | |
| Additional advice | : no data available | | |
| 13. DISPOSAL CONSIDERATIONS | | | |
| Product | : Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | | |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | | |
| | 14. TRANSPORT INFORMATION | | |
| U.S. DOT Classification | : Not regulated for transportation. | | |
| ICAO/IATA | : Not regulated for transportation. | | |
| IMO/IMDG (maritime) | : Not regulated for transportation. | | |
| | 15. REGULATORY INFORMATION | | |
| US Regulations: | | | |
| OSHA Status | : There are no known hazardous components above regulatory thresholds in this product. | | |
| TSCA Status | : All components of this product are listed on or exempt from the TSCA Inventory. | | |
| US. EPA CERCLA Hazardous | Substances (40 CFR 302) | | |
| not applicable | | | |
| California Proposition | : Not applicable | | |

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET LQ DK BLUE 286C

| Version Number 1.1 | Page 5 of 5 |
|--------------------------|----------------------------|
| Revision Date 03/30/2014 | Print Date <i>4/8/2014</i> |
| | |

65

| SARA Title III Section 302 Extremely Hazardous Substance | | | | |
|------------------------------------------------------------------------------------|----------------------------------|--|--|--|
| Unless specific chemicals are identified under this section, this product is Not | Applicable under this regulation | | | |
| | | | | |
| SARA Title III Section 313 Toxic Chemicals: | | | | |
| Unless specific chemicals are identified under this section, this product is Not a | Applicable under this regulation | | | |
| Canadian Regulations: | | | | |
| National Pollutant Release Inventory (NPRI) | | | | |
| not applicable | | | | |
| WHMIS Classification : Not controlled. | | | | |
| DSL : DSL status has not been determined. Qu restricted by regulations. | antity use in Canada may be | | | |
| National Inventories: | | | | |
| Australia AICS : Not determined | | | | |
| China IECS : Not determined | | | | |
| Europe EINECS : Not determined | | | | |
| Japan ENCS : Not determined | | | | |
| Korea KECI : Not determined | | | | |
| Philippines PICCS : Not determined | | | | |
| 16. OTHER INFORMATION | | | | |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.