MATERIAL SAFETY DATA SHEET 30YE2029 SPEC MUN YEL2

Version Number 1.1 Revision Date 03/13/2014 Page 1 of 7 Print Date 3/29/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	30YE2029 SPEC MUN YEL2
Product code	:	CC10153094
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Quartz	14808-60-7	0.1 - 1
Calcium carbonate	1317-65-3	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Particulates, like other inert materials can be mechanically irritating.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

PolyOne.

MATERIAL SAFETY DATA SHEET 30YE2029 SPEC MUN YEL2

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 7 Print Date 3/29/2014

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE

PolyOne.

MATERIAL SAFETY DATA SHEET 30YE2029 SPEC MUN YEL2

Version Number 1.1 Revision Date 03/13/2014		Page 3 of 7 Print Date <i>3/29/2014</i>
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EX	POSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit		MX OEL
		(STEL):		
Quartz	0.025	Time Weighted Average	Respirable fraction.	ACGIH
	mg/m3	(TWA):		
	0.05	Recommended exposure	Respirable dust.	NIOSH
	mg/m3	limit (REL):		
	0.1 mg/m3	Time Weighted Average	Respirable dust.	OSHA Z1A
		(TWA):		
	0.1 mg/m3	Time Weighted Average	Respirable.	Z3
		(TWA):		
	0.3 mg/m3	Time Weighted Average	Total dust.	Z3
		(TWA):		
	0.1 mg/m3	Time Weighted Average		MX OEL
		(TWA):		

9. PHYSICAL AND CHEMICAL PROPERTIES

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET 30YE2029 SPEC MUN YEL2

Version Number 1.1 Revision Date 03/13/2014

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets YELLOW very faint Not determined not applicable insoluble 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable not applicable 	
	10. STABILITY ANI	D REACTIVITY		
Stability	: The product is stab	le if stored and handled as	prescribed.	
Hazardous Polymerization	: Will not occur.			
Conditions to avoid	: Keep away from or decomposition, do	kidizing agents and open fl not overheat.	ame. To avoid thermal	
Incompatible Materials	or acetal copolyme. processing. At pro destructive and inv mechanically clean quantities of these	: Avoid contact with strong oxidizers. Also, avoid contact with acetal or acetal copolymers and with amine containing materials during processing. At processing conditions, these materials are mutually destructive and involve rapid degradation. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of these materials from coming in contact with each other. Prevent cross contamination of feedstocks.		
Hazardous decomposition products	(NOx), hydrogen c smoke are all possi or more) above 392	D2), carbon monoxide (CC hloride (HCl), other hazard ble. Prolonged heating (ap 2 °F (200 °C) or short term roduct decomposition and rogen chloride.	lous materials, and pproximately 30 minutes heating at 482 °F (250	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
14808-60-7	Quartz	Systemic effects	Eyes, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

PolvOne.

MATERIAL SAFETY DATA SHEET 30YE2029 SPEC MUN YEL2

Version Number 1.1

Revision Date 03/13/2014

Page 5 of 7 Print Date 3/29/2014

CAS-No.	Chemical Name	OSHA	IARC	NTP
14808-60-7	Quartz	no	1	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Quartz 14808-60-7 This material in its free releasable form may cause respiratory tract irritation. Long-term exposure may cause coughing, chest pain, diminished chest expansion and possibly silicosis, which is a scarring of the lungs.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
C.S. DOT Classification	
ICAO/IATA	: Refer to specific regulation.

PolyOne.

MATERIAL SAFETY DATA SHEET 30YE2029 SPEC MUN YEL2

Version Number 1.1 Revision Date 03/13/2014

Page 6 of 7 Print Date 3/29/2014

	15.	REGULATO	RY INFORMAT	ION	
S Regulations:					
OSHA Status	:	Classified as l	nazardous based or	a components.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.				
JS. EPA CERCLA Hazardo	us Subs	tances (40 CFI	R 302)		
not applicable					
California Propositio 65		WARNING! California to c		ins a chemical kno	own to the State
SARA Title III Section 302	Fytrama	ly Hazardous	Substance		
SARA THE III SECTION 302	LAUCINC	Ty Hazardous	Substance		
T 1 'C' 1 ' 1	.1	~ 1 1 .1 .		· ·	1 .1 .
Jnless specific chemicals are	e identif	ied under this	section, this produ	ct is Not Applicabl	e under this reg
Unless specific chemicals are SARA Title III Section 313 ⁷ Unless specific chemicals are Canadian Regulations:	Toxic Cl e identif	hemicals: Tied under this	section, this produ		
SARA Title III Section 313 Jnless specific chemicals are Canadian Regulations: National Pollutant Re	Toxic Cl e identif	hemicals: Tied under this	section, this produc	ct is Not Applicabl	e under this reg
SARA Title III Section 313 Jnless specific chemicals are Canadian Regulations: <u>National Pollutant Re</u> Chemical Name	Toxic Cl e identif	hemicals: Tied under this	section, this production () CAS-No.	ct is Not Applicabl	
SARA Title III Section 313 Unless specific chemicals are Canadian Regulations: National Pollutant Re	Toxic Cl e identif	hemicals: Tied under this	section, this produc	ct is Not Applicabl	e under this reg
SARA Title III Section 313 Unless specific chemicals are Canadian Regulations: <u>National Pollutant Re</u> Chemical Name Zinc stearate WHMIS Classification DSL	Toxic Cl e identif lease In	hemicals: fied under this ventory (NPRI D2A All component	Section, this production () CAS-No. 557-05-1	t is Not Applicabl Weight percent 0.10 - 1.00	le under this reg
SARA Title III Section 313 ⁷ Unless specific chemicals are Canadian Regulations: <u>National Pollutant Re</u> Chemical Name Zinc stearate WHMIS Classification DSL National Inventories:	Toxic Cl e identif <u>lease In</u> on : :	hemicals: fied under this ventory (NPRI D2A All componer Substances Li	Section, this product () CAS-No. 557-05-1	t is Not Applicabl Weight percent 0.10 - 1.00	le under this reg
SARA Title III Section 313 Unless specific chemicals are Canadian Regulations: <u>National Pollutant Re</u> Chemical Name Zinc stearate WHMIS Classification DSL	Toxic Cl e identif <u>lease In</u> on : :	hemicals: fied under this ventory (NPRI D2A All component	Section, this product () CAS-No. 557-05-1	t is Not Applicabl Weight percent 0.10 - 1.00	le under this reg

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET 30YE2029 SPEC MUN YEL2

Version Number 1.1 Revision Date 03/13/2014 Page 7 of 7 Print Date 3/29/2014

Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.