PolyOne

## MATERIAL SAFETY DATA SHEET **BLUE 8700X**

Version Number 1.1 Revision Date 03/13/2014 Page 1 of 7 Print Date 3/29/2014

1. PRODUCT AND COMPANY IDENTIFICATION         POLYONE CORPORATION         33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	BLUE 8700X		
Product code	:	CC10153678		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	•	Industrial Applications		

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
8-Oxa-3,5-dithia-4-stannatetradecanoic acid, 10-ethyl-4,4-dimethyl-7-oxo-, 2-ethylhexyl ester	57583-35-4	1 - 5
Stannane, methyltris(2- ethylhexyloxycarbonylmethylthio)-	57583-34-3	1 - 5
Calcium carbonate	1317-65-3	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.
Ingestion	: May be harmful if swallowed.



# MATERIAL SAFETY DATA SHEET **BLUE 8700X**

sion Date 03/13/2014	Page 2 Print Date 3/29/2
Eyes Skin	<ul><li>Particulates, like other inert materials can be mechanically irritating.</li><li>Experience shows no unusual dermatitis hazard from routine handling</li></ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.



# MATERIAL SAFETY DATA SHEET **BLUE 8700X**

ion Number 1.1 sion Date 03/13/2014			Print	Page 3 Date 3/29/
Methods for cleaning up		Clean up promptly by sweepin lastic, cardboard or metal con		l material in
	7.	HANDLING AND STORA	GE	
Handling		ake measures to prevent the b nly in areas with appropriate o		narge. Heat
Storage		Leep containers dry and tightly nd contamination. Keep in a		e absorption
8. ]	EXPOSURE	CONTROLS/PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shield	5	
Hand protection	: P	rotective gloves		
Skin and body protection	: L	ong sleeved clothing		
Additional Protective Measures	: S	afety shoes		
General Hygiene Considerations		landle in accordance with goo ractice. Wash hands before b		
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z
	15 mg/m3	PEL:	Total dust.	OSHA Z
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
	9. PHYSI	CAL AND CHEMICAL PR	OPERTIES	
Form	: solid	Evapo	ouration rate : Not	applicable
Appearance	: pelle		fic Gravity : Not	determined
Colour	: BLU		5	established
Odour	: very			applicable
Melting point/range		-		applicable
Boiling Point: Water solubility	: not a : insol	pplicable pH	: not	applicable
	· imaal	uhle		

PolyOne

# MATERIAL SAFETY DATA SHEET **BLUE 8700X**

Version Number 1.1 Revision Date 03/13/2014

\_\_\_\_

Page 4 of 7 Print Date 3/29/2014

	10. STABILITY AND REACTIVITY
Stability	: The product is stable if stored and handled as prescribed.
Hazardous Polymerization	: Will not occur.
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	: Avoid contact with strong oxidizers. Also, avoid contact with acetal or acetal copolymers and with amine containing materials during processing. At processing conditions, these materials are mutually destructive and involve rapid degradation. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of these materials from coming in contact with each other. Prevent cross contamination of feedstocks.
Hazardous decomposition products	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.</li> </ul>

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
57583-35-4	8-Oxa-3,5-dithia-4-	Irritant	Eyes, Skin.
	stannatetradecanoic acid,		
	10-ethyl-4,4-dimethyl-7-		
	oxo-, 2-ethylhexyl ester		
57583-34-3	Stannane, methyltris(2-	Irritant	Eyes, Skin.
	ethylhexyloxycarbonylmet		
	hylthio)-		
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

PolyOne.

# MATERIAL SAFETY DATA SHEET **BLUE 8700X**

#### Version Number 1.1 Revision Date 03/13/2014

Page 5 of 7 Print Date 3/29/2014

57583-34-3		e, methyltris(2- yloxycarbonylmet	Oral LD50	920 mg/kg	rat
		12. ECOLOGICA	AL INFORMAT	ION	
Persistence and deg	radability	: Not readily bio	degradable.		
Environmental Toxi	city	: Chemicals are polymer matrix	•	ble as they are bou	and within the
Bioaccumulation Po	tential	: Chemicals are polymer matrix		ble as they are bou	und within the
Additional advice		: no data availab	le		
		13. DISPOSAL (	CONSIDERATI	ONS	
Product		possible recycl generator of wa classification, t	ing is preferred to aste material has ransportation and	the product can b o disposal or incine the responsibility f disposal in accor- ial and local regula	for proper waste dance with
Contaminated packaging		Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
		14. TRANSPOR	T INFORMATI	ON	
U.S. DOT Classifica	ation	: Not regulated f	or transportation.		
ICAO/IATA		: Refer to specif	ic regulation.		
IMO/IMDG (maritin	me)	: Refer to specif	ic regulation.		
		15. REGULATO	RY INFORMAT	TION	
US Regulations:					
OSHA Statu	S	: Classified as ha	azardous based or	n components.	
TSCA Status	5	: All componen TSCA Inventor		are listed on or ex	empt from the
US. EPA CERCLA	Hazardous S	ubstances (40 CFR	302)		
not app	licable				

Polv<u>One</u>

# MATERIAL SAFETY DATA SHEET **BLUE 8700X**

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 7 Print Date 3/29/2014

California Proposition : WARNING! This product contains a chemical known to the State of California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)	
---	--

Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Phthalocyanine blue	147-14-8	0.10 - 1.00	

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.	
147-14-8	
57583-34-3	

:

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

PolyOne

## MATERIAL SAFETY DATA SHEET **BLUE 8700X**

Version Number 1.1 Revision Date 03/13/2014 Page 7 of 7 Print Date 3/29/2014

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.