PolvOne.

MATERIAL SAFETY DATA SHEET AZUL METALICO PE

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 7 Print Date 3/29/2014

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AZUL METALICO PE
Product code	:	CC10153886
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Miscellaneous Irritant	0-13-5	10 - 30
Silica, amorphous	7631-86-9	1 - 5
Rutile (TiO2)	1317-80-2	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET **AZUL METALICO PE**

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 7 Print Date 3/29/2014

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE

PolyOne.

MATERIAL SAFETY DATA SHEET AZUL METALICO PE

Storage:Keep containers dry and tightly closed to avoid moisture absorptio and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Respiratory protection:No personal respiratory protective equipment normally required.Eye/Face Protection:Safety glasses with side-shieldsHand protection:Protective glovesSkin and body protection:Long sleeved clothingAdditional Protective:Safety shoesMeasures:Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	sion Number 1.1 ision Date 03/13/2014	Page 3 of Print Date 3/29/201
and contamination. Keep in a dry, cool place.8. EXPOSURE CONTROLS/PERSONAL PROTECTIONRespiratory protection:No personal respiratory protective equipment normally required.Eye/Face Protection:Safety glasses with side-shieldsHand protection:Protective glovesSkin and body protection:Long sleeved clothingAdditional Protective:Safety shoesMeasures:Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Respiratory protection: No personal respiratory protective equipment normally required.Eye/Face Protection: Safety glasses with side-shieldsHand protection: Protective glovesSkin and body protection: Long sleeved clothingAdditional Protective: Safety shoesMeasures: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
Eye/Face Protection:Safety glasses with side-shieldsHand protection:Protective glovesSkin and body protection:Long sleeved clothingAdditional Protective Measures:Safety shoesGeneral Hygiene Considerations:Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	8. EX	POSURE CONTROLS/PERSONAL PROTECTION
Hand protection:Protective glovesSkin and body protection:Long sleeved clothingAdditional Protective Measures:Safety shoesGeneral Hygiene Considerations:Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	Respiratory protection	: No personal respiratory protective equipment normally required.
Skin and body protection: Long sleeved clothingAdditional Protective Measures: Safety shoesGeneral Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	Eye/Face Protection	: Safety glasses with side-shields
Additional Protective Measures:Safety shoesGeneral Hygiene Considerations:Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	Hand protection	: Protective gloves
Measures Image: State of the state of	Skin and body protection	: Long sleeved clothing
Considerations practice. Wash hands before breaks and at the end of workday.		: Safety shoes
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Rutile (TiO2)	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
Silica, amorphous	6 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.8 mg/m3	Time Weighted Average (TWA):		Z3
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

: solid

Evapouration rate

: Not applicable

MATERIAL SAFETY DATA SHEET AZUL METALICO PE

Version Number 1.1 Revision Date 03/13/2014

Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: : :	pellets BLUE very faint Not determined not applicable insoluble	Specific Gravity Bulk density Vapour pressure Vapour density pH	::	Not determined Not established not applicable not applicable not applicable
		10. STABILITY AND RE	ACTIVITY		
Stability Hazardous Polymerization		The product is stable if sWill not occur.	stored and handled as pro	esc	ribed.
Conditions to avoid		: Keep away from oxidizit decomposition, do not o		ie.	To avoid thermal

		1
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
0-13-5	Miscellaneous Irritant	Irritant	Eyes, Skin.
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1317-80-2	Rutile (TiO2)	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Page 4 of 7 Print Date 3/29/2014

Print Date 3/29/20

PolyOne

PolyOne.

MATERIAL SAFETY DATA SHEET **AZUL METALICO PE**

Version Number 1.1 Revision Date 03/13/2014 Page 5 of 7 Print Date 3/29/2014

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	
California Proposition 65	: WARNING! This product contains a chemical known to the State o California to cause cancer.

MATERIAL SAFETY DATA SHEET AZUL METALICO PE

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 7 Print Date 3/29/2014

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Phthalocyanine blue	147-14-8	1.00 - 5.00	

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

ſ	CAS-No.
Γ	147-14-8
	7631-86-9
L	1051 00 7

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determ	ined	
China IECS	: Not determ	Not determined	
Europe EINECS	: Not determ	ined	
Japan ENCS	: Not determ	ined	
Korea KECI	: Not determ	ined	
Philippines PICCS	: Not determ	ined	

:

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing,

PolyOne.

MATERIAL SAFETY DATA SHEET AZUL METALICO PE

Version Number 1.1 Revision Date 03/13/2014 Page 7 of 7 Print Date 3/29/2014

storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.