### DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 1 of 18 Print Date 09/04/2019

# SAFETY DATA SHEET

#### DK2/LT.PEBBLE BEIGE/SD242

Section 1. Identification	on	
GHS product identifier Chemical name	:	DK2/LT.PEBBLE BEIGE/SD242 Mixture
CAS number Other means of identification Product type	:	Mixture CC10153983 solid
<u>Relevant identified uses of the subs</u> Product use	stance :	e or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/18

ne

## DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 2 of 18 Print Date 09/04/2019

Hazard statements

No known significant effects or critical hazards.

#### **Precautionary statements**

General		Not applicable.
0 1 1 1 1 1 1 1 1	•	11
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

# Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10153983

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium oxide	25 - 50	13463-67-7
C.I. Pigment Yellow 53	3 - 5	8007-18-9
Decanedioic acid, 1,10-bis(2,2,6,6-tetramethyl-4-piperidinyl) ester	1 - 3	52829-07-9
Carbon black	1 - 3	1333-86-4
Silica	1 - 3	7631-86-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

<u>tyUne</u>

# DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 3 of 18 Print Date 09/04/2019

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
<u>Indication of immediate medical atte</u> Notes to physician	ntio :	n and special treatment needed, if necessary In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		incurcar surveinance for 46 nours.

olyOne.

# DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 4 of 18 Print Date 09/04/2019

Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

# **Section 5. Firefighting measures**

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil



# DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 5 of 18 Print Date 09/04/2019

		or air).	
Methods and materials for containment and cleaning up			
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.	
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.	

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Titanium oxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30)



# DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019

Page 6 of 18 Print Date 09/04/2019

	TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
C.I. Pigment Yellow 53	OSHA PEL 1989 (1989-03-01) TWA 1 mg/m3 (as Ni) OSHA PEL (1993-06-30) TWA 1 mg/m3 (as Ni)
Silica	NIOSH REL (1994-06-01) TWA 6 mg/m3
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m <sup>3</sup> ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction
Decanedioic acid, 1,10-bis(2,2,6,6- tetramethyl-4-piperidinyl) ester	None.

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
		6/18

PolyOne.

# DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019		Page 7 of 18 Print Date 09/04/2019
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		inglici degree of protection, safety glasses with side-silicids.
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products
Body protection	:	if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be
Other skin protection	:	approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this
Respiratory protection	:	product. Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	solid [Pellets.]
Color	:	TAN
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.

olyOne.

### DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 8 of 18 Print Date 09/04/2019

Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Result	Species	Dose	Exposure		
No applicable to	No applicable toxicity data				
No applicable to	oxicity data				
No applicable to	oxicity data				
LD50 Oral	Rat	15,400 mg/kg	-		
No applicable to	oxicity data				
No applicable to	No applicable toxicity data				
No applicable to	oxicity data				
	No applicable to No applicable to No applicable to LD50 Oral No applicable to No applicable to	No applicable toxicity data No applicable toxicity data No applicable toxicity data	No applicable toxicity data   No applicable toxicity data   No applicable toxicity data   LD50 Oral Rat   15,400 mg/kg   No applicable toxicity data   No applicable toxicity data   No applicable toxicity data		



# DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 9 of 18 Print Date 09/04/2019

Remarks - Inhalation:	No applicable toxic	No applicable toxicity data				
Remarks - Dermal:	No applicable toxic	city data				
C.I. Pigment Yellow 53						
Remarks - Oral:	No applicable toxic	city data				
Remarks - Inhalation:	No applicable toxic	city data				
Remarks - Dermal:	No applicable toxic	No applicable toxicity data				
Titanium oxide						
Remarks - Oral:	No applicable toxicity data					
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		

Conclusion/Summary

: Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Silica	Eyes - Mild irritant	Rabbit		24 hrs	-
Titanium oxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin		lixture.Not fu	•		
Eyes		lixture.Not fu			
Respiratory	: M	lixture.Not fu	Illy tested.		
Conclusion/Summary Skin Respiratory		lixture.Not fu lixture.Not fu			
<u>Mutagenicity</u> Conclusion/Summary	: M	lixture.Not fu	illy tested.		
<b>Carcinogenicity</b>					
Conclusion/Summary	: M	lixture.Not fu	Illy tested.		
<b>Classification</b>					

Product/ingredient name	OSHA	IARC	NTP
Carbon black	-	2B	-
Silica	-	3	-
C.I. Pigment Yellow 53	-	1	-



# DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 10 of 18 Print Date 09/04/2019

Titanium oxida		2B		]
Titanium oxide	-	2D	-	
<b><u>Reproductive toxicity</u></b>				
Conclusion/Summary	:	Mixture.Not fu	Illy tested.	
<b>Teratogenicity</b>				
Conclusion/Summary	:	Mixture.Not fu	ally tested.	
Specific target organ toxicity ( Not available.	single expo	<u>sure)</u>		
Specific target organ toxicity ( Not available.	repeated ex	<u>kposure)</u>		
Aspiration hazard Not available.				
Information on likely routes of exposure	i :	Not available.		
Potential acute health effects				
Eye contact	:	No known sig	nificant effects or critical hazards.	
Inhalation	:		ificant effects or critical hazards.	
Skin contact	:		ificant effects or critical hazards.	
Ingestion	:		ificant effects or critical hazards.	
Symptoms related to the physi	cal, chemic	al and toxicolo	gical characteristics	
Eye contact	:	No specific da	a.	
Inhalation	:	No specific da		
Skin contact	:	No specific da		
Ingestion	:	No specific da		
Delayed and immediate effects	as well as	chronic effects	from short and long-term exposure	
Short term exposure				
Potential immediate effects Potential delayed effects	:	Not available. Not available.		
Long term exposure				

P<u>olyOne</u>

# DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 11 of 18 Print Date 09/04/2019

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Acute toxicity estimates

Not available.

# Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure	
Decanedioic acid, 1,10-bis(2,2,6,6-tetramethyl-4-piperidinyl) ester				
Remarks - Acute - Fish:	No applicable toxicity data			
	Acute EC50 8.6 Mg/l Fresh water	Acute EC50 8.6 Mg/l Fresh water Aquatic invertebrates. 48		
		Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Carbon black				
Remarks - Acute - Fish:	No applicable toxicity data			
	Acute EC50 37.563 Mg/l Fresh	Aquatic invertebrates.	48 h	
	water	Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				



# DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 12 of 18 Print Date 09/04/2019

Remarks - Acute - Aquatic	No applicable toxicity data			
plants:	11 5			
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.:				
Silica				
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
<b>Remarks - Chronic -</b>	No applicable toxicity data			
Aquatic invertebrates.:				
C.I. Pigment Yellow 53				
Remarks - Acute - Fish:	No applicable toxicity data			
Remarks - Acute - Aquatic	No applicable toxicity data			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
Remarks - Chronic -	No applicable toxicity data			
Aquatic invertebrates.: Titanium oxide				
I itanium oxide	A	<b>D'.1. D'.1</b>	0.01	
	Acute LC50 > 1,000 Mg/l Marine water	Fish - Fish	96 h	
Remarks - Acute - Fish:	Acute			
Kennarks - Acute - Fish:	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h	
	Acute LC50 5 Mg/1 Hesh water	Crustaceans	40 11	
Remarks - Acute - Aquatic	Acute	Crustaceans		
invertebrates.:	Teute			
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h	
		Daphnia		
Remarks - Acute - Aquatic	Acute			
invertebrates.:				
Remarks - Acute - Aquatic	No applicable toxicity data			
plants:				
Remarks - Chronic - Fish:	No applicable toxicity data			
<b>Remarks - Chronic -</b>	No applicable toxicity data			
Aquatic invertebrates.:				
DK2/LT.PEBBLE BEIGE/SD2				
Remarks - Acute - Aquatic	Chemicals are not readily available a	as they are bound within the	e polymer matrix.	
invertebrates.:				
Conclusion/Summary	: Chemicals are not readi	ly available as they are bou	ind within the	
	12/18			

'Une

## DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 13 of 18 Print Date 09/04/2019

polymer matrix.

:

#### Persistence and degradability

**Conclusion/Summary** 

Chemicals are not readily available as they are bound within the polymer matrix.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Decanedioic acid, 1,10-bis(2,2,6,6-	0.35	-	low
tetramethyl-4-piperidinyl) ester			

#### Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.	possi shou prote auth prod dispo requ shou when dispo prod	irements of all authorities with jurisdiction. Waste packaging ld be recycled. Incineration or landfill should only be considered n recycling is not feasible. This material and its container must be osed of in a safe way. Empty containers or liners may retain some uct residues. Avoid dispersal of spilled material and runoff and
--	--	---

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

<u>PolyOne</u>

## DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 14 of 18 Print Date 09/04/2019

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

# Section 15. Regulatory information

U.S. Federal regulations :	United States - TSCA 12(b) - Chemical export notification: None
c.s. reactai regulations	of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - Thial Test Kules. Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(a) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	listed
	United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
	<b>United States - TSCA 5(e) - Substances consent order:</b> Not listed
	United States - TSCA 6 - Final risk management: Not listed
	<b>United States - TSCA 6 - Proposed risk management:</b> Not listed
	United States - TSCA 8(a) - Chemical risk rules: Not listed
	United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not
	determined
	United States - TSCA 8(a) - Preliminary assessment report
	(PAIR): Not listed
	United States - TSCA 8(c) - Significant adverse reaction (SAR):
	Not listed
	United States - TSCA 8(d) - Health and safety studies: Not listed
	United States - EPA Clean water act (CWA) section 307 - Priority
	pollutants: Listed C.I. Pigment Yellow 119
	C.I. Pigment Yellow 53
	Nickel
	Chromium
	Arsenic
	United States - EPA Clean water act (CWA) section 311 -
	Hazardous substances: Not listed
	United States - EPA Clean air act (CAA) section 112 - Accidental

ne

### DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 15 of 18 Print Date 09/04/2019

release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I	:	Not listed
Substances Clean Air Act Section 602 Class II		Not listed
Substances	•	1.00 110000
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Not applicable.

:

#### **Composition/information on ingredients**

No products were found.

Name	%	Classification
Titanium oxide	>= 25 - <= 50	CARCINOGENICITY - Category 2
C.I. Pigment Yellow 53	>= 3 - <= 5	CARCINOGENICITY - Category 1A
Silica	>= 1 - <= 3	EYE IRRITATION - Category 2B
Carbon black	>= 1 - <= 3	CARCINOGENICITY - Category 2
Decanedioic acid, 1,10-	>= 1 - <= 3	SERIOUS EYE DAMAGE - Category 1
bis(2,2,6,6-tetramethyl-4-		
piperidinyl) ester		

#### SARA 313

#### Form R - Reporting requirements



# DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 16 of 18 Print Date 09/04/2019

Product name	CAS number	%
C.I. Pigment Yellow 119	68187-51-9	>= 10 - <= 25
C.I. Pigment Yellow 53	8007-18-9	>= 3 - <= 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York New Jersey	:	None of the components are listed. The following components are listed:
new jersey	•	Titanium oxide
		C.I. Pigment Yellow 119
		C.I. Pigment Yellow 53
		Iron oxide
		Carbon black
Pennsylvania	:	The following components are listed:
		Titanium oxide
		C.I. Pigment Yellow 119
		C.I. Pigment Yellow 53
		Silica
		Iron oxide
		Carbon black
<u>California Prop. 65</u>		
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
		16/18

### DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 17 of 18 Print Date 09/04/2019

Europe inventory	:	All components are listed or exempted.
Japan	:	All components are listed or exempted.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are listed or exempted.

# Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<b>History</b>		
Date of printing	:	09/04/2019
Date of issue/Date of revision	:	09/03/2019
Date of previous issue	:	11/27/2018
Version	:	1.6
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
		UN = United Nations
References	:	Not available.

ne

### DK2/LT.PEBBLE BEIGE/SD242

Version Number 1.6 Revision Date 09/03/2019 Page 18 of 18 Print Date 09/04/2019

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.