# MATERIAL SAFETY DATA SHEET LMABS 154802

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 6 Print Date 3/29/2014

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LMABS 154802
Product code	:	CC10154802
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Tin antimony gray cassiterite	68187-54-2	5 - 10
Mica	12001-26-2	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET LMABS 154802

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/29/2014

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



# MATERIAL SAFETY DATA SHEET LMABS 154802

Version Number 1.1	
Revision Date 03/13/20	14

Page 3 of 6 Print Date 3/29/2014

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	: No personal respiratory protective equipment normally re-	equired.
Eye/Face Protection	: Safety glasses with side-shields	
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothing	
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and s practice. Wash hands before breaks and at the end of wo	•
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. appropriate exhaust ventilation at machinery.	Provide

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Tin antimony gray	0.5 mg/m3	Time Weighted Average	as Sb	ACGIH
cassiterite		(TWA):		
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
Mica	2 m a/m2		Despirable fraction	ACCIU
Mica	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
	3 mg/m3	Recommended exposure limit (REL):	Respirable.	NIOSH
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	OSHA Z1A
	3 mg/m3	Time Weighted Average (TWA):		MX OEL

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Colour
Odour
Melting point/range
Boiling Point:
Water solubility

solid
pellets
GREY
very faint
Not determined
not applicable
insoluble

Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
not applicable
not applicable
not applicable

<u>PolyOne</u>

### MATERIAL SAFETY DATA SHEET LMABS 154802

Version Number 1.1 Revision Date 03/13/2014

\_

Page 4 of 6 Print Date 3/29/2014

	10	. STABILITY AND REACTIVITY	]
Stability	:	The product is stable if stored and handled as prescribed.	
Hazardous Polymerization	:	Will not occur.	
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.	
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.	
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
68187-54-2	Tin antimony gray	Irritant	Eyes, Skin.
	cassiterite		
12001-26-2	Mica	Systemic effects	Respiratory system.

12. ECOLOGICAL INFORMATION					
le as they are bou	nd within the				
le as they are bou	nd within the				
NS					
he product can be disposal or incine e responsibility fo disposal in accord l and local regula	or proper waste ance with				
ble. The generate proper waste class					
proper was	te clas				

POLYONE CORPORATION



# MATERIAL SAFETY DATA SHEET LMABS 154802

ion Number 1.1 sion Date 03/13/2014					Р	Page rint Date 3/29
			nd disposal in ac and local regula		ith appli	cable federal,
	1	4. TRANSPOR	Γ INFORMATI	ON		
U.S. DOT Classification	:	Not regulated for	or transportation.			
ICAO/IATA	:	Refer to specific	c regulation.			
IMO/IMDG (maritime)	:	Refer to specific	c regulation.			
	15	. REGULATOR	Y INFORMAT	TION		
US Regulations:						
OSHA Status	:	Classified as ha	zardous based oi	n componen	ts.	
TSCA Status	:	All component TSCA Inventor	s of this product y.	are listed or	or exer	npt from the
US. EPA CERCLA Hazardo	us Subs	stances (40 CFR	302)			
not applicable						
California Propositio 65	n :	Not applicable				
SARA Title III Section 302 I		-		ct is Not Ap	plicable	under this regu
SARA Title III Section 313	Гохіс С	Chemicals:				
Unless specific chemicals are	e identi	fied under this se	ction, this produ	ct is Not Ap	plicable	under this regu
Chemical Name			CAS			t percent
ANTIMONY COMPOUN	20		68187	-34-2	5.00 -	10.00
Canadian Regulations:						
C C		ventory (NPRI)	•	Waiah	4	· · · · · · · · · · · · · · · · · · ·
National Pollutant Re Chemical Name	lease In	······································	CAS-No.	weign	ι	NPRI ID#
National Pollutant Re			CAS-No. 68187-54-2	Weight percen 5.00 -	t	NPRI ID#

PolvOne

# MATERIAL SAFETY DATA SHEET LMABS 154802

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 6 Print Date 3/29/2014

WHMIS Classification : D2B

WHMIS Ingredient Disclosure List

CAS-No.	
68187-54-2	
12001-26-2	

:

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.