MATERIAL SAFETY DATA SHEET **7489C GREEN TEA**

Version Number 1.1 Revision Date 12/27/2012

Page 1 of 7 Print Date 12/27/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone number | : | 1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--|---|--|
| Product name | : | 7489C GREEN TEA |
| Product code | : | CC10155441 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components | CAS-No. | Weight percent |
|----------------------|------------|----------------|
| Titanium dioxide | 13463-67-7 | 1 - 5 |
| Chromium (III) oxide | 1308-38-9 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|----------------------------|---|
| Acute exposure | |
| Inhalation | : Resin particles, like other inert materials, can be mechanically irritating. |
| Ingestion | : May be harmful if swallowed. |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| | |

PolyOne.

MATERIAL SAFETY DATA SHEET **7489C GREEN TEA**

Version Number 1.1 Revision Date 12/27/2012 Page 2 of 7 Print Date 12/27/2012

| Medical Conditions Aggravated by Exposure: | : None known. | | | | |
|---|--|--|--|--|--|
| | 4. FIRST AID MEASURES | | | | |
| Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. | | | | | |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. | | | | |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. | | | | |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. | | | | |
| | 5. FIREFIGHTING MEASURES | | | | |
| Flash point | : not applicable | | | | |
| Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards | not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. | | | | |
| | 6. ACCIDENTAL RELEASE MEASURES | | | | |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. | | | | |
| Environmental precautions | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. | | | | |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. | | | | |
| | 7. HANDLING AND STORAGE | | | | |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. | | | | |

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET 7489C GREEN TEA

Version Number 1.1 Revision Date 12/27/2012 Page 3 of 7 Print Date 12/27/2012

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| Respiratory protection | : No personal respiratory protective equipment normally require | red. |
|-----------------------------------|--|------|
| Eye/Face Protection | : Safety glasses with side-shields | |
| Hand protection | : Protective gloves | |
| Skin and body protection | : Long sleeved clothing | |
| Additional Protective Measures | : Safety shoes | |
| General Hygiene Considerations | : Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workda | • |
| Engineering measures | : Heat only in areas with appropriate exhaust ventilation. Prov appropriate exhaust ventilation at machinery. | vide |

Exposure limit(s)

| Components | Value | Exposure time | Exposure type | List: |
|----------------------|-----------|---------------------------|---------------|----------|
| Chromium (III) oxide | 0.5 mg/m3 | Recommended exposure | as Cr | NIOSH |
| | | limit (REL): | | |
| | 0.5 mg/m3 | PEL: | as Cr | OSHA Z1 |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average | | ACGIH |
| | | (TWA): | | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average | Total dust. | OSHA Z1A |
| | | (TWA): | | |
| | 10 mg/m3 | Time Weighted Average | as Ti | MX OEL |
| | | (TWA): | | |
| 20 mg/ | | Short Term Exposure Limit | as Ti | MX OEL |
| | | (STEL): | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility
- solid
 pellets
 GREEN
 very faint
 Not determined
 not applicable
 insoluble
- Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH
- Not applicable
 Not determined
 Not established
 not applicable
 not applicable
 not applicable

MATERIAL SAFETY DATA SHEET 7489C GREEN TEA

Version Number 1.1 Revision Date 12/27/2012 Page 4 of 7 Print Date 12/27/2012

| | 10. STABILITY AND REACTIVITY |
|----------------------------------|--|
| Stability | : The product is stable if stored and handled as prescribed. |
| Hazardous Polymerization | : Will not occur. |
| Conditions to avoid | : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. |
| Incompatible Materials | : Incompatible with strong acids and oxidizing agents. |
| Hazardous decomposition products | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|----------------------|------------------|---------------------|
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |
| 1308-38-9 | Chromium (III) oxide | Irritant | Eyes, Skin. |
| | | sensitizer | Skin. |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No. | Chemical Name | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no | 2B | no |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Chromium (III) oxide 1308-38-9 The bi- and trivalent forms of chrome have a low order of acute toxicity, but may cause skin sensitization and irritation to the eyes. No effects have been reported for chromium (III) oxide. Chromium (III) compounds are not considered carcinogenic in animals or humans.

PolyOne.

MATERIAL SAFETY DATA SHEET **7489C GREEN TEA**

Version Number 1.1 Revision Date 12/27/2012 Page 5 of 7 Print Date 12/27/2012

| | 12. ECOL | OGICAL INFORMA | TION | | | |
|---|----------------------------------|---|---|------------------------------------|--|--|
| Persistence and degradability : Not readily biodegradable. | | | | | | |
| Environmental Toxicity : Chemicals are not readily available as they are bound within the polymer matrix. | | | | | | |
| Bioaccumulation Potential : Chemicals are not readily available as they are bound within the polymer matrix. | | | | | | |
| Additional advice : no data available | | | | | | |
| | 13. DISPO | DSAL CONSIDERAT | IONS | | | |
| Product | possible generat classifie | ost thermoplastic plastic e recycling is preferred or of waste material has cation, transportation ar ble federal, state/provin | to disposal or incinerations the responsibility for price disposal in accordance | on. The proper waste ce with | | |
| Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. | | | | | | |
| | 14. TRAN | NSPORT INFORMAT | TION | | | |
| U.S. DOT Classification | : Not reg | ulated for transportation | n. | | | |
| ICAO/IATA | : Refer to | o specific regulation. | | | | |
| IMO/IMDG (maritime) | : Refer to | o specific regulation. | | | | |
| | 15. REGU | LATORY INFORMA | TION | | | |
| US Regulations: | | | | | | |
| OSHA Status | : Classifi | ed as hazardous based | on components. | | | |
| TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. | | | | | | |
| US. EPA CERCLA Hazardo | us Substances (4 | 40 CFR 302) | | | | |
| Chemical Name CAS-No. RQ for component RQ for Mixture/Product | | | | | | |
| | 1308-38-9 | 010 lbs | 52 LB | - | | |

PolvOne

MATERIAL SAFETY DATA SHEET **7489C GREEN TEA**

Version Number 1.1 Revision Date 12/27/2012 Page 6 of 7 Print Date 12/27/2012

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

| Chemical Name | CAS-No. | Weight percent |
|------------------------------------|------------|----------------|
| CHROMIUM III COMPOUNDSCHROMIUM | 1308-38-9 | 10.00 - 30.00 |
| COMPOUNDS | | |
| CHROMIUM III COMPOUNDSCHROMIUM III | 68186-90-3 | 0.10 - 1.00 |
| COMPOUNDSANTIMONY | | |
| COMPOUNDSCHROMIUM COMPOUNDS | | |

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

| Chemical Name | CAS-No. | Weight | NPRI ID# |
|--------------------------------|------------|---------------|----------|
| | | percent | |
| Chromium (III) oxide | 1308-38-9 | 10.00 - 30.00 | |
| Rutile, antimony chromium buff | 68186-90-3 | 0.10 - 1.00 | |

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

| CAS-No. | |
|-----------|--|
| 1308-38-9 | |

:

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

| Australia AICS | : | Listed |
|----------------|---|--------|
| China IECS | : | Listed |
| Europe EINECS | : | Listed |



MATERIAL SAFETY DATA SHEET 7489C GREEN TEA

Version Number 1.1 Revision Date 12/27/2012

Page 7 of 7 Print Date 12/27/2012

Japan ENCS : Listed

Korea KECI : Listed

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.