### MATERIAL SAFETY DATA SHEET LUSTER PINK PEARL PET

Version Number 1.1 Revision Date 01/05/2012

Page 1 of 6 Print Date 1/29/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	LUSTER PINK PEARL PET
Product code :	CC10155442
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET LUSTER PINK PEARL PET

Version Number 1.1 Revision Date 01/05/2012 Page 2 of 6 Print Date 1/29/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat

<u>PolyOne</u>

### MATERIAL SAFETY DATA SHEET LUSTER PINK PEARL PET

Version Number 1.1 Revision Date 01/05/2012 Page 3 of 6 Print Date 1/29/2012

Storage	:	only in areas with appropriate exhaust ventilation. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	
8. EXPOS	SUI	RE CONTROLS/PERSONAL PROTECTION	
Respiratory protection	:	No personal respiratory protective equipment normally required.	
Eye/Face Protection	:	Safety glasses with side-shields	
Hand protection	:	Protective gloves	
Skin and body protection	:	Long sleeved clothing	
Additional Protective Measures	:	Safety shoes	
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		
	3 mg/m3	Recommended exposure	Respirable.	NIOSH
		limit (REL):		
	3 mg/m3	Time Weighted Average	Respirable dust.	OSHA Z1A
		(TWA):		
	3 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	Total dust.	OSHA Z1A
		(TWA):		
	10 mg/m3	Time Weighted Average	as Ti	MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
	_	(STEL):		

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance : solid : pellets Evaporation rate Specific Gravity Not applicableNot determined

### MATERIAL SAFETY DATA SHEET LUSTER PINK PEARL PET

Version Number 1.1 Revision Date 01/05/2012

Colour	: PINK		Bulk density	: Not established
Odour	: very faint	-	Vapour pressure	: not applicable
Melting point/range	: Not deter		Vapour density	
Boiling Point:	: not applie	able	pH	: not applicable
Water solubility	: insoluble			
-				
	10. STA	BILITY AND RE	CACTIVITY	
Stability	: Stable	:		
Hazardous Polymerization	: Will r	ot occur.		
Conditions to avoid	· Keen	away from ovidizi	ing agents and open	flame. To avoid thermal
Conditions to avoid	-	position, do not c		fiame. To avoid merma
	decon	iposition, do not e	verneut.	
Incompatible Materials	: Incom	patible with stron	g acids and oxidizin	g agents.
		1		
Hazardous decomposition	: Carbo	n dioxide (CO2),	carbon monoxide (C	CO), oxides of nitrogen
products	(NOx)	), other hazardous	materials, and smok	ke are all possible.
	11. TOXIC	OLOGICAL IN	FORMATION	

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

4/6



Page 4 of 6 Print Date 1/29/2012

PolyOne.

# MATERIAL SAFETY DATA SHEET LUSTER PINK PEARL PET

t readily biodegradable. emicals are not readily available as they are bound within the ymer matrix. emicals are not readily available as they are bound within the ymer matrix. data available <b>EXPOSAL CONSIDERATIONS</b> te most thermoplastic plastics the product can be recycled. Where essible recycling is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with olicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, nsportation and disposal in accordance with applicable federal, te/provincial and local regulations.
emicals are not readily available as they are bound within the ymer matrix. emicals are not readily available as they are bound within the ymer matrix. data available <b>ISPOSAL CONSIDERATIONS</b> the most thermoplastic plastics the product can be recycled. Where estible recycling is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with blicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste terial has the responsibility for proper waste terial has the responsibility for proper waste classification, nsportation and disposal in accordance with applicable federal,
ymer matrix. emicals are not readily available as they are bound within the ymer matrix. data available <b>ISPOSAL CONSIDERATIONS</b> the most thermoplastic plastics the product can be recycled. Where essible recycling is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with oblicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste terial has the responsibility for proper waste classification, nsportation and disposal in accordance with applicable federal,
ymer matrix. data available ISPOSAL CONSIDERATIONS the most thermoplastic plastics the product can be recycled. Where assible recycling is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with oblicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, nsportation and disposal in accordance with applicable federal,
<b>ISPOSAL CONSIDERATIONS</b> te most thermoplastic plastics the product can be recycled. Where ssible recycling is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with blicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, nsportation and disposal in accordance with applicable federal,
te most thermoplastic plastics the product can be recycled. Where essible recycling is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, nsportation and disposal in accordance with applicable federal,
te most thermoplastic plastics the product can be recycled. Where essible recycling is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, nsportation and disposal in accordance with applicable federal,
herator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with blicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification, nsportation and disposal in accordance with applicable federal,
terial has the responsibility for proper waste classification, nsportation and disposal in accordance with applicable federal,
RANSPORT INFORMATION
t regulated for transportation.
fer to specific regulation.
fer to specific regulation.
GULATORY INFORMATION
assified as hazardous based on components.
l components of this product are listed on or exempt from the CA Inventory.
ces (40 CFR 302)
t applicable

### MATERIAL SAFETY DATA SHEET LUSTER PINK PEARL PET

Version Number 1.1 Revision Date 01/05/2012 Page 6 of 6 Print Date 1/29/2012

SARA	Title	ш	Section	302	Extremely	Hazardous	Substance
SAKA	Titte	ш	Section	302	Extremely	Hazaluous	Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-	No.
12001	-26-2

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Not determined
China IECS	: Listed
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

:

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.