PolyOne

## MATERIAL SAFETY DATA SHEET UVPOTHR 155839

Version Number 1.1 Revision Date 03/13/2014

Page 1 of 6 Print Date 3/29/2014

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	UVPOTHR 155839	
Product code	:	CC10155839	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

Components	CAS-No.	Weight percent
1,6-Hexanediamine, N,N'-bis(2,2,6,6-	70624-18-9	5 - 10
tetramethyl-4-piperidinyl)-,polymer with		
2,4,6-trichloro-1,3,5-triazine, reaction		
products		

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.	
Ingestion	: May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	

PolyOne.

# MATERIAL SAFETY DATA SHEET UVPOTHR 155839

Version Number 1.1 Revision Date 03/13/2014 Page 2 of 6 Print Date 3/29/2014

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE



# MATERIAL SAFETY DATA SHEET UVPOTHR 155839

sion Date 03/13/2014		Page Print Date 3/29	
Handling		prevent the build up of electrostatic charge. Heat appropriate exhaust ventilation.	
Storage		containers dry and tightly closed to avoid moisture absorption contamination. Keep in a dry, cool place.	
8. EX	POSURE CONTROLS/P	ERSONAL PROTECTION	
Respiratory protection	: No personal respira	atory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with	a side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved cloth	ing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)			
9	. PHYSICAL AND CHEN	MICAL PROPERTIES	
Form Appearance Colour Odour	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable	
Melting point/range Boiling Point: Water solubility	. Insolutio		
Boiling Point:	10. STABILITY AN	D REACTIVITY	
Boiling Point:	10. STABILITY AN	D REACTIVITY le if stored and handled as prescribed.	
Boiling Point: Water solubility	10. STABILITY AN		
Boiling Point: Water solubility Stability	10. STABILITY AND         : The product is stab         : Will not occur.	le if stored and handled as prescribed. xidizing agents and open flame. To avoid therma	

## MATERIAL SAFETY DATA SHEET UVPOTHR 155839

### Version Number 1.1

Revision Date 03/13/2014

Page 4 of 6 Print Date 3/29/2014

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

	CAS-No.	Chemical Name	Effect	Target Organ
7	0624-18-9	1,6-Hexanediamine, N,N'-	Irritant	Eyes, Skin, Respiratory
		bis(2,2,6,6-tetramethyl-4-		system.
		piperidinyl)-,polymer with		
		2,4,6-trichloro-1,3,5-		
		triazine, reaction products		

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine, N,N'-	Oral LD50	> 2,000 mg/kg	rat
	bis(2,2,6,6-tetramethyl-4-	Dermal LD50	> 3,000 mg/kg	rat
	piperidinyl)-,polymer with			
	2,4,6-trichloro-1,3,5-			
	triazine, reaction products			

### **12. ECOLOGICAL INFORMATION**

Not readily biodegradable.	
Chemicals are not readily available as they are bound with polymer matrix.	in the
Chemicals are not readily available as they are bound with polymer matrix.	in the
no data available	
3. DISPOSAL CONSIDERATIONS	
possible recycling is preferred to disposal or incineration. generator of waste material has the responsibility for prope	The er waste
Recycling is preferred when possible. The generator of wa	iste
-	<ul> <li>Chemicals are not readily available as they are bound with polymer matrix.</li> <li>Chemicals are not readily available as they are bound with polymer matrix.</li> <li>no data available</li> </ul> <b>13. DISPOSAL CONSIDERATIONS</b> <ul> <li>Like most thermoplastic plastics the product can be recycle possible recycling is preferred to disposal or incineration. generator of waste material has the responsibility for proper classification, transportation and disposal in accordance wi applicable federal, state/provincial and local regulations.</li></ul>

olvOn<u>e</u>

### MATERIAL SAFETY DATA SHEET UVPOTHR 155839

Version Number 1.1 Revision Date 03/13/2014 Page 5 of 6 Print Date 3/29/2014

transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification : Not regulated for transportation. ICAO/IATA Refer to specific regulation. IMO/IMDG (maritime) Refer to specific regulation. : **15. REGULATORY INFORMATION US Regulations: OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on or exempt from the : TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable WHMIS Classification : D2B DSL DSL status has not been determined. Quantity use in Canada may be :

PolyOne

# MATERIAL SAFETY DATA SHEET UVPOTHR 155839

Version Number 1.1 Revision Date 03/13/2014 Page 6 of 6 Print Date 3/29/2014

			restricted by regulations.
N	National Inventories:		
	Australia AICS	:	Not determined
	China IECS	:	Not determined
	Europe EINECS	:	Not determined
	Japan ENCS	:	Not determined
	Korea KECI	:	Not determined
	Philippines PICCS	:	Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.