PolyOne

MATERIAL SAFETY DATA SHEET UVPOTHR 155840

Version Number 1.1 Revision Date 03/29/2014

Page 1 of 6 Print Date 4/7/2014

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012		
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	UVPOTHR 155840
Product code	:	CC10155840
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use		Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
1,6-Hexanediamine, N,N'-bis(2,2,6,6- tetramethyl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products	70624-18-9	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET UVPOTHR 155840

Version Number 1.1 Revision Date 03/29/2014 Page 2 of 6 Print Date 4/7/2014

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE

PolyOne.

MATERIAL SAFETY DATA SHEET UVPOTHR 155840

sion Date 03/29/2014	Page Print Date 4/		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.		
8. EX	POSURE CONTROLS/PERSONAL PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.		
Eye/Face Protection	: Safety glasses with side-shields		
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothing		
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.		
	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Engineering measures Exposure limit(s)			
Exposure limit(s)			
Exposure limit(s)	appropriate exhaust ventilation at machinery.		
Exposure limit(s) Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ventilation at machinery. D. PHYSICAL AND CHEMICAL PROPERTIES : solid Evapouration rate : pellets Specific Gravity : NO PIGMENT Bulk density : very faint Vapour pressure : Not determined Vapour density : Not determined Vapour density : not applicable pH		
Exposure limit(s) Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ventilation at machinery. D. PHYSICAL AND CHEMICAL PROPERTIES : solid Evapouration rate : pellets Specific Gravity : NO PIGMENT Bulk density : very faint Vapour pressure : Not determined Vapour density : Not determined PHYBICAL : insoluble pH		
Exposure limit(s) Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	appropriate exhaust ventilation at machinery. D. PHYSICAL AND CHEMICAL PROPERTIES : solid Evapouration rate : pellets Specific Gravity : NO PIGMENT Bulk density : very faint Vapour pressure : Not determined Vapour density : not applicable pH : insoluble 10. STABILITY AND REACTIVITY		
Exposure limit(s) Exposure limit(s) Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	appropriate exhaust ventilation at machinery. D. PHYSICAL AND CHEMICAL PROPERTIES : solid Evapouration rate : pellets Specific Gravity : NO PIGMENT Bulk density : very faint Vapour pressure : Not determined Vapour density : not applicable pH : not applicable pH : insoluble Inot applicable : The product is stable if stored and handled as prescribed.		

MATERIAL SAFETY DATA SHEET UVPOTHR 155840

Version Number 1.1 Revision Date 03/29/2014

Page 4 of 6 Print Date 4/7/2014

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'- bis(2,2,6,6-tetramethyl-4-	Irritant	Eyes, Skin, Respiratory
	piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-		system.
	triazine, reaction products		

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine, N,N'-	Oral LD50	> 2,000 mg/kg	rat
	bis(2,2,6,6-tetramethyl-4-	Dermal LD50	> 3,000 mg/kg	rat
	piperidinyl)-,polymer with			
	2,4,6-trichloro-1,3,5-			
	triazine, reaction products			

12. ECOLOGICAL INFORMATION

:	Not readily biodegradable.
:	Chemicals are not readily available as they are bound within the polymer matrix.
:	Chemicals are not readily available as they are bound within the polymer matrix.
:	no data available
1.	3. DISPOSAL CONSIDERATIONS
:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
:	Recycling is preferred when possible. The generator of waste
-	

PolyOne.

MATERIAL SAFETY DATA SHEET UVPOTHR 155840

sion Number 1.1 ision Date 03/29/2014	Page 5 Print Date 4/7/2
	transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	ous Substances (40 CFR 302)
not applicable	
California Propositio 65	n : Not applicable
SARA Title III Section 302	Extremely Hazardous Substance
Unless specific chemicals ar	e identified under this section, this product is Not Applicable under this regula
SARA Title III Section 313	Toxic Chemicals:
Unless specific chemicals ar	e identified under this section, this product is Not Applicable under this regula
Canadian Regulations:	
National Pollutant Re	elease Inventory (NPRI)
not applicable	
WIDAR Classificati	
WHMIS Classification	on : D2B

PolyOne

MATERIAL SAFETY DATA SHEET UVPOTHR 155840

Version Number 1.1 Revision Date 03/29/2014 Page 6 of 6 Print Date 4/7/2014

		restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.