MATERIAL SAFETY DATA SHEET LCS-26552 LQ LT PINK

Version Number 1.1 Revision Date 01/13/2012

Page 1 of 5 Print Date 1/29/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	LCS-26552 LQ LT PINK
Product code	:	CC10156402
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: Irritating to eyes and respiratory system.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET LCS-26552 LQ LT PINK

Version Number 1.1 Revision Date 01/13/2012 Page 2 of 5 Print Date 1/29/2012

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If ey irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET LCS-26552 LQ LT PINK

Version Number 1.1 Revision Date 01/13/2012 Page 3 of 5 Print Date 1/29/2012

0, LAI	POSURE CONTROLS/F	ERSONAL PROTECTION	
Respiratory protection	: Under normal han	dling conditions a respirator may not be	required.
Eye/Face Protection	: Safety glasses wit	n side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clot	ning	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		nce with good industrial hygiene and saf nds before breaks and at the end of work	
Engineering measures		with appropriate exhaust ventilation. Pr	ovide
Exposure limit(s)			
<i></i>	PHYSICAL AND CHE		
Form	· liquid	Evanoration rate · Not es	tablished
Form Appearance	: liquid : viscous, liquid		tablished termined
Form Appearance Colour	: liquid : viscous, liquid : PINK	Specific Gravity : Not de	termined
Appearance	: viscous, liquid : PINK	Specific Gravity: Not deBulk density: Not ap	
Appearance Colour	: viscous, liquid	Specific Gravity: Not deBulk density: Not apVapour pressure: Not de	termined plicable
Appearance Colour Odour	: viscous, liquid : PINK : very faint	Specific Gravity: Not deBulk density: Not apVapour pressure: Not deVapour density: Not de	termined plicable termined
Appearance Colour Odour Melting point/range	 viscous, liquid PINK very faint not applicable 	Specific Gravity: Not deBulk density: Not apVapour pressure: Not deVapour density: Not de	termined plicable termined termined
Appearance Colour Odour Melting point/range Boiling Point:	 viscous, liquid PINK very faint not applicable not applicable 	Specific Gravity: Not deBulk density: Not apVapour pressure: Not deVapour density: Not depH: Not ap	termined plicable termined termined
Appearance Colour Odour Melting point/range Boiling Point:	 viscous, liquid PINK very faint not applicable not applicable immiscible 	Specific Gravity: Not deBulk density: Not apVapour pressure: Not deVapour density: Not depH: Not ap	termined plicable termined termined
Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 viscous, liquid PINK very faint not applicable not applicable immiscible 10. STABILITY AN	Specific Gravity: Not deBulk density: Not apVapour pressure: Not deVapour density: Not depH: Not ap	termined plicable termined termined
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 viscous, liquid PINK very faint not applicable not applicable immiscible 10. STABILITY AN Stable Will not occur. 	Specific Gravity: Not deBulk density: Not apVapour pressure: Not deVapour density: Not depH: Not ap	termined plicable termined termined
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 viscous, liquid PINK very faint not applicable not applicable immiscible 10. STABILITY AN Stable Will not occur. Keep away from operations 	Specific Gravity : Not de Bulk density : Not ap Vapour pressure : Not de Vapour density : Not de pH : Not ap	termined plicable termined termined
Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 viscous, liquid PINK very faint not applicable not applicable immiscible 10. STABILITY AN Stable Will not occur. Keep away from of Incompatible with Carbon dioxide (O) 	Specific Gravity : Not de Bulk density : Not ap Vapour pressure : Not de Vapour density : Not de pH : Not ap D REACTIVITY xidizing agents and open flame.	termined plicable termined termined plicable

PolyOne.

MATERIAL SAFETY DATA SHEET LCS-26552 LQ LT PINK

Version Number 1.1 Revision Date 01/13/2012 Page 4 of 5 Print Date 1/29/2012

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO/IMDG (maritime)	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

PolyOne

MATERIAL SAFETY DATA SHEET LCS-26552 LQ LT PINK

Version Number 1.1 Revision Date 01/13/2012	Page 5 of 5 Print Date 1/29/2012
California Proposition 65	: Not applicable
SARA Title III Section 302 Extr	emely Hazardous Substance
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Tox Unless specific chemicals are id	ic Chemicals: entified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release	e Inventory (NPRI)
not applicable	
WHMIS Classification	: Not controlled.
DSL	: DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:	
Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined
	16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.