MATERIAL SAFETY DATA SHEET **NUK RED 485**

Version Number 1.0 Revision Date 04/10/2012 Page 1 of 5 Print Date 8/25/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:		1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	:	NUK RED 485
Product code :	:	CC10161372
Chemical Name :	:	Mixture
CAS-No.	:	Mixture
Product Use :	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Particulates, like other inert materials can be mechanically irritating.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET **NUK RED 485**

Version Number 1.0 Revision Date 04/10/2012 Page 2 of 5 Print Date 8/25/2012

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persist seek medical attention.		
		5. FIRE-FIGHTING MEASURES	
Flash point	:	not applicable	
-			
Flammable Limits		not opplicable	
Upper explosion limit Lower explosion limit	:	not applicable not applicable	
Autoignition temperature	•	Not relevant	
	:		
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.	
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive	
Procedures		pressure mode should be worn to prevent inhalation of airborne	
		contaminants.	
Unusual Fire/Explosion	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen	
Hazards		(NOx), other hazardous materials, and smoke are all possible.	
	6. A	CCIDENTAL RELEASE MEASURES	
Personal precautions	:	Wear appropriate personal protection during cleanup, such as	
reisonal preeautions	·	impervious gloves, boots and coveralls.	
		imper rious groves, books and coverans.	
Environmental precautions	:	Should not be released into the environment. The product should not	
1		be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in	
		plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
		7. HANDLING AND STORAGE	
Handling		Take measures to prevent the build up of electrostatic charge. Heat	
innaining	•	only in areas with appropriate exhaust ventilation.	
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption	
	•		

2/5



MATERIAL SAFETY DATA SHEET **NUK RED 485**

Version Number 1.0 Revision Date 04/10/2012 Page 3 of 5 Print Date 8/25/2012

8. EXI	POSURE CONTROLS/I	PERSONAL PROTECTION		
Respiratory protection		No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.		
Eye/Face Protection	: Safety glasses wit	Safety glasses with side-shields		
Hand protection	: Protective gloves.	Protective gloves. Refer to equipment supplier to ensure protection.		
Skin and body protection	: Long sleeved clot	hing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		ance with good industrial hygiene and safety ands before breaks and at the end of workday.		
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
		alatory thresholds in this product.		
9. Form Appearance Colour Odour Melting point/range	PHYSICAL AND CHE : solid : powder, granular : RED : very faint : Not determined	Evaporation rate : Not applicable Specific Gravity : Not applicable Bulk density : Not determined Vapour pressure : not applicable Vapour density : not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point:	PHYSICAL AND CHE : solid : powder, granular : RED : very faint	Evaporation rate : Not applicable Specific Gravity : Not applicable Bulk density : Not determined Vapour pressure : not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 PHYSICAL AND CHE solid powder, granular RED very faint Not determined not applicable 	Evaporation rate Specific Gravity: Not applicableBulk density: Not determinedVapour pressure Vapour density: not applicablePH: not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHE solid powder, granular RED very faint Not determined not applicable insoluble 	Evaporation rate Specific Gravity: Not applicableBulk density: Not determinedVapour pressure Vapour density: not applicablePH: not applicable		
9. Form Appearance Colour Odour	PHYSICAL AND CHE : solid : powder, granular : RED : very faint : Not determined : not applicable : insoluble 10. STABILITY AN	Evaporation rate Specific Gravity: Not applicableBulk density: Not determinedVapour pressure Vapour density: not applicablePH: not applicable		
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHE : solid : powder, granular : RED : very faint : Not determined : not applicable : insoluble 10. STABILITY AN : Stable : Will not occur.	Evaporation rate : Not applicable Specific Gravity : Not applicable Bulk density : Not determined Vapour pressure : not applicable Vapour density : not applicable pH : not applicable ND REACTIVITY decomposition, do not overheat. Keep away from		
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHE : solid : powder, granular : RED : very faint : Not determined : not applicable : insoluble 10. STABILITY AN : Stable : Will not occur. : To avoid thermal oxidizing agents a	Evaporation rate : Not applicable Specific Gravity : Not applicable Bulk density : Not determined Vapour pressure : not applicable Vapour density : not applicable pH : not applicable ND REACTIVITY decomposition, do not overheat. Keep away from		

PolyOne.

MATERIAL SAFETY DATA SHEET **NUK RED 485**

Version Number 1.0 Revision Date 04/10/2012 Page 4 of 5 Print Date 8/25/2012

There are no known hazardous	components above regulatory thresholds in this product.
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
not applicable	

blvUn<u>e</u>

MATERIAL SAFETY DATA SHEET **NUK RED 485**

Version Number 1.0 Revision Date 04/10/2012

Page 5 of 5 Print Date 8/25/2012

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.