BLUE ACETAL 281C

Version Number 1.4 Revision Date 07/31/2020 PolyOne.

Page 1 of 14 Print Date 08/01/2020

SAFETY DATA SHEET

BLUE ACETAL 281C

Section 1. Identification				
GHS product identifier	:	BLUE ACETAL 281C		
Chemical name	:	Mixture		
CAS number	:	Mixture		
Other means of identification	:	CC10161828		
Product type	:	solid		
Relevant identified uses of the substance or mixture and uses advised against				
Product use	:	Industrial applications.		
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012		
		1 (440) 930-1000 or 1 (866) POLYONE		
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/14

BLUE ACETAL 281C

Version Number 1.4 Revision Date 07/31/2020 <u>PolyOne</u>

Page 2 of 14 Print Date 08/01/2020

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention		Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10161828

CAS number/other identifiers

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.



BLUE ACETAL 281C

Version Number 1.4 Revision Date 07/31/2020	Page 3 of 14 Print Date 08/01/2020
Skin contact :	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion :	
Most important symptoms/effects, acute	e and delayed
Potential acute health effects	
Eye contact Inhalation Skin contact Ingestion	No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms	
Eye contact :	No specific data.
Inhalation	No specific data.
Skin contact :	No specific data.
Ingestion :	No specific data.
Indication of immediate medical attent	tion and special treatment needed, if necessary
Notes to physician :	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments :	
Protection of first-aiders :	No action shall be taken involving any personal risk or without suitable training.
See toxicological information (Section	11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the	:	No specific fire or explosion hazard.

PolyOne

BLUE ACETAL 281C

Version Number 1.4	Page 4 of 14
Revision Date 07/31/2020	Print Date 08/01/2020

chemical Hazardous thermal decomposition products	:	If overheated or burnt, the polymer releases formaldehyde. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through
For emergency responders	:	spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for contain	ment a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

BLUE ACETAL 281C

Version Number 1.4 Revision Date 07/31/2020



Page 5 of 14 Print Date 08/01/2020

Precautions for safe handling		
Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits None.		
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used
Eye/face protection	:	when a risk assessment indicates this is necessary to avoid exposure to

BLUE ACETAL 281C

ŀ	bl	vOne.
_		

Version Number 1.4	Page 6 of 14
Revision Date 07/31/2020	Print Date 08/01/2020

following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. **Skin protection** Hand protection Chemical-resistant, impervious gloves complying with an approved : standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based **Body protection** : on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures Other skin protection : should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Based on the hazard and potential for exposure, select a respirator that **Respiratory protection** :

meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

liquid splashes, mists, gases or dusts. If contact is possible, the

Section 9. Physical and chemical properties

Appearance

Color:BLUEOdor:Faint odor.Odor threshold:Not available.pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Not available.Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limits:Not available.Vapor pressure:Not available.	Physical state	:	solid [Pellets.]
Odor threshold:Not available.pH:Not available.Melting point:Not available.Boiling point:Not available.Flash point:Not available.Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limits:Upper: Not available.Vapor pressure:Not available.	Color	:	BLUE
pH:Not available.Melting point:Not available.Boiling point:Not available.Burning time:Not available.Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limits:Upper: Not available.Vapor pressure:Not available.	Odor	:	Faint odor.
Melting point:Not available.Boiling point:Not available.Birning time:Not available.Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limits:Upper: Not available.Vapor pressure:Not available.	Odor threshold	:	Not available.
Boiling point:Not available.Flash point:Not available.Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limitsUpper: Not available.Vapor pressure:Not available.	рН	:	Not available.
Flash point:Not available.Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limitsUpper: Not available.Vapor pressure:Not available.	Melting point	:	Not available.
Burning time:Not available.Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limitsUpper: Not available.Vapor pressure:Not available.	Boiling point	:	Not available.
Burning rate:Not available.Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limitsUpper: Not available.Vapor pressure:Not available.	Flash point	:	Not available.
Evaporation rate:Not available.Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limitsUpper: Not available.Vapor pressure:Not available.	Burning time	:	Not available.
Flammability (solid, gas):Not available.Lower and upper explosive:Lower: Not available.(flammable) limitsUpper: Not available.Vapor pressure:Not available.	Burning rate	:	Not available.
Lower and upper explosive (flammable) limits:Lower: Not available.Vapor pressure:Not available.	Evaporation rate	:	Not available.
(flammable) limitsUpper: Not available.Vapor pressure: Not available.	Flammability (solid, gas)	:	Not available.
Vapor pressure : Not available.	Lower and upper explosive	:	Lower: Not available.
	(flammable) limits		Upper: Not available.
Vanor density . Not available	Vapor pressure	:	Not available.
· Not available.	Vapor density	:	Not available.
Relative density : Not available.	Relative density	:	Not available.
Solubility : Not available.	Solubility	:	Not available.
Solubility in water : insoluble in water.	Solubility in water	:	insoluble in water.

BLUE ACETAL 281C

Version Number 1.4 Revision Date 07/31/2020 <u>PolyOne</u>

Page 7 of 14 Print Date 08/01/2020

Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
<u>Aerosol product</u> Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time equivalent	:	Not available.
Enclosed space ignition -	:	Not available.
Deflagration density Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability		Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Maintain polymer temperature below 230°C (446°F). Avoid prolonged exposure at or above recommended processing temperature.
Incompatible materials:Incompatible with strong oxidizers (decomposes to form formaldehyd resins are incompatible with halog (PVC) and any elastomers contain processing conditions, these mater involve rapid degradation. Even sr can cause sudden and spontaneous Workplace fume well above thresh pressurization of equipment such a Thoroughly purge and mechanical avoid even trace quantities of halo contact with the acetal. Prevent co		Incompatible with strong oxidizers and with strong acids and bases (decomposes to form formaldehyde). At melt temperatures, acetal resins are incompatible with halogenated polymers such as vinyl (PVC) and any elastomers containing any halogenated polymers. At processing conditions, these materials are mutually destructive and involve rapid degradation. Even small amounts of such contaminants can cause sudden and spontaneous formaldehyde gas formation. Workplace fume well above threshold levels are a likely result. Unsafe pressurization of equipment such as extruder or mold can also result. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of halogenated materials from coming in contact with the acetal. Prevent contamination of virgin or rework resin.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.



BLUE ACETAL 281C

Version Number 1.4 Revision Date 07/31/2020 Page 8 of 14 Print Date 08/01/2020

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity				
Conclusion/Summary	:	Mixture.Not fully tested.		
Irritation/Corrosion				
Conclusion/Summary Skin Eyes	:	Mixture.Not fully tested. Mixture.Not fully tested.		
Respiratory	:	Mixture.Not fully tested.		
<u>Sensitization</u>				
Conclusion/Summary Skin Respiratory	:	Mixture.Not fully tested. Mixture.Not fully tested.		
<u>Mutagenicity</u>				
Conclusion/Summary	:	Mixture.Not fully tested.		
<u>Carcinogenicity</u>				
Conclusion/Summary	:	Mixture.Not fully tested.		
<u>Reproductive toxicity</u>				
Conclusion/Summary	:	Mixture.Not fully tested.		
Teratogenicity				
Conclusion/Summary	:	Mixture.Not fully tested.		
Specific target organ toxicity (single exposure) Not available.				



BLUE ACETAL 281C

Version Number 1.4 Revision Date 07/31/2020 Page 9 of 14 Print Date 08/01/2020

Specific target organ toxicity (repe	ated e	exposure)
Not available.		
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the physical, o	chemi	cal and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Deleved and immediate offects as a	roll or	abuanic offects from short and long term ormerune
Delayed and mimediate effects as v	ven as	s chronic effects from short and long-term exposure
Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.

ne

BLUE ACETAL 281C

Version Number 1.4 Revision Date 07/31/2020 Page 10 of 14 Print Date 08/01/2020

Fertility effects

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

:

Toxicity

Product/ingredient name	Result	Species	Exposure		
BLUE ACETAL 281C					
Remarks - Acute - Aquatic	Chemicals ar	e not readily available as they are bound with	ithin the polymer matrix.		
invertebrates.:			ana harrad mithin tha		
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.				
Persistence and degradability					
Conclusion/Summary		Chemicals are not readily available as they polymer matrix.	are bound within the		
Bioaccumulative potential Not available.					
<u>Mobility in soil</u>					
Soil/water partition coefficien (KOC)	nt :]	Not available.			
Other adverse effects	: 1	No known significant effects or critical haz	ards.		

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local

<u>PolyOne</u>

BLUE ACETAL 281C

Version Number 1.4 Revision Date 07/31/2020 Page 11 of 14 Print Date 08/01/2020

authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None
		of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not
		listed
		United States - TSCA 5(a)2 - Proposed significant new use rules:
		Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed

11/14

BLUE ACETAL 281C

PolyOne.	

Version Number 1.4	Page 12 of 14
Revision Date 07/31/2020	Print Date 08/01/2020

		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Phthalocyanine Blue United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed

DEA List II Chemicals (Essential : Not listed **Chemicals**)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Not applicable.




BLUE ACETAL 281C

Version Number 1.4 Revision Date 07/31/2020 Page 13 of 14 Print Date 08/01/2020

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Phthalocyanine Blue
Pennsylvania	:	The following components are listed: Phthalocyanine Blue
<u>California Prop. 65</u> This product does not require a Safe H	Iarbor	warning under California Prop. 65.
United States inventory (TSCA 8b)		All components are active or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
<u>Inventory list</u>		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.



BLUE ACETAL 281C

Version Number 1.4 Revision Date 07/31/2020 Page 14 of 14 Print Date 08/01/2020

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Histor		
Date of printing	:	08/01/2020
Date of issue/Date of revision	:	07/31/2020
Date of previous issue	:	04/24/2020
Version	:	1.4
Key to abbreviations	:	ATE = Acute Toxicity Estimate
-		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.