PolvOne

MATERIAL SAFETY DATA SHEET OUTDOOR RED BK

Version Number 1.1 Revision Date 05/07/2012 Page 1 of 6 Print Date 8/26/2012

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Felephone E mergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	OUTDOOR RED BK
Product code	:	CC10162536
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
14H-Benz[4,5]isoquino[2,1-a]perimidin-14-	6829-22-7	5 - 10
one		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET OUTDOOR RED BK

Version Number 1.1 Revision Date 05/07/2012 Page 2 of 6 Print Date 8/26/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should r be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal. Refer to Sectio 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Hea



MATERIAL SAFETY DATA SHEET OUTDOOR RED BK

		Print Date	Page 8/26/
	only in areas with a	appropriate exhaust ventilation.	
Storage		y and tightly closed to avoid moisture abs Keep in a dry, cool place.	orption
8. EX	POSURE CONTROLS/P	ERSONAL PROTECTION	
Respiratory protection	: No personal respira	atory protective equipment normally requi	red.
Eye/Face Protection	: Safety glasses with	side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved cloth	ing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		ice with good industrial hygiene and safet and before breaks and at the end of workd	
Engineering measures		with appropriate exhaust ventilation. Prov	vide
Exposure limit(s)	appropriate exhaus	t ventilation at machinery.	
Exposure limit(s) 9	appropriate exhaus	MICAL PROPERTIES	
9 Form	• PHYSICAL AND CHEM : solid	MICAL PROPERTIES Evaporation rate : Not appl	
9 Form Appearance	 PHYSICAL AND CHEM : solid : pellets 	AICAL PROPERTIES Evaporation rate : Not appl Specific Gravity : Not dete	rmined
9 Form	 PHYSICAL AND CHEM solid pellets RED 	AICAL PROPERTIES Evaporation rate : Not appl Specific Gravity : Not dete Bulk density : Not estal	rmined blished
9 Form Appearance Colour Odour	 PHYSICAL AND CHEM solid pellets RED very faint 	AICAL PROPERTIES Evaporation rate : Not appl Specific Gravity : Not dete Bulk density : Not estal Vapour pressure : not appli	rmined blished icable
9 Form Appearance Colour Odour Melting point/range	 PHYSICAL AND CHEN solid pellets RED very faint Not determined 	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not dete Bulk density : Not estal Vapour pressure : not appli Vapour density : not appli	rmined blished icable icable
9 Form Appearance Colour Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEM solid pellets RED very faint Not determined not applicable 	AICAL PROPERTIES Evaporation rate : Not appl Specific Gravity : Not dete Bulk density : Not estal Vapour pressure : not appli	rmined blished icable icable
9 Form Appearance Colour Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEN solid pellets RED very faint Not determined not applicable insoluble 	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not dete Bulk density : Not estal Vapour pressure : not appli Vapour density : not appli pH : not appli	rmined blished icable icable
9 Form Appearance Colour Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEM solid pellets RED very faint Not determined not applicable 	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not dete Bulk density : Not estal Vapour pressure : not appli Vapour density : not appli pH : not appli	rmined blished icable icable
9 Form Appearance Colour Odour Melting point/range	 PHYSICAL AND CHEN solid pellets RED very faint Not determined not applicable insoluble 	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not dete Bulk density : Not estal Vapour pressure : not appli Vapour density : not appli pH : not appli	rmined blished icable icable
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEM solid pellets RED very faint Not determined not applicable insoluble 10. STABILITY AND	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not dete Bulk density : Not estal Vapour pressure : not appli Vapour density : not appli pH : not appli	rmined blished icable icable
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 PHYSICAL AND CHEM solid pellets RED very faint Not determined not applicable insoluble 10. STABILITY ANI Stable Will not occur. 	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not dete Bulk density : Not estal Vapour pressure : not appli Vapour density : not appli pH : not appli D REACTIVITY kidizing agents and open flame. To avoid	rmined blished icable icable
9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 PHYSICAL AND CHEM solid pellets RED very faint Not determined not applicable insoluble 10. STABILITY ANI Stable Will not occur. Keep away from or decomposition, do 	MICAL PROPERTIES Evaporation rate : Not appli Specific Gravity : Not dete Bulk density : Not estal Vapour pressure : not appli Vapour density : not appli pH : not appli D REACTIVITY kidizing agents and open flame. To avoid	rmined blished icable icable

PolyOne

MATERIAL SAFETY DATA SHEET OUTDOOR RED BK

Version Number 1.1 Revision Date 05/07/2012

Page 4 of 6 Print Date 8/26/2012

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
6829-22-7	14H- Benz[4,5]isoquino[2,1- a]perimidin-14-one	Irritant	Eyes.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
CAO/IATA	: Refer to specific regulation.
MO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET OUTDOOR RED BK

sion Number 1.1 ision Date 05/07/2012	Page 5 Print Date 8/26/2
US Deculations	
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Extr	remely Hazardous Substance
Unless specific chemicals are id	entified under this section, this product is Not Applicable under this regula
SARA Title III Section 313 Tox	ic Chemicals:
Unless specific chemicals are id-	entified under this section, this product is Not Applicable under this regula
Unless specific chemicals are ide Canadian Regulations:	entified under this section, this product is Not Applicable under this regula
-	
Canadian Regulations:	
Canadian Regulations: National Pollutant Releas	
Canadian Regulations: National Pollutant Releas not applicable	se Inventory (NPRI)
Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification	 se Inventory (NPRI) : D2B : All components of this product are on the Canadian Domestic
Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL	 se Inventory (NPRI) : D2B : All components of this product are on the Canadian Domestic
Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories:	 se Inventory (NPRI) : D2B : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories: Australia AICS	 se Inventory (NPRI) : D2B : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. : Not determined
Canadian Regulations: National Pollutant Releas not applicable WHMIS Classification DSL National Inventories: Australia AICS China IECS	 se Inventory (NPRI) : D2B : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. : Not determined : Listed

MATERIAL SAFETY DATA SHEET OUTDOOR RED BK

Version Number 1.1 Revision Date 05/07/2012

Philippines PICCS

16. OTHER INFORMATION

: Not determined

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

PolyOne.

Page 6 of 6 Print Date *8/26/2012*