PolyOne

MATERIAL SAFETY DATA SHEET FRIMOTHR

Version Number 1.0 Revision Date 05/04/2012 Page 1 of 6 Print Date 8/26/2012

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012		
Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FRIMOTHR
Product code	:	CC10162623
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione compd. with 1,3,5-triazine-2,4,6-triamine	37640-57-6	10 - 30
(1:1)		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET **FRIMOTHR**

Version Number 1.0 Revision Date 05/04/2012 Page 2 of 6 Print Date 8/26/2012

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Autoignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
	contaminants.
Unusual Fire/Explosion	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET **FRIMOTHR**

		F	Print Date 8/26/2
Handling		revent the build up of electrosta appropriate exhaust ventilation.	tic charge. Heat
Storage		y and tightly closed to avoid mo Keep in a dry, cool place.	isture absorption
8. EXI	POSURE CONTROLS/PI	ERSONAL PROTECTION	
Respiratory protection	: No personal respira	tory protective equipment norm	ally required.
Eye/Face Protection	: Safety glasses with	side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothi	ing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		ce with good industrial hygiene ids before breaks and at the end	
Engineering measures		with appropriate exhaust ventila t ventilation at machinery.	tion. Provide
Exposure limit(s)			
9.	. PHYSICAL AND CHEM	AICAL PROPERTIES	
9. Form	. PHYSICAL AND CHEM : solid	Evaporation rate :	Not applicable
Form Appearance	: solid : pellets	Evaporation rate : Specific Gravity :	Not determined
Form Appearance Colour	: solid : pellets : NO PIGMENT	Evaporation rate : Specific Gravity : Bulk density :	Not determined Not established
Form Appearance Colour Odour	 solid pellets NO PIGMENT very faint 	Evaporation rate : Specific Gravity : Bulk density : Vapour pressure :	Not determined Not established not applicable
Form Appearance Colour Odour Melting point/range	 solid pellets NO PIGMENT very faint Not determined 	Evaporation rate:Specific Gravity:Bulk density:Vapour pressure:Vapour density:	Not determined Not established not applicable not applicable
Form Appearance Colour Odour	 solid pellets NO PIGMENT very faint 	Evaporation rate : Specific Gravity : Bulk density : Vapour pressure :	Not determined Not established not applicable
Form Appearance Colour Odour Melting point/range	 solid pellets NO PIGMENT very faint Not determined 	Evaporation rate:Specific Gravity:Bulk density:Vapour pressure:Vapour density:	Not determined Not established not applicable not applicable
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets NO PIGMENT very faint Not determined not applicable 	Evaporation rate : Specific Gravity : Bulk density : Vapour pressure : Vapour density : pH :	Not determined Not established not applicable not applicable
Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 	Evaporation rate : Specific Gravity : Bulk density : Vapour pressure : Vapour density : pH :	Not determined Not established not applicable not applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY ANI	Evaporation rate : Specific Gravity : Bulk density : Vapour pressure : Vapour density : pH :	Not determined Not established not applicable not applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY ANI Stable Will not occur. 	Evaporation rate : Specific Gravity : Bulk density : Vapour pressure : Vapour density : pH : DREACTIVITY	Not determined Not established not applicable not applicable not applicable
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY ANI Stable Will not occur. Keep away from ox decomposition, do applicable 	Evaporation rate : Specific Gravity : Bulk density : Vapour pressure : Vapour density : pH : DREACTIVITY	Not determined Not established not applicable not applicable not applicable

PolyOne

MATERIAL SAFETY DATA SHEET FRIMOTHR

Version Number 1.0

Revision Date 05/04/2012

Page 4 of 6 Print Date 8/26/2012

Hazardous decomposition : Carbon di products (NOx), ot

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGIC	AL INFORMATION				
Persistence and degradabilit Environmental Toxicity		 Not readily biodegradable. Chemicals are not readily available as they are bound within the polymer matrix 				
Bioaccumulation Potential	: Chemicals are	: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: no data availat	: no data available				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packaging	 possible recycling generator of we classification, applicable feder Recycling is primaterial has the transportation state/provincia 	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14. TRANSPOR	RT INFORMATION				
U.S. DOT Classification	n : Not regulated for transportation.					
ICAO/IATA	: Refer to specif	ic regulation.				
IMO/IMDG (maritime)	: Refer to specif	ic regulation.				
	15. REGULATO	RY INFORMATION				
US Regulations:						

PolyOne.

MATERIAL SAFETY DATA SHEET **FRIMOTHR**

	Page 5 of 6 Print Date 8/26/2012
:	Classified as hazardous based on components.
:	All components of this product are listed on or exempt from the TSCA Inventory.
Subs	stances (40 CFR 302)
:	Not applicable
eme	ely Hazardous Substance
enti	fied under this section, this product is Not Applicable under this regulation
ic C	Chemicals:
enti	fied under this section, this product is Not Applicable under this regulation
e Ir	nventory (NPRI)
:	Not controlled.
:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
:	Not determined
:	Not determined
:	Listed
:	Not determined
:	Not determined
:	Not determined
	: ema ic C enti : : : : : : : :

PolyOne

MATERIAL SAFETY DATA SHEET FRIMOTHR

Version Number 1.0 Revision Date 05/04/2012

Page 6 of 6 Print Date 8/26/2012

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.