PolyOne

## MATERIAL SAFETY DATA SHEET CTRPBT

Version Number 1.0 Revision Date 05/07/2012 Page 1 of 6 Print Date 8/26/2012

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	СТКРВТ		
Product code	:	CC10162849		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

Components	CAS-No.	Weight percent
Silica, amorphous	7631-86-9	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.	
Ingestion	: May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



# MATERIAL SAFETY DATA SHEET **CTRPBT**

Version Number 1.0 Revision Date 05/07/2012 Page 2 of 6 Print Date 8/26/2012

Medical Conditions       : None known.         Aggravated by Exposure:			
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne</li> </ul>		
Unusual Fire/Explosion Hazards	<ul> <li>contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		



## **MATERIAL SAFETY DATA SHEET CTRPBT**

Version Number 1.0			
Revision Date	05/07/2012		

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	No personal respiratory protective equipment normally	required.
Eye/Face Protection	Safety glasses with side-shields	
Hand protection	Protective gloves	
Skin and body protection	: Long sleeved clothing	
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations	Handle in accordance with good industrial hygiene and practice. Wash hands before breaks and at the end of w	-
Engineering measures	Heat only in areas with appropriate exhaust ventilation. appropriate exhaust ventilation at machinery.	Provide

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	6 mg/m3	Recommended exposure		NIOSH
		limit (REL):		
	0.8 mg/m3	Time Weighted Average		Z3
		(TWA):		
	10 mg/m3	Time Weighted Average	Inhalable particulate.	MX OEL
		(TWA):		
	3 mg/m3	Time Weighted Average	Respirable dust.	MX OEL
	_	(TWA):	-	

|--|

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

: pellets : NO PIGMENT : very faint Not determined : : not applicable : insoluble

: solid

- Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pН
- : Not applicable Not determined : Not established : not applicable : not applicable not applicable

:

:

### **10. STABILITY AND REACTIVITY**

Stability

: Stable



# MATERIAL SAFETY DATA SHEET **CTRPBT**

Version Number 1.0 Page 4 of 6 Print Date 8/26/2012 Revision Date 05/07/2012 Hazardous Polymerization : Will not occur. Conditions to avoid Keep away from oxidizing agents and open flame. To avoid thermal : decomposition, do not overheat. Incompatible Materials : Incompatible with strong acids and oxidizing agents. : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen Hazardous decomposition products (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.

readily biodegradable. micals are not readily available as they are bound within the mer matrix. micals are not readily available as they are bound within the mer matrix. ata available <b>SPOSAL CONSIDERATIONS</b> most thermoplastic plastics the product can be recycled. When ible recycling is preferred to disposal or incineration. The grator of waste material has the responsibility for proper waste
mer matrix. micals are not readily available as they are bound within the mer matrix. ata available <b>SPOSAL CONSIDERATIONS</b> most thermoplastic plastics the product can be recycled. When ible recycling is preferred to disposal or incineration. The prator of waste material has the responsibility for proper waste
mer matrix. ata available SPOSAL CONSIDERATIONS most thermoplastic plastics the product can be recycled. Where ible recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste
<b>SPOSAL CONSIDERATIONS</b> most thermoplastic plastics the product can be recycled. Where ible recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste
most thermoplastic plastics the product can be recycled. When ible recycling is preferred to disposal or incineration. The prator of waste material has the responsibility for proper waste
ible recycling is preferred to disposal or incineration. The rator of waste material has the responsibility for proper waste
sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations.
vcling is preferred when possible. The generator of waste erial has the responsibility for proper waste classification, sportation and disposal in accordance with applicable federal, /provincial and local regulations.
ANSPORT INFORMATION
regulated for transportation.

PolyOne.

## MATERIAL SAFETY DATA SHEET CTRPBT

sion Date 05/07/2012	Page Print Date 8/26/
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 E	tremely Hazardous Substance
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this regu
SARA Title III Section 313 To	xic Chemicals:
Unless specific chemicals are	dentified under this section, this product is Not Applicable under this regu
Canadian Regulations:	
National Pollutant Rele	ase Inventory (NPRI)
not applicable	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
National Inventories: Australia AICS	: Listed



# MATERIAL SAFETY DATA SHEET **CTRPBT**

Version Number 1.0 Revision Date 05/07/2012		Page 6 of 6 Print Date <i>8/26/2012</i>	
Europe EINECS	: Listed		
Japan ENCS	: Listed		
Korea KECI	: Listed		
Philippines PICCS	: Listed		
16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.