PolyOne

MATERIAL SAFETY DATA SHEET BRIGHT YELLOW

Version Number 1.0 Revision Date 06/14/2012 Page 1 of 6 Print Date 8/26/2012

1.	PROD	UCT AND COMPANY IDENTIFICATION		
POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	BRIGHT YELLOW		
Product code	:	CC10164671		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Miscellaneous Zinc Compounds	0-05-5	10 - 30
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
: Resin particles, like other inert materials, can be mechanically irritating.
: May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **BRIGHT YELLOW**

Version Number 1.0 Revision Date 06/14/2012 Page 2 of 6 Print Date 8/26/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat



MATERIAL SAFETY DATA SHEET BRIGHT YELLOW

Version Number 1.0 Page 3 of 6 Print Date 8/26/2012 Revision Date 06/14/2012 only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS/PERSONAL PROTECTION No personal respiratory protective equipment normally required. Respiratory protection : **Eye/Face Protection** Safety glasses with side-shields : Hand protection Protective gloves • Skin and body protection : Long sleeved clothing Additional Protective Safety shoes : Measures General Hygiene Handle in accordance with good industrial hygiene and safety : Considerations practice. Wash hands before breaks and at the end of workday. : Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Time Weighted Average Titanium dioxide 10 mg/m3 ACGIH (TWA): PEL: Total dust. OSHA Z1 15 mg/m3 Time Weighted Average 10 mg/m3 Total dust. OSHA Z1A (TWA): 10 mg/m3 Time Weighted Average as Ti MX OEL (TWA): 20 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL): 9. PHYSICAL AND CHEMICAL PROPERTIES : solid Evaporation rate Not applicable Form pellets Specific Gravity Not determined Appearance : Colour YELLOW Bulk density Not established : : not applicable Odour : very faint Vapour pressure : Melting point/range : Not determined Vapour density : not applicable **Boiling Point:** : not applicable : not applicable pН Water solubility : insoluble

10. STABILITY AND REACTIVITY

MATERIAL SAFETY DATA SHEET BRIGHT YELLOW

Version Number 1.0 Revision Date 06/14/2012 Page 4 of 6 Print Date 8/26/2012

Stability	:	Stable
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
0-05-5	Miscellaneous Zinc	Systemic effects	Eyes, Skin, Respiratory
	Compounds		system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET BRIGHT YELLOW

Version Number 1.0 Revision Date 06/14/2012 Page 5 of 6 Print Date 8/26/2012

PolyOne.

Product : Like most thermoplastic plastics the product can be recycled. Wh possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification,		13. DISPOSAL CONSIDERATIONS
material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable : California Proposition : Not applicable :	Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
U.S. DOT Classification : Not regulated for transportation. ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable : Not applicable	Contaminated packaging	material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal,
ICAO/IATA : Refer to specific regulation. IMO/IMDG (maritime) : Refer to specific regulation. IS REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable : Not applicable California Proposition : Not applicable		14. TRANSPORT INFORMATION
IMO/IMDG (maritime) : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable	U.S. DOT Classification	: Not regulated for transportation.
IS. REGULATORY INFORMATION US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable	ICAO/IATA	: Refer to specific regulation.
US Regulations: OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable 65	IMO/IMDG (maritime)	: Refer to specific regulation.
OSHA Status : Classified as hazardous based on components. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable 65		15. REGULATORY INFORMATION
TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable 65	US Regulations:	
TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable 65	OSHA Status	: Classified as hazardous based on components.
not applicable California Proposition : Not applicable 65	TSCA Status	
California Proposition : Not applicable 65	US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
65	not applicable	
SARA Title III Section 302 Extremely Hazardous Substance		
Since in Section 502 Enternety Inductions Substance	_	: Not applicable
Unless specific chemicals are identified under this section, this product is Not Applicable under this re-	65	

PolyOne

MATERIAL SAFETY DATA SHEET BRIGHT YELLOW

Version Number 1.0 Revision Date 06/14/2012 Page 6 of 6 Print Date 8/26/2012

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are id	enti	fied under this sectio			<u>^</u>		egulati
Chemical Name				S-No.		percent	
ZINC COMPOUNDS			0-05	5-5	10.00	- 30.00	
Canadian Regulations:	a I	aventory (NIDDI)					
National Pollutant Releas	se n		AS-No.	Weigh	+	NPRI ID#	
Chemical Name		C	AS-110.	percen		NPKI ID#	
Miscellaneous Zinc Compoun	ds	0-	-05-5		- 30.00	241	-
DSL	:	DSL status has not restricted by regulat		rmined. Quan	tity use i	n Canada m	ay be
National Inventories:							
Australia AICS	:	Not determined					
China IECS	:	Not determined					
Europe EINECS	:	Not determined					
Japan ENCS	:	Not determined					
Korea KECI	:	Not determined					
Philippines PICCS	:	Not determined					

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.