PolyOne

MATERIAL SAFETY DATA SHEET **MAGENTA**

Version Number 1.0 Revision Date 08/31/2012 Page 1 of 6 Print Date 8/31/2012

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012			
Telephone Emergency telephone	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	MAGENTA	
Product code	:	CC10165571	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

Components	CAS-No.	Weight percent
Formamide, N,N'-1,6-hexanediylbis[N-	124172-53-8	5 - 10
(2,2,6,6-tetramethyl-4-piperidinyl)-		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
: Resin particles, like other inert materials, can be mechanically irritating.
: May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **MAGENTA**

Version Number 1.0 Revision Date 08/31/2012 Page 2 of 6 Print Date 8/31/2012

Medical Conditions Aggravated by Exposure:	: None known.			
	4. FIRST AID MEASURES			
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat			



MATERIAL SAFETY DATA SHEET **MAGENTA**

	Print Date 8/3	ə 3 1/2
	only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	n
8. EXI	POSURE CONTROLS/PERSONAL PROTECTION	
Respiratory protection	: No personal respiratory protective equipment normally required.	
Eye/Face Protection	: Safety glasses with side-shields	
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothing	
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
F : :		
Engineering measures Exposure limit(s)	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	
Exposure limit(s)	appropriate exhaust ventilation at machinery.	
Exposure limit(s) 9	appropriate exhaust ventilation at machinery. PHYSICAL AND CHEMICAL PROPERTIES	
Exposure limit(s)	appropriate exhaust ventilation at machinery.	
<u>Exposure limit(s)</u> 9. Form	appropriate exhaust ventilation at machinery. PHYSICAL AND CHEMICAL PROPERTIES : solid Evaporation rate : Not applicable : pellets Specific Gravity : Not determine : PINK Bulk density : Not established	d d
Exposure limit(s) 9. Form Appearance Colour Odour	appropriate exhaust ventilation at machinery. PHYSICAL AND CHEMICAL PROPERTIES : solid Evaporation rate : Not applicable : pellets Specific Gravity : Not determined : PINK Bulk density : Not established : very faint Vapour pressure : not applicable	d d
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range	appropriate exhaust ventilation at machinery. PHYSICAL AND CHEMICAL PROPERTIES : solid Evaporation rate : Not applicable : pellets Specific Gravity : Not determined : PINK Bulk density : Not established : very faint Vapour pressure : not applicable : Not determined Vapour density : not applicable	d d
Exposure limit(s) 9. Form Appearance Colour Odour	appropriate exhaust ventilation at machinery. PHYSICAL AND CHEMICAL PROPERTIES : solid Evaporation rate : Not applicable : pellets Specific Gravity : Not determined : PINK Bulk density : Not established : very faint Vapour pressure : not applicable	d d
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ventilation at machinery. PHYSICAL AND CHEMICAL PROPERTIES : solid Evaporation rate : Not applicable : pellets Specific Gravity : Not determined : PINK Bulk density : Not established : very faint Vapour pressure : not applicable : Not determined Vapour density : not applicable : not applicable pH : not applicable	d d
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust ventilation at machinery. PHYSICAL AND CHEMICAL PROPERTIES : solid Evaporation rate : pellets Specific Gravity : PINK Bulk density : very faint Vapour pressure : Not determined Vapour density : not applicable pH : not applicable insoluble	d d
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	appropriate exhaust ventilation at machinery. PHYSICAL AND CHEMICAL PROPERTIES : solid Evaporation rate : Not applicable : pellets Specific Gravity : Not determined : PINK Bulk density : Not established : very faint Vapour pressure : not applicable : Not determined Vapour density : not applicable : insoluble pH : not applicable : insoluble Insoluble : Not REACTIVITY	d d
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	appropriate exhaust ventilation at machinery. PHYSICAL AND CHEMICAL PROPERTIES : solid Evaporation rate : Not applicable : pellets Specific Gravity : Not determined : PINK Bulk density : Not established : very faint Vapour pressure : not applicable : Not determined Vapour density : not applicable : not applicable pH : not applicable insoluble Inot applicable : Not applicable : Stable : Stable : Stable	ed d
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	appropriate exhaust ventilation at machinery. PHYSICAL AND CHEMICAL PROPERTIES : solid Evaporation rate : pellets Specific Gravity : PINK Bulk density : very faint Vapour pressure : not applicable : not applicable : not applicable pH : not applicable : Not determined Vapour density : not applicable pH : not applicable : stable : Will not occur. : Keep away from oxidizing agents and open flame. To avoid therm	ed d

<u>PolyOne</u>

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **MAGENTA**

Version Number 1.0

Revision Date 08/31/2012

Page 4 of 6 Print Date 8/31/2012

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
124172-53-8	Formamide, N,N'-1,6- hexanediylbis[N-(2,2,6,6- tetramethyl-4-piperidinyl)-	Irritant	Eyes.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
124172-53-8	Formamide, N,N'-1,6-	LC50	> 5.0 mg/l	rat
	hexanediylbis[N-(2,2,6,6-	Oral LD50	> 2,000 mg/kg	rat
	tetramethyl-4-piperidinyl)-			

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET **MAGENTA**

Version Number 1.0 P Revision Date 08/31/2012 Print Date of Print Date o			Page 5 of 6 8/31/2012		
U.S. DOT Classification :	Not regulated fo	r transportation.			
ICAO/IATA :	Refer to specific	regulation.			
IMO/IMDG (maritime) :	Refer to specific	regulation.			
1	5. REGULATOR	Y INFORMATI	ON		
US Regulations:					
OSHA Status :	Classified as haz	zardous based on	components		
TSCA Status :	All components TSCA Inventory	s of this product as	re listed on o	or exempt from the	he
US. EPA CERCLA Hazardous Sub	ostances (40 CFR 3	302)			
not applicable					
California Proposition : 65	Not applicable				
SARA Title III Section 302 Extrem	SARA Title III Section 302 Extremely Hazardous Substance				
Unless specific chemicals are ident	-		is Not App	liashla undar thi	regulation
Onless specific chemicals are ident		cuon, uns product	i is not App		s regulation
SARA Title III Section 313 Toxic	Chemicals:				
Unless specific chemicals are ident	fified under this see	ction, this product	t is Not App	licable under this	regulation
Chemical Name		CAS-N		Weight percent	
ZINC COMPOUNDS		1314-98	3-3	10.00 - 30.00	
Canadian Regulations:					
National Pollutant Release 1	Inventory (NPRI)				
Chemical Name		CAS-No.	Weight	NPRI II	D#
Zinc sulfide		1314-98-3	percent 10.00 - 3	30.00	
WHMIS Classification :	D2B				
DSL :	DSL : DSL status has not been determined. Quantity use in Canada may be				

PolyOne

MATERIAL SAFETY DATA SHEET **MAGENTA**

Version Number 1.0 Revision Date 08/31/2012 Page 6 of 6 Print Date 8/31/2012

National Inventories:		restricted by regulations.
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.