MATERIAL SAFETY DATA SHEET **RED BEHRENDS HPP**

Version Number 1.1 Revision Date 11/08/2012

Page 1 of 6 Print Date 11/8/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	(1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	ł	RED BEHRENDS HPP
Product code :	(CC10168654
Chemical Name :	ľ	Mixture
CAS-No. :	ľ	Mixture
Product Use :	Ι	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Silica, amorphous	7631-86-9	5 - 10
Iron oxide	1309-37-1	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **RED BEHRENDS HPP**

Version Number 1.1 Revision Date 11/08/2012 Page 2 of 6 Print Date 11/8/2012

Medical Conditions Aggravated by Exposure:	None known.	
	4. FIRST AID MEASURES	
Inhalation	Move to fresh air in case of accidental inhalation of fum overheating or combustion. When symptoms persist or doubt seek medical advice.	
Ingestion	Do not induce vomiting without medical advice. When persist or in all cases of doubt seek medical advice.	symptoms
Eyes	Rinse immediately with plenty of water, also under the eleast 15 minutes. If eye irritation persists, seek medical	
Skin	Wash off with soap and plenty of water. If skin irritatio seek medical attention.	n persists
	5. FIREFIGHTING MEASURES	
Flash point	not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foan Fullface self-contained breathing apparatus (SCBA) use pressure mode should be worn to prevent inhalation of a contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of (NOx), other hazardous materials, and smoke are all post 	d in positive irborne of nitrogen
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	Wear appropriate personal protection during cleanup, su impervious gloves, boots and coveralls.	ch as
Environmental precautions	Should not be released into the environment. The produce be allowed to enter drains, water courses or the soil.	ct should not
Methods for cleaning up	Clean up promptly by sweeping or vacuum. Package all plastic, cardboard or metal containers for disposal.	material in
	7. HANDLING AND STORAGE	
Handling	Take measures to prevent the build up of electrostatic ch only in areas with appropriate exhaust ventilation.	arge. Heat

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET RED BEHRENDS HPP

Version Number 1.1 Revision Date 11/08/2012 Page 3 of 6 Print Date 11/8/2012

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	No personal respiratory protective equi	pment normally required.
Eye/Face Protection	Safety glasses with side-shields	
Hand protection	Protective gloves	
Skin and body protection	Long sleeved clothing	
Additional Protective Measures	Safety shoes	
General Hygiene Considerations	Handle in accordance with good indust practice. Wash hands before breaks an	
Engineering measures	Heat only in areas with appropriate exh appropriate exhaust ventilation at mach	

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	10 mg/m3	PEL:	Fume.	OSHA Z1
	5 mg/m3	Time Weighted Average	as Fe	MX OEL
		(TWA):		
	10 mg/m3	Short Term Exposure Limit	as Fe	MX OEL
		(STEL):		
	5 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		
Silica, amorphous	6 mg/m3	Recommended exposure		NIOSH
		limit (REL):		
	0.8 mg/m3	Time Weighted Average		Z3
		(TWA):		
	10 mg/m3	Time Weighted Average	Inhalable particulate.	MX OEL
		(TWA):		
	3 mg/m3	Time Weighted Average	Respirable dust.	MX OEL
		(TWA):		

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range
- : solid
 : pellets
 : RED
 : very faint
 : Not determined
- Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density
- Not applicable
 Not determined
 Not established
 not applicable
 not applicable

PolyOne

MATERIAL SAFETY DATA SHEET **RED BEHRENDS HPP**

Version Number 1.1 Revision Date 11/08/2012 Page 4 of 6 Print Date 11/8/2012

Boiling Point: Water solubility	: not applicable : insoluble	рН	: not applicable
	10. STABILITY AN	D REACTIVITY	
Stability	: The product is stal	ble if stored and han	dled as prescribed.
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from o decomposition, do	00	open flame. To avoid thermal
Incompatible Materials	: Incompatible with	strong acids and ox	idizing agents.
Hazardous decomposition products			ide (CO), oxides of nitrogen smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
1309-37-1	Iron oxide	Systemic effects	Respiratory system.

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	applicable federal, state, provincial and focal regulations.

olvUn<u>e</u>

MATERIAL SAFETY DATA SHEET RED BEHRENDS HPP

Version Number 1.1 Revision Date 11/08/2012 Page 5 of 6 Print Date 11/8/2012

material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification : Not regulated for transportation. ICAO/IATA Refer to specific regulation. : IMO/IMDG (maritime) Refer to specific regulation. : **15. REGULATORY INFORMATION US Regulations: OSHA Status** Classified as hazardous based on components. ÷ **TSCA Status** All components of this product are listed on or exempt from the : TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable WHMIS Classification : Not controlled.

PolyOne

MATERIAL SAFETY DATA SHEET RED BEHRENDS HPP

Version Number 1.1 Revision Date 11/08/2012	Page 6 Print Date <i>11/8/</i> 2	
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:		
Australia AICS	: Listed	
China IECS	: Listed	
Europe EINECS	: Listed	
Japan ENCS	: Listed	
Korea KECI	: Listed	
Philippines PICCS	: Listed	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.