PolvOne

# MATERIAL SAFETY DATA SHEET LMTPE 170675

Version Number 1.0 Revision Date 10/22/2012

Page 1 of 7 Print Date 10/22/2012

| POLYONE CORPORATION<br>33587 Walker Road, Avon Lake, OH 44012 |   |  |  |  |
|---|---|--|--|--|
| Telephone<br>Emergency telephone<br>number                    | : | 1 (440) 930-1000 or 1 (866) POLYONE<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |  |  |
| Product name  | : | LMTPE 170675   |  |  |
| Product code  | : | CC10170675   |  |  |
| Chemical Name   | : | Mixture  |  |  |
| CAS-No.   | : | Mixture  |  |  |
| Product Use   |   | Industrial Applications  |  |  |

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components        | CAS-No.   | Weight percent |
|-------------------|-----------|----------------|
| Antimony trioxide | 1309-64-4 | 30 - 60        |

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b> | : Inhalation, Ingestion, Skin contact   |
|----------------------------|---|
| Acute exposure             |   |
| Inhalation                 | : Resin particles, like other inert materials, can be mechanically irritating.      |
| Ingestion                  | : May be harmful if swallowed.  |
| Eyes                       | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin                       | : Experience shows no unusual dermatitis hazard from routine handling.              |
| Chronic exposure           | : Refer to Section 11 for Toxicological Information.                                |

PolyOne.

# MATERIAL SAFETY DATA SHEET *LMTPE 170675*

Version Number 1.0 Revision Date 10/22/2012 Page 2 of 7 Print Date 10/22/2012

| Medical Conditions<br>Aggravated by Exposure:   | : None known.  |
|---|--|
|   | 4. FIRST AID MEASURES  |
| Inhalation  | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.   |
| Ingestion   | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.   |
| Eyes  | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.  |
| Skin  | : Wash off with soap and plenty of water. If skin irritation persists seek medical attention.  |
|   | 5. FIREFIGHTING MEASURES   |
| Flash point   | : not applicable   |
| Flammable Limits<br>Upper explosion limit<br>Lower explosion limit<br>Auto-ignition temperature<br>Suitable extinguishing media<br>Special Fire Fighting<br>Procedures<br>Unusual Fire/Explosion<br>Hazards | <ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul> |
|   | 6. ACCIDENTAL RELEASE MEASURES   |
| Personal precautions  | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |
| Environmental precautions   | : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.   |
| Methods for cleaning up   | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.  |
|   | 7. HANDLING AND STORAGE  |
| Handling  | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.  |



# MATERIAL SAFETY DATA SHEET *LMTPE 170675*

## Version Number 1.0 Revision Date 10/22/2012

Page 3 of 7 Print Date 10/22/2012

| Storage :                         |      | Keep containers dry and tightly closed to avoid moisture absorption<br>and contamination. Keep in a dry, cool place.       |  |
|-----------------------------------|------|--|--|
| 8. EXI                            | POSU | RE CONTROLS/PERSONAL PROTECTION  |  |
| Respiratory protection            | :    | No personal respiratory protective equipment normally required.  |  |
| Eye/Face Protection               | :    | Safety glasses with side-shields   |  |
| Hand protection                   | :    | Protective gloves  |  |
| Skin and body protection          | :    | Long sleeved clothing  |  |
| Additional Protective<br>Measures | :    | Safety shoes   |  |
| General Hygiene<br>Considerations | :    | Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. |  |
| Engineering measures              | :    | Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.             |  |
| Exposure limit(s)                 |      |  |  |

| Components        | Value     | Exposure time                     | Exposure type | List:    |
|-------------------|-----------|-----------------------------------|---------------|----------|
| Antimony trioxide | 0.5 mg/m3 | Time Weighted Average (TWA):      | as Sb         | MX OEL   |
|                   | 0.5 mg/m3 | Time Weighted Average (TWA):      | as Sb         | ACGIH    |
|                   | 0.5 mg/m3 | Recommended exposure limit (REL): | as Sb         | NIOSH    |
|                   | 0.5 mg/m3 | PEL:                              | as Sb         | OSHA Z1  |
|                   | 0.5 mg/m3 | Time Weighted Average (TWA):      | as Sb         | OSHA Z1A |

| 9. PHYSICAL AND CHEM | MICAL PROPERTIES |
|----------------------|------------------|
|----------------------|------------------|

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

pellets
NO PIGMENT
very faint
Not determined
not applicable

: insoluble

: solid

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not established
not applicable
not applicable
not applicable

### **10. STABILITY AND REACTIVITY**

Stability

: The product is stable if stored and handled as prescribed.

Page 4 of 7

## POLYONE CORPORATION

## **MATERIAL SAFETY DATA SHEET** LMTPE 170675

Version Number 1.0 Print Date 10/22/2012 Revision Date 10/22/2012 D.1 \$\$7:11

| Hazardous Polymerization         | ÷ | will not occur.  |
|----------------------------------|---|--|
| Conditions to avoid              | : | Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.                             |
| Incompatible Materials           | : | Incompatible with strong acids and oxidizing agents.   |
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

## **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No.   | Chemical Name     | Effect           | Target Organ              |
|-----------|-------------------|------------------|---------------------------|
| 1309-64-4 | Antimony trioxide | Systemic effects | Eyes, Respiratory system. |
|           |                   | sensitizer       | Skin.                     |

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No.   | Chemical Name     | Route     | Value          | Species |
|-----------|-------------------|-----------|----------------|---------|
| 1309-64-4 | Antimony trioxide | Oral LD50 | > 34,600 mg/kg | rat     |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No.   | Chemical Name     | OSHA | IARC | NTP |
|-----------|-------------------|------|------|-----|
| 1309-64-4 | Antimony trioxide | no   | 2B   | no  |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

### **12. ECOLOGICAL INFORMATION**



# MATERIAL SAFETY DATA SHEET *LMTPE 170675*

| sion Number 1.0<br>ision Date 10/22/2012 |  |  | Page 5<br>Print Date 10/22/2   |  |  |
|--|--|--|--|--|--|
|  |  |  |  |  |  |
| Persistence and degradability            | : Not read   | lily biodegradable.  |  |  |  |
| Environmental Toxicity                   | : Chemicals are not readily available as they are bound within the polymer matrix. |  |  |  |  |
| Bioaccumulation Potential                |  | : Chemicals are not readily available as they are bound within the polymer matrix. |  |  |  |
| Additional advice                        | : no data  | available  |  |  |  |
|  | 13. DISPO  | SAL CONSIDERATI  | IONS   |  |  |
| Product                                  | possible<br>generato<br>classific  | recycling is preferred to<br>or of waste material has<br>ation, transportation an  | es the product can be recycled. Where<br>to disposal or incineration. The<br>the responsibility for proper waste<br>d disposal in accordance with<br>cial and local regulations. |  |  |
| Contaminated packaging                   | material<br>transpor   | has the responsibility   | ossible. The generator of waste<br>for proper waste classification,<br>accordance with applicable federal,<br>ations.  |  |  |
|  | 14. TRAN   | SPORT INFORMAT   | TON  |  |  |
| U.S. DOT Classification                  | : Not regu   | ilated for transportation  | 1.   |  |  |
| ICAO/IATA                                | : Refer to   | specific regulation.   |  |  |  |
| IMO/IMDG (maritime)                      | : Refer to   | specific regulation.   |  |  |  |
|  | 15. REGUI  | LATORY INFORMA   | TION   |  |  |
| US Regulations:                          |  |  |  |  |  |
| OSHA Status                              | : Classifie  | ed as hazardous based o  | on components.   |  |  |
| TSCA Status                              |  | ponents of this produc nventory.   | t are listed on or exempt from the   |  |  |
| US. EPA CERCLA Hazardous                 | Substances (4  | 0 CFR 302)   |  |  |  |
|  | AS-No.   | RQ for component   | RQ for   |  |  |
| Chemical Name C                          |  |  | Mixture/Product  |  |  |

PolyOne.

# MATERIAL SAFETY DATA SHEET *LMTPE 170675*

| ion Number 1.0<br>sion Date 10/22/2012           |  |                              |                | [                       | P<br>Print Date 1       | age 6      |
|--|--|------------------------------|----------------|-------------------------|-------------------------|------------|
| JUIT DALG 10/22/2012                             |  |                              |                | Г                       |                         | J/ Z Z / Z |
| California Proposition<br>65                     |  | NG! This pr<br>a to cause ca |                | s a chemical ki         | nown to the S           | tate of    |
| SARA Title III Section 302 E                     | xtremely Hazard  | ous Substan                  | ce             |                         |                         |            |
| Unless specific chemicals are                    | identified under   | this section,                | this product i | s Not Applica           | ble under this          | regula     |
|  |  |                              |                |                         |                         |            |
| SARA Title III Section 313 T                     |  |                              |                |                         |                         |            |
| Unless specific chemicals are<br>Chemical Name   | this section,  |                              |                |                         | regula                  |            |
| ANTIMONY COMPOUNDS                               |  |                              |                |                         | ht percent<br>) - 60.00 |            |
| Canadian Regulations:<br>National Pollutant Rele | ease Inventory (1  | NPRI)                        |                |                         |                         |            |
| Chemical Name                                    |  |                              | S-No.          | Weight                  | NPRI ID                 | )#         |
| Antimony trioxide                                |  | 120                          | 9-64-4         | percent<br>30.00 - 60.0 | 0                       |            |
| WHMIS Ingredient Di<br>CAS-No.<br>1309-64-4      | sclosure List  |                              |                |                         |                         |            |
| DSL  | : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. |                              |                |                         |                         |            |
| National Inventories:                            |  |                              |                |                         |                         |            |
| Australia AICS                                   | : Listed   |                              |                |                         |                         |            |
| China IECS                                       | : Listed   |                              |                |                         |                         |            |
| Europe EINECS                                    | : Listed   |                              |                |                         |                         |            |
| Japan ENCS                                       | : Listed   |                              |                |                         |                         |            |
| Korea KECI                                       | : Listed   |                              |                |                         |                         |            |
| Philippines PICCS                                | : Listed   |                              |                |                         |                         |            |
|  |  |                              |                |                         |                         |            |

PolyOne

# MATERIAL SAFETY DATA SHEET LMTPE 170675

Version Number 1.0 Revision Date 10/22/2012 Page 7 of 7 Print Date 10/22/2012

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.