MATERIAL SAFETY DATA SHEET CATNIP GREEN

Version Number 1.1 Revision Date 10/16/2012

Page 1 of 6 Print Date 10/16/2012

POLYONE CORPORATI 33587 Walker Road, Avoi		ОН 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CATNIP GREEN
Product code	:	CC10170794
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the enduser (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET **CATNIP GREEN**

Version Number 1.1 Revision Date 10/16/2012 Page 2 of 6 Print Date 10/16/2012

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 not applicable not applicable not applicable carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Hear only in areas with appropriate exhaust ventilation.

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **CATNIP GREEN**

Version Number	er 1.1
Revision Date	10/16/2012

Page 3 of 6 Print Date 10/16/2012

8. EXI	POSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average		MX OEL
		(TWA):		
	20 mg/m3	Short Term Exposure Limit		MX OEL
		(STEL):		

Form	: solid	Evaporation rate	: Not applicable
Appearance	: pellets	Specific Gravity	: Not determined
Colour	: GREEN	Bulk density	: Not established
Odour	: very faint	Vapour pressure	: not applicable
Melting point/range	: Not determined	Vapour density	: not applicable
Boiling Point:	: not applicable	pH	: not applicable
Water solubility	: insoluble		
	10. STABILITY AN	DREACTIVITY	
Stability	: The product is stat	ble if stored and handled as	prescribed.
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	· Keen away from o	xidizing agents and open f	lame To avoid thermal

MATERIAL SAFETY DATA SHEET CATNIP GREEN

Version Number 1.1 Page 4 of 6 Print Date 10/16/2012 Revision Date 10/16/2012 decomposition, do not overheat. **Incompatible Materials** : Incompatible with strong acids and oxidizing agents. Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen products (NOx), other hazardous materials, and smoke are all possible. 11. TOXICOLOGICAL INFORMATION This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. Toxicity Overview This product contains the following components which in their pure form have the following characteristics: Effect CAS-No. Chemical Name Target Organ 1317-65-3 Eyes, Skin. Calcium carbonate Irritant Systemic effects Eyes, Skin, Respiratory system. **12. ECOLOGICAL INFORMATION** Persistence and degradability : Not readily biodegradable. **Environmental Toxicity** Chemicals are not readily available as they are bound within the • polymer matrix. **Bioaccumulation Potential** Chemicals are not readily available as they are bound within the · polymer matrix. Additional advice no data available 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification : Not regulated for transportation. ICAO/IATA Refer to specific regulation.

PolyOne.

MATERIAL SAFETY DATA SHEET **CATNIP GREEN**

Version Number 1.1 Revision Date 10/16/2012 Page 5 of 6 Print Date 10/16/2012

	15	REGULATORY INFO	RMATI	ON		
US Regulations:						
OSHA Status	:	Classified as hazardous b	ased on	components.		
TSCA Status	:	All components of this p TSCA Inventory.	roduct a	re listed on or exer	mpt from the	
US. EPA CERCLA Hazardous	Subs	tances (40 CFR 302)				
not applicable						
California Proposition 65	:	Not applicable				
SARA Title III Section 302 Ex	treme	ely Hazardous Substance				
SARA Title III Section 302 Ext Unless specific chemicals are in		-	s product	t is Not Applicable	e under this re	gula
		-	s product	t is Not Applicable	e under this reg	gula
Unless specific chemicals are id SARA Title III Section 313 To:	denti xic C	fied under this section, this	-			-
Unless specific chemicals are in SARA Title III Section 313 To Unless specific chemicals are in	denti xic C	fied under this section, this	-			-
Unless specific chemicals are id SARA Title III Section 313 To Unless specific chemicals are id Canadian Regulations:	denti xic C denti	fied under this section, this hemicals: fied under this section, this	-			-
Unless specific chemicals are in SARA Title III Section 313 To Unless specific chemicals are in	denti xic C denti	fied under this section, this hemicals: fied under this section, this	s product	t is Not Applicable Weight		-
Unless specific chemicals are id SARA Title III Section 313 To Unless specific chemicals are id Canadian Regulations: <u>National Pollutant Relea</u>	denti xic C denti	fied under this section, this hemicals: fied under this section, this wentory (NPRI)	s product	t is Not Applicable	e under this re	-
Unless specific chemicals are id SARA Title III Section 313 To: Unless specific chemicals are id Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name	denti: xic C denti:	fied under this section, this hemicals: fied under this section, this wentory (NPRI) CAS-N 1328-5 Not controlled. All components of this p	s product o. 3-6	t is Not Applicable Weight percent 5.00 - 10.00 re on the Canadiar	e under this rea	-
Unless specific chemicals are id SARA Title III Section 313 To: Unless specific chemicals are id Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name <u>Phthalocyanine green</u> WHMIS Classification	denti: xic C denti: <u>ase Ir</u>	fied under this section, this hemicals: fied under this section, this wentory (NPRI) CAS-N 1328-5 Not controlled.	s product o. 3-6	t is Not Applicable Weight percent 5.00 - 10.00 re on the Canadiar	e under this rea	-



MATERIAL SAFETY DATA SHEET CATNIP GREEN

Version Number 1.1 Revision Date 10/16/2012 Page 6 of 6 Print Date 10/16/2012

China IECS:ListedEurope EINECS:ListedJapan ENCS:ListedKorea KECI:ListedPhilippines PICCS:Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.