PolvOne.

## MATERIAL SAFETY DATA SHEET **FABLUE-S**

Version Number 1.0 Revision Date 11/02/2012 Page 1 of 7 Print Date 11/2/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FABLUE-S
Product code	:	CC10171508
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Rutile (TiO2)	1317-80-2	1 - 5
Titanium dioxide	13463-67-7	1 - 5
Mica	12001-26-2	10 - 30

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

**POLYONE CORPORATION** 

PolyOne.

# MATERIAL SAFETY DATA SHEET **FABLUE-S**

Version Number 1.0 Revision Date 11/02/2012 Page 2 of 7 Print Date 11/2/2012

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature	: not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE



# MATERIAL SAFETY DATA SHEET **FABLUE-S**

Version Number 1.0 Revision Date 11/02/2012		Page 3 of 7 Print Date <i>11/2/2012</i>
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	POSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET **FABLUE-S**

Version Number 1.0 Revision Date 11/02/2012 Page 4 of 7 Print Date 11/2/2012

3 mg/m3 3 mg/m3 3 mg/m3	Time Weighted Average (TWA): Recommended exposure limit (REL): Time Weighted Average	Respirable fraction. Respirable.	ACGIH NIOSH
3 mg/m3	limit (REL):	Respirable.	NIOSH
	Time Weighted Average		
	(TWA):	Respirable dust.	OSHA Z1A
3 mg/m3	Time Weighted Average (TWA):		MX OEL
10 mg/m3	Time Weighted Average (TWA):		ACGIH
15 mg/m3	PEL:	Total dust.	OSHA Z1
10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
10 mg/m3	Time Weighted Average (TWA):		ACGIH
15 mg/m3	PEL:	Total dust.	OSHA Z1
10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL
9. PHYSIC	CAL AND CHEMICAL PRO	PERTIES	
	_		
	10 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC	(TWA):10 mg/m3Time Weighted Average (TWA):15 mg/m3PEL:10 mg/m3Time Weighted Average (TWA):10 mg/m3Time Weighted Average (TWA):10 mg/m3Time Weighted Average (TWA):20 mg/m3Short Term Exposure Limit (STEL):10 mg/m3Time Weighted Average (TWA):15 mg/m3PEL:10 mg/m3Time Weighted Average (TWA):10 mg/m3Time Weighted Average (TWA):10 mg/m3Short Term Exposure Limit (STEL):20 mg/m3Short Term Exposure Limit (STEL):9. PHYSICAL AND CHEMICAL PRO	(TWA):10 mg/m3Time Weighted Average (TWA):15 mg/m3PEL:Total dust.10 mg/m3Time Weighted Average (TWA):Total dust.10 mg/m3Time Weighted Average (TWA):as Ti20 mg/m3Short Term Exposure Limit (STEL):as Ti10 mg/m3Time Weighted Average (TWA):as Ti10 mg/m3Time Weighted Average (TWA):as Ti10 mg/m3Time Weighted Average (TWA):Total dust.10 mg/m3Time Weighted Average (TWA):Total dust.10 mg/m3Time Weighted Average (TWA):Total dust.10 mg/m3Time Weighted Average (TWA):as Ti20 mg/m3Short Term Exposure Limit (STEL):as Ti9. PHYSICAL AND CHEMICAL PROPERTIESAverage

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

# : BLUE : very faint : Not determined : not applicable : insoluble

: pellets

#### Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH

Not applicable
Not determined
Not established
not applicable
not applicable
not applicable

#### **10. STABILITY AND REACTIVITY**

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.

## MATERIAL SAFETY DATA SHEET **FABLUE-S**

#### Version Number 1.0

Revision Date 11/02/2012

Page 5 of 7 Print Date 11/2/2012

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1317-80-2	Rutile (TiO2)	no	2B	no
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	: no data available	
	13. DISPOSAL CONSIDERATIONS	Ť
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with	



# MATERIAL SAFETY DATA SHEET **FABLUE-S**

sion Number 1.0 ision Date 11/02/2012				Page 6 Print Date 11/2/2
		applicable federal, state/provinc	cial and local regu	lations.
Contaminated packaging	:	Recycling is preferred when pos- material has the responsibility for transportation and disposal in ac state/provincial and local regula	or proper waste cl ccordance with ap	assification,
	1	4. TRANSPORT INFORMATI	ION	
U.S. DOT Classification	:	Not regulated for transportation	l.	
ICAO/IATA	:	Refer to specific regulation.		
IMO/IMDG (maritime)	:	Refer to specific regulation.		
	15	. REGULATORY INFORMAT	ΓΙΟΝ	
US Regulations:				
OSHA Status	:	Classified as hazardous based o	on components.	
TSCA Status	:	All components of this product TSCA Inventory.	t are listed on or e	xempt from the
US. EPA CERCLA Hazardou	is Sub	-		
not applicable				
not approable				
California Propositior 65	n :	WARNING! This product cont California to cause cancer.	tains a chemical k	nown to the State of
SARA Title III Section 302 E	Extrem	ely Hazardous Substance		
Unless specific chemicals are	ident	fied under this section, this produ	uct is Not Applica	ble under this regula
SARA Title III Section 313 T	°oxic (	Chemicals:		
Unless specific chemicals are	ident	fied under this section, this produ	uct is Not Applica	ble under this regula
Canadian Regulations:		-		-
National Pollutant Rel	ease I	ventory (NPRI)		
		CAS-No.	Weight	NPRI ID#
Chemical Name			percent	

*PolyOne* 

# MATERIAL SAFETY DATA SHEET **FABLUE-S**

#### Version Number 1.0 Revision Date 11/02/2012

#### Page 7 of 7 Print Date 11/2/2012

Phthalocyanine blue	147-14-8	1.00 - 5.00
Phthalocyanine green	1328-53-6	0.10 - 1.00

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
12001-26-2
147-14-8

:

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Listed	
China IECS	: Listed	
Europe EINECS	: Listed	
Japan ENCS	: Not determi	ned
Korea KECI	: Listed	
Philippines PICCS	: Listed	

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.