PolyOne

MATERIAL SAFETY DATA SHEET **RED NYLON**

Version Number 1.0 Revision Date 11/13/2012 Page 1 of 6 Print Date 11/14/2012

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012						
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).				
Product name	:	RED NYLON				
Product code	:	CC10172403				
Chemical Name	:	Mixture				
CAS-No.	:	Mixture				
Product Use	•	Industrial Applications				

Components	CAS-No.	Weight percent
Iron oxide	1309-37-1	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **RED NYLON**

Version Number 1.0 Revision Date 11/13/2012 Page 2 of 6 Print Date 11/14/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **RED NYLON**

Version Number 1.0 Revision Date 11/13/2012

_

Page 3 of 6 Print Date 11/14/2012

Storage		Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8.]	EXPOSURE	CONTROLS/PERSONAL	PROTECTION			
Respiratory protection	: N	lo personal respiratory protect	tive equipment normally	required.		
Eye/Face Protection	: S	afety glasses with side-shield	s			
Hand protection	: P	rotective gloves				
Skin and body protection	: L	ong sleeved clothing				
Additional Protective Measures	: S	afety shoes				
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		Provide		
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Iron oxide	10 mg/m3	PEL:	Fume.	OSHA Z1		

Iron oxide	10 mg/m3	PEL:	Fume.	OSHA Z1
	5 mg/m3	Time Weighted Average	as Fe	MX OEL
		(TWA):		
	10 mg/m3	Short Term Exposure Limit	as Fe	MX OEL
		(STEL):		
	5 mg/m3	Time Weighted Average	Respirable fraction.	ACGIH
		(TWA):		

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets RED very faint Not determined not applicable insoluble 	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable not applicable
Stability	10. STABILITY AN : The product is stab	D REACTIVITY ble if stored and handled as	prescribed.
Hazardous Polymerization	: Will not occur.		1



MATERIAL SAFETY DATA SHEET **RED NYLON**

ion Number 1.0 sion Date 11/13/2012				Page 4 Print Date 11/14/2
Conditions to avoid	:		m oxidizing agents an , do not overheat.	d open flame. To avoid thermal
Incompatible Materials	:	Incompatible w	with strong acids and c	oxidizing agents.
Hazardous decomposition products	:			xide (CO), oxides of nitrogen ad smoke are all possible.
	11.]	OXICOLOGI	CAL INFORMATIO	DN
This mixture has not been eva health data for the individual of				are effects listed are based on exi
<u>Toxicity Overview</u> This product contains the follo	owing	components wh	ich in their pure form	have the following characteristic
		ical Name	Effect	Target Organ
1309-37-1 Iron o	oxide		Systemic effects	Respiratory system.
	12	. ECOLOGICA	AL INFORMATION	I
Persistence and degradability Environmental Toxicity	:	Not readily bio Chemicals are polymer matrix	not readily available a	as they are bound within the
Bioaccumulation Potential	:	Chemicals are polymer matrix		as they are bound within the
Additional advice	:	no data availab	le	
	13	B. DISPOSAL C	CONSIDERATIONS	
Product	:	possible recycl generator of wa classification, t	ing is preferred to disp aste material has the r	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.
Contaminated packaging	:	material has the transportation a	e responsibility for pro	e. The generator of waste oper waste classification, lance with applicable federal, s.
	1	4. TRANSPOR	T INFORMATION	
U.S. DOT Classification	:	Not regulated f	for transportation.	
ICAO/IATA	:	Refer to specifi	ic regulation.	

Poh	vOne.
-	

MATERIAL SAFETY DATA SHEET **RED NYLON**

Version Number 1.0 Revision Date 11/13/2012 Page 5 of 6 Print Date 11/14/2012

MO/IMDG (maritime)								
	15	5. REGULATOR	Y INFOR	MATIO	N			
US Regulations:								
OSHA Status	:	Classified as ha	zardous bas	sed on co	omponen	ts.		
TSCA Status	:	All component TSCA Inventor		oduct are	listed or	ı or exe	mpt from th	9
US. EPA CERCLA Hazardou	s Sub	stances (40 CFR	302)					
not applicable								
California Proposition 65	:	Not applicable						
Unless specific chemicals are	ident	ified under this se	ction, this p	product is	s Not Ap	plicabl	e under this	regula
Unless specific chemicals are SARA Title III Section 313 To Unless specific chemicals are	oxic (Chemicals:	ction, this p	product is	s Not Ap	plicable	e under this	-
SARA Title III Section 313 To	oxic (Chemicals:	ction, this p		s Not Ap	plicable	e under this tt percent	-
SARA Title III Section 313 To Unless specific chemicals are Chemical Name	oxic (ident	Chemicals: ified under this se	ction, this p	product is CAS-No 314-98-3	s Not Ap	plicable Weigh 1.00 -	e under this tt percent	regula
SARA Title III Section 313 To Unless specific chemicals are Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Rele	oxic (ident	Chemicals: ified under this se	ction, this p	oroduct is CAS-No 314-98-3	s Not Ap 3	plicable Weigh 1.00 - t t	e under this at percent 5.00	regula
SARA Title III Section 313 To Unless specific chemicals are Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Rele Chemical Name	oxic (ident	Chemicals: ified under this se	CAS-No.	oroduct is CAS-No 314-98-3	s Not Ap 3 Weigh percen 1.00 -	plicable Weigh 1.00 - t t t 5.00	e under this tt percent 5.00 NPRI ID	regula
SARA Title III Section 313 To Unless specific chemicals are Chemical Name ZINC COMPOUNDS Canadian Regulations: National Pollutant Rele Chemical Name Zinc sulfide WHMIS Classification	oxic (identi ease I	Chemicals: ified under this se nventory (NPRI) Not controlled. All component	CAS-No.	oroduct is CAS-No 314-98-3	s Not Ap 3 Weigh percen 1.00 -	plicable Weigh 1.00 - t t t 5.00	e under this tt percent 5.00 NPRI ID	regula

PolyOne

MATERIAL SAFETY DATA SHEET **RED NYLON**

Version Number 1.0 Revision Date 11/13/2012 Page 6 of 6 Print Date 11/14/2012

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.