PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023



Page 1 of 16 Print Date 07/18/2023

SAFETY DATA SHEET

PRE-COOL GRAY 10C TPE

Section 1. Identificatio	n	
GHS product identifier	:	PRE-COOL GRAY 10C TPE
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10177291
Product type	:	solid
<u>Relevant identified uses of the subst</u> Product use	ance	or mixture and uses advised against Industrial applications.
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word Hazard statements	:	No signal word. No known significant effects or critical hazards.

PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023

ÀVIENT

Page 2 of 16 Print Date 07/18/2023

Precautionary statements

	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10177291

CAS number/other identifiers

Ingredient name	%	CAS number
White mineral oil (low viscosity)	>= 25 - <= 50	8042-47-5
Titanium dioxide	>= 0.3 - <= 1	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.


Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

PRE-COOL GRAY 10C TPE



ÀVIENT

ion Number 1.9	Page 3 of 16
sion Date 07/11/2023	Print Date 07/18/2023

Skin contact Ingestion	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Most important symptoms/effects, ad	cute a	nd delayed
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion <u>Over-exposure signs/symptoms</u>	: : :	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.
~		

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide

PRE-COOL GRAY 10C TPE



Version Number 1.9 Revision Date 07/11/2023

Page 4 of 16 Print Date 07/18/2023

		carbon monoxide
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containmer	nt ai	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational	:	Eating, drinking and smoking should be prohibited in areas where this
hygiene		material is handled, stored and processed. Workers should wash hands
		and face before eating, drinking and smoking. Remove contaminated

PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023



Page 5 of 16 Print Date 07/18/2023

clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters


Occupational exposure limits

Ingredient name	Exposure limits
White mineral oil (low viscosity)	OSHA PEL (1993-06-30) TWA 5 mg/m3 NIOSH REL (1994-06-01) TWA 5 mg/m3 Form: Mist STEL 10 mg/m3 Form: Mist
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

PRE-COOL GRAY 10C TPE



ÀVIENT

on Date 07/11/2023 Print Date 07/18/2023	on Number 1.9	Page 6 of 16
	on Date 07/11/2023	Print Date 07/18/2023

Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

:	solid [Granular solid.]	
:	GREY	
:	Faint odor.	
:	Not available.	
:	Not applicable.	
:	Not available.	
:	Not available.	
:	Not available.	

PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023

ÀVIENT

Page 7 of 16 Print Date 07/18/2023

Flammability (solid, gas) Lower and upper explosive (flammable) limits	:	Not available. Lower: Not applicable. Upper: Not applicable.
Vapor pressure Vapor density	:	Not available. Not applicable.
Relative density Solubility Solubility in water	::	Not available. Not available. insoluble in water.
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not applicable.
Decomposition temperature SADT Viscosity	: :	Not available. Not available. Dynamic: Not available. Kinematic: Not applicable.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance Enclosed space ignition - Time equivalent	:	Not available. Not available.
Enclosed space ignition - Deflagration density	:	Not available.
Flame height Flame duration	:	Not available. Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.		
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).		
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.		
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.		
Incompatible materials	:	Keep away from strong acids. Oxidizer.		
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition		
7/40				

PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023



Page 8 of 16 Print Date 07/18/2023

products

products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure				
White mineral oil (petroleum) A	White mineral oil (petroleum) A highly refined petroleum mineral oil consisting of a complex combination of							
hydrocarbons obtained from the	intensive treatment	of a petroleum fractio	on with sulfuric acid an	d oleum, or by				
hydrogenation, or by a combina	tion of hydrogenatio	on and acid treatment.	Additional washing a	nd treating steps				
may be included in the processing		sists of saturated hydr	ocarbons having carbo	on numbers				
predominantly in the range of C	predominantly in the range of C15 through C50.							
	LD50 Oral	Rat	5,000 mg/kg	-				
	LD50 Dermal Rat 2,000 mg/kg -		-					
Titanium oxide (TiO2)								
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h				

Con	alucia	n/Sum	mont
COH	CIUSIO	11/5um	IIIAI V

Mixture.Not fully tested.

Rabbit

> 5,000 mg/kg

_

Irritation/Corrosion

	•	0/40	•
Product/ingredient name	OSHA	IARC	NTP
Classification			
Conclusion/Summary	:	Mixture.Not fully	tested.
Carcinogenicity			
Conclusion/Summary	:	Mixture.Not fully	tested.
Mutagenicity			
Conclusion/Summary Skin Respiratory	:	Mixture.Not fully Mixture.Not fully	
Sensitization			
Eyes Respiratory	:	Mixture.Not fully Mixture.Not fully	
Conclusion/Summary Skin	:	Mixture.Not fully	

Dusts and mists LD50 Dermal

:

PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023



Page 9 of 16 Print Date 07/18/2023

Titanium oxide (TiO2)	-	2B	-		
Reproductive toxicity					
Conclusion/Summary	:	Mixture.Not	fully tested.		
<u>Teratogenicity</u>					
Conclusion/Summary	:	Mixture.Not	fully tested.		
Specific target organ toxicity Not available.	<u> (single exp</u>	oosure)			
Specific target organ toxicity Not available.	(repeated	<u>exposure)</u>			
Aspiration hazard					

Name	Result
White mineral oil (petroleum) A highly refined	ASPIRATION HAZARD - Category 1
petroleum mineral oil consisting of a complex	
combination of hydrocarbons obtained from the	
intensive treatment of a petroleum fraction with sulfuric	
acid and oleum, or by hydrogenation, or by a	
combination of hydrogenation and acid treatment.	
Additional washing and treating steps may be included	
in the processing operation. It consists of saturated	
hydrocarbons having carbon numbers predominantly in	
the range of C15 through C50.	

Information on the likely routes of	:	Not available.
exposure		

Potential acute health effects

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.

PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023

AVIENT

Page 10 of 16 Print Date 07/18/2023

Ingestion	:	No specific data.
Delayed and immediate effects and	l also c	chronic effects from short and long term exposure
Short term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.
<u>Numerical measures of toxicity</u> <u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Section 12. Ecological information

Toxicity

Species	Exposure
fg/l Fish - Fundulus heteroclitus	96 h
[g/l Fish - Fundulus heteroclitus

PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023

ÀVIENT

Page 11 of 16 Print Date 07/18/2023

	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
		dubia	
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
	water		
PRE-COOL GRAY 10C TPE			
Remarks - Acute - Aquatic	Chemicals are not readily availab	le as they are bound within the po	lymer matrix.
invertebrates.:	5	, 1	
Conclusion/Summary	: Chemicals are not read polymer matrix.	lily available as they are bound wi	thin the
Persistence and degradability Conclusion/Summary		dily available as they are bound w	ithin the
Conclusion/Summary	: Chemicals are not rea polymer matrix.	dily available as they are bound w	ithin the

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
White mineral oil (petroleum) A	6	-	high
highly refined petroleum mineral oil			_
consisting of a complex combination			
of hydrocarbons obtained from the			
intensive treatment of a petroleum			
fraction with sulfuric acid and oleum,			
or by hydrogenation, or by a			
combination of hydrogenation and			
acid treatment. Additional washing			
and treating steps may be included in			
the processing operation. It consists			
of saturated hydrocarbons having			
carbon numbers predominantly in the			
range of C15 through C50.			

Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		

Other adverse effects : No known significant effects or critical hazards.

PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023

ÀVIENT

Page 12 of 16 Print Date 07/18/2023

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations :	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
----------------------------	--

PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023



Page 13 of 16
Print Date 07/18/2023

		United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed
		Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	▲
	:	Not listed
Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I		Not listed Not listed

DEA List II Chemicals (Essential : Not listed

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Chemicals)

Chemicals)

: Not applicable.

Composition/information on ingredients

No products were found.

Name	%	Classification
White mineral oil	>= 25 - <= 50	ASPIRATION HAZARD - Category 1

PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023



Page 14 of 16 Print Date 07/18/2023

(petroleum) A highly		
refined petroleum mineral		
oil consisting of a complex		
combination of		
hydrocarbons obtained from		
the intensive treatment of a		
petroleum fraction with		
sulfuric acid and oleum, or		
by hydrogenation, or by a		
combination of		
hydrogenation and acid		
treatment. Additional		
washing and treating steps		
may be included in the		
processing operation. It		
consists of saturated		
hydrocarbons having carbon		
numbers predominantly in		
the range of C15 through		
C50.		
Titanium oxide (TiO2)	>= 0.3 - <= 1	CARCINOGENICITY - Category 2

Not applicable.

State regulations	
Massachusetts	: The following components are listed: White mineral oil (low viscosity)
New York	None of the components are listed.
New Jersey	: The following components are listed: White mineral oil (low viscosity)
Pennsylvania	None of the components are listed.
California Prop. 65	

WARNING: This product can expose you to Titanium dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.	
Canada inventory	:	All components are listed or exempted.	

International regulations

SAFETY DATA SHEET

PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023



Page 15 of 16 Print Date 07/18/2023

Inventory list		
Australia	:	Not determined.
Canada	:	All components are listed or exempted.
China	:	Not determined.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): Not determined.
-		Japan inventory (ISHL): Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	Not determined.All components are listed or exempted.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

History	
Date of printing	: 07/18/2023
Date of issue/Date of revision	: 07/11/2023
Date of previous issue	: 03/21/2023
Version	: 1.9
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container

15/16

PRE-COOL GRAY 10C TPE

Version Number 1.9 Revision Date 07/11/2023

AVIENT

Page 16 of 16 Print Date 07/18/2023

IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.