PolvOne

MATERIAL SAFETY DATA SHEET AMTPV 179388

Version Number 1.0 Revision Date 04/08/2013

Page 1 of 6 Print Date 4/8/2013

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	AMTPV 179388
Product code	:	CC10179388
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

Components	CAS-No.	Weight percent
Zinc pyrithione	13463-41-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact				
Acute exposure					
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.				
Ingestion	: May be harmful if swallowed.				
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.				
Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				

PolyOne.

MATERIAL SAFETY DATA SHEET AMTPV 179388

Version Number 1.0 Revision Date 04/08/2013 Page 2 of 6 Print Date 4/8/2013

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET AMTPV 179388

Version Number 1.0 Revision Date 04/08/2013

	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.					
8. EXI	POSURE CONTROLS/P	ERSONAL PROTECTION				
Respiratory protection	: No personal respir	atory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with	n side-shields				
Hand protection	: Protective gloves	Protective gloves				
Skin and body protection	: Long sleeved cloth	ing				
Additional Protective Measures	: Safety shoes					
General Hygiene Considerations		nce with good industrial hygiene and safety nds before breaks and at the end of workday.				
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Exposure limit(s)						
Exposure limit(s)						
	. PHYSICAL AND CHEI	MICAL PROPERTIES				
	. PHYSICAL AND CHEM	MICAL PROPERTIES Evaporation rate : Not applicable				
9.						
9. Form	: solid	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established				
9. Form Appearance Colour Odour	: solid : pellets : NO PIGMENT : very faint	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable				
9. Form Appearance Colour Odour Melting point/range	 solid pellets NO PIGMENT very faint Not determined 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable				
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets NO PIGMENT very faint Not determined not applicable 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable				
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets NO PIGMENT very faint Not determined 	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable				
9. Form Appearance Colour Odour Melting point/range	 solid pellets NO PIGMENT very faint Not determined not applicable 	Evaporation rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable				
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AN	Evaporation rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable				
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AN	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable				
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AN The product is state Will not occur. 	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable D REACTIVITY : not applicable vapour density : not applicable pH : not applicable vapour density : not applicable pH : not applicable vapour density : not applicable pH : not applicable vapour density : not applicable pH : not applicable vapour density : not applic				
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AN The product is state Will not occur. Keep away from o decomposition, do 	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable D REACTIVITY : not applicable vapour density : not applicable pH : not applicable vapour density : not applicable pH : not applicable vapour density : not applicable pH : not applicable vapour density : not applicable pH : not applicable vapour density : not applic				

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET AMTPV 179388

Version Number 1.0 Revision Date 04/08/2013

Page 4 of 6 Print Date 4/8/2013

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-41-7	Zinc pyrithione	Highly Toxic	Refer to LC50 / LD50 Data on MSDS

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
13463-41-7	Zinc pyrithione	LC50		rat
		Oral LD50	269 mg/kg	rat
		Dermal LD50	> 2,000 mg/kg	rabbit

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.

PolyOne.

MATERIAL SAFETY DATA SHEET **AMTPV 179388**

sion Number 1.0 rision Date 04/08/2013						F		Page 5 of 4/8/201
ICAO/IATA	:	Refer to specific	regulati	on.				
IMO/IMDG (maritime)	:	Refer to specific	regulati	on.				
	15	5. REGULATOR	Y INFO	RMATION	N			
US Regulations:								
OSHA Status	:	Classified as haz	zardous t	based on con	mponen	its.		
TSCA Status	:	All components TSCA Inventory		product are	listed of	n or exen	npt from tl	he
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 3	302)					
not applicable								
California Proposition 65	:	Not applicable						
Unless specific chemicals are id SARA Title III Section 313 To:			ction, thi	s product is	Not Aj	oplicable	under this	s regulatio
Unless specific chemicals are id	lenti	fied under this see	ction, thi	s product is	Not Ap	oplicable	under this	s regulatio
Chemical Name				CAS-No.			percent	
ZINC COMPOUNDS				13463-41-	- /	5.00 -	10.00	
Canadian Regulations:								
National Pollutant Relea	se I	nventory (NPRI)	CAS-N	Io	Weigh)t	NPRI II)#
percent								
Zinc pyrithione			13463-	41-7	5.00 -	10.00		
WHMIS Classification	:	D1A						
WHMIS Ingredient Disc	closu	ire List						
CAS-No.								

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET AMTPV 179388

Version Number 1.0 Revision Date 04/08/2013 Page 6 of 6 Print Date 4/8/2013

13463-41-7 DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.