PolyOne.

MATERIAL SAFETY DATA SHEET **ASPE???**

Version Number 1.0 Revision Date 04/15/2013 Page 1 of 6 Print Date 4/15/2013

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone	:	1 (440) 930-1000 or 1 (866) POLYONE		
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	ASPE???		
Product code	:	CC10179662		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

Components	CAS-No.	Weight percent
Ethanol, 2,2'-iminobis-, N-C12-18-alkyl	71786-60-2	10 - 30
derivs		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		



MATERIAL SAFETY DATA SHEET **ASPE???**

Version Number 1.0 Revision Date 04/15/2013 Page 2 of 6 Print Date 4/15/2013

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **ASPE???**

Version Number 1.0				
Revision Date	04/15/2013			

.

			y and tightly closed to avoid moisture absorption . Keep in a dry, cool place.		
8. EXPOSURE CONTROLS/PERSONAL PROTECTION					
Respiratory protection	: 1	No personal respir	atory protective equipment normally required.		
Eye/Face Protection	: 5	Safety glasses with	side-shields		
Hand protection	: I	Protective gloves			
Skin and body protection	: I	Long sleeved clothing			
Additional Protective Measures	: 5	Safety shoes			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s) 9.	PHYSI	CAL AND CHE			
			MICAL PROPERTIES		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: solid : pelle : NO : very : Not	l ets PIGMENT faint determined applicable	MICAL PROPERTIESEvapouration rate Specific Gravity: Not applicable : Not determined Bulk densityBulk density: Not established vapour pressure vapour density pHvapour density pH: not applicable icable		
Form Appearance Colour Odour Melting point/range Boiling Point:	: solid : pelle : NO : very : Not : not : : inso	l ets PIGMENT faint determined applicable luble	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point:	: solid : pelle : NO : very : Not : not : inso	l ets PIGMENT faint determined applicable luble STABILITY AN	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicable		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	: solid : pella : NO : very : Not : not : inso 10.	l ets PIGMENT faint determined applicable luble STABILITY AN	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicableD REACTIVITY		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	: solid : pelld : NO : very : Not : not : : inso 10. : T : V : F	l ets PIGMENT faint determined applicable luble STABILITY AN The product is stat Will not occur.	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable DREACTIVITY		
Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: solid : pelle : NO : very : Not : not : inso 10. : T : V : F	l ets PIGMENT faint determined applicable luble STABILITY AN The product is stat Will not occur. Keep away from o lecomposition, do	Evapouration rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapour pressure : not applicable Vapour density : not applicable pH : not applicable DREACTIVITY		

PolyOne

MATERIAL SAFETY DATA SHEET ASPE???

Version Number 1.0

Page 4 of 6 Print Date 4/15/2013

Revision Date 04/15/2013

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
71786-60-2	Ethanol, 2,2'-iminobis-, N- C12-18-alkyl derivs	Toxic	digestive system.
		Corrosive	Eyes, Skin, digestive system.

Persistence and degradability	: Not readily biodegradable.
refinite and degradability	. Not readily blodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	

4/6

PolyOne.

MATERIAL SAFETY DATA SHEET **ASPE???**

Version Number 1.0 Revision Date 04/15/2013	Page 5 of 6 Print Date <i>4/15/2013</i>
OSUA Status	Classified as herendous based on components
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Sub	stances (40 CFR 302)
not applicable	
California Proposition : 65	Not applicable
SARA Title III Section 302 Extrem	ely Hazardous Substance
Unless specific chemicals are ident	ified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Toxic	Chemicals:
Unless specific chemicals are ident	ified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Release I	nventory (NPRI)
not applicable	
WHMIS Classification :	Not controlled.
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	Substances List (DSL) of are exempt.
Australia AICS :	Listed
China IECS :	Listed
Europe EINECS :	Listed
Japan ENCS :	Not determined
Korea KECI :	Not determined
Philippines PICCS :	Listed

PolyOne

MATERIAL SAFETY DATA SHEET **ASPE???**

Version Number 1.0 Revision Date 04/15/2013

Page 6 of 6 Print Date 4/15/2013

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.