PolvOne

## MATERIAL SAFETY DATA SHEET **PE PURPLE 520C**

Version Number 1.0 Revision Date 04/29/2013 Page 1 of 6 Print Date <u>4/29/2013</u>

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	PE PURPLE 520C		
Product code	:	CC10180429		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
: Resin particles, like other inert materials, can be mechanically irritating.
: May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET **PE PURPLE 520C**

Version Number 1.0 Revision Date 04/29/2013 Page 2 of 6 Print Date 4/29/2013

Medical Conditions Aggravated by Exposure:	None known.	
	4. FIRST AID MEA	SURES
Inhalation		use of accidental inhalation of fumes from stion. When symptoms persist or in all cases of vice.
Ingestion		g without medical advice. When symptoms of doubt seek medical advice.
Eyes		th plenty of water, also under the eyelids, for at re irritation persists, seek medical attention.
Skin	Wash off with soap an seek medical attention	d plenty of water. If skin irritation persists
	5. FIREFIGHTING M	IEASURES
Flash point	not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	Fullface self-contained pressure mode should contaminants. Carbon dioxide (CO2) (NOx), other hazardou	et, Water spray, Dry powder, Foam. I breathing apparatus (SCBA) used in positive be worn to prevent inhalation of airborne , carbon monoxide (CO), oxides of nitrogen is materials, and smoke are all possible.
	CIDENTAL RELEA	SE MEASURES
Personal precautions	Wear appropriate perso impervious gloves, boo	onal protection during cleanup, such as ots and coveralls.
Environmental precautions		l into the environment. The product should not ains, water courses or the soil.
Methods for cleaning up		sweeping or vacuum. Package all material in netal containers for disposal.
	7. HANDLING AND	STORAGE
Handling		ent the build up of electrostatic charge. Heat ropriate exhaust ventilation.

POLYONE CORPORATION

PolyOne

## MATERIAL SAFETY DATA SHEET **PE PURPLE 520C**

Version Number 1.0 Revision Date 04/29/2013 Page 3 of 6 Print Date 4/29/2013

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	10 mg/m3	PEL:	Fume.	OSHA Z1
	5 mg/m3	Time Weighted Average (TWA):	as Fe	MX OEL
	10 mg/m3	Short Term Exposure Limit (STEL):	as Fe	MX OEL
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour
- : solid: pellets: PURPLE: very faint

Evapouration rate Specific Gravity Bulk density Vapour pressure Not applicableNot determinedNot establishednot applicable

### **MATERIAL SAFETY DATA SHEET PE PURPLE 520C**

Version Number 1.0 Revision Date 04/29/2013

Melting point/range Boiling Point: Water solubility	<ul><li>Not determined</li><li>not applicable</li><li>insoluble</li></ul>	Vapour density pH	<ul><li>not applicable</li><li>not applicable</li></ul>
	10. STABILITY ANI	D REACTIVITY	
Stability	: The product is stab	le if stored and handled a	s prescribed.
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from ox decomposition, do	kidizing agents and open f not overheat.	flame. To avoid thermal
Incompatible Materials	: Incompatible with s	strong acids and oxidizing	g agents.
Hazardous decomposition products	,	O2), carbon monoxide (C dous materials, and smok	U U

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability

: Not readily biodegradable.

Page 4 of 6 Print Date 4/29/2013

PolyOne.

# MATERIAL SAFETY DATA SHEET **PE PURPLE 520C**

ion Number 1.0 sion Date 04/29/2013	Page Print Date 4/29
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)
not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 E	stremely Hazardous Substance

PolyOne

## MATERIAL SAFETY DATA SHEET **PE PURPLE 520C**

ersion Number 1.0 Vevision Date 04/29/2013		Page 6 of Print Date <i>4/29/201</i>
evision Date 04/23/2013		1 mit Date 4/20/201
Unless specific chemicals are	identified under this section, this product	t is Not Applicable under this regulatio
SARA Title III Section 313 7	oxic Chemicals:	
Unless specific chemicals are	identified under this section, this product	t is Not Applicable under this regulatio
Canadian Regulations:		
National Pollutant Rel	ease Inventory (NPRI)	
not applicable		
WHMIS Classificatio	n : D2A	
WHMIS Ingredient D	sclosure List	
CAS-No. 1309-37-1		
DSL	: All components of this product a Substances List (DSL) or are exer	
National Inventories:		
Australia AICS	: Listed	
China IECS	: Listed	
Europe EINECS	: Listed	
Japan ENCS	: Listed	
Korea KECI	: Listed	
Philippines PICCS	: Listed	
	16. OTHER INFORMATION	]

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.