600R JET BLACK T85XF

Version Number 1.3 Revision Date 02/03/2021



Page 1 of 15 Print Date 02/04/2021

SAFETY DATA SHEET

600R JET BLACK T85XF

| Section 1. Identification | | |
|---|------|--|
| | | |
| GHS product identifier | : | 600R JET BLACK T85XF |
| Chemical name | : | Mixture |
| CAS number | : | Mixture |
| Other means of identification | : | CC10180748 |
| Product type | : | solid |
| Relevant identified uses of the substa | ance | or mixture and uses advised against |
| Product use | : | Industrial applications. |
| | | |
| Supplier's details | : | AVIENT CORPORATION |
| | | 33587 Walker Road, Avon Lake, OH 44012 |
| | | |
| | | 1 (440) 930-1000 or 1 (844) 4AVIENT |
| | | |
| Emergency telephone number (with hours of operation) | : | CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

| OSHA/HCS status | : | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
|--|---|--|
| Classification of the substance or mixture | : | Not classified. |
| GHS label elements | | |
| Signal word Hazard statements | : | No signal word. No known significant effects or critical hazards. |

600R JET BLACK T85XF

Version Number 1.3 Revision Date 02/03/2021

ÀVIENT

Page 2 of 15 Print Date 02/04/2021

Precautionary statements

| | : | Not applicable. |
|----------------------------------|---|-----------------|
| Prevention | : | Not applicable. |
| Response | : | Not applicable. |
| Storage | : | Not applicable. |
| Disposal | : | Not applicable. |
| Supplemental label elements | : | None known. |
| Hazards not otherwise classified | : | None known. |
| | | Not available. |

Section 3. Composition/information on ingredients

| Substance/mixture | : | Mixture |
|-------------------------------|---|------------|
| Chemical name | : | Mixture |
| Other means of identification | : | CC10180748 |

CAS number/other identifiers

| Ingredient name | % | CAS number |
|---|----------------|------------|
| 2-Propenenitrile, polymer with Ethenylbenzene | >= 50 - < 75 | 9003-54-7 |
| Carbon black | >= 5 - < 10 | 1333-86-4 |
| Styrene | >= 0.1 - < 0.3 | 100-42-5 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

600R JET BLACK T85XF



| Version Number 1.3 | Page 3 of 15 |
|--------------------------|-----------------------|
| Revision Date 02/03/2021 | Print Date 02/04/2021 |
| | |

| Inhalation | : | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
|--|--------|---|
| Skin contact | : | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion | : | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| Most important symptoms/effects, a | cute a | and delayed |
| Potential acute health effects | | |
| Eye contact | : | No known significant effects or critical hazards. |
| Inhalation | : | No known significant effects or critical hazards. |
| Skin contact | : | No known significant effects or critical hazards. |
| Ingestion | : | No known significant effects or critical hazards. |
| Over-exposure signs/symptoms | | |
| Eye contact | : | No specific data. |
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |
| Indication of immediate medical attention and special treatment needed, if necessary | | |
| Notes to physician | : | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Specific treatments | : | No specific treatment. |
| Protection of first-aiders | : | No action shall be taken involving any personal risk or without suitable training. |
| See toxicological information (Sect | ion 11 | 1) |

Section 5. Fire-fighting measures

Extinguishing media

600R JET BLACK T85XF

Version Number 1.3 Revision Date 02/03/2021



Page 4 of 15 Print Date 02/04/2021

| Suitable extinguishing media Unsuitable extinguishing media | : | In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known. |
|--|---|---|
| Specific hazards arising from the chemical | : | No specific fire or explosion hazard. |
| Hazardous thermal decomposition products | : | Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides |
| Special protective actions for fire- fighters | : | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel For emergency responders | : | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
|--|------------|--|
| Environmental precautions Methods and materials for containme | : nt ar | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Small spill Large spill | : | Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

600R JET BLACK T85XF

Version Number 1.3 Revision Date 02/03/2021

ÀVIENT

Page 5 of 15 Print Date 02/04/2021

Section 7. Handling and storage

Precautions for safe handling

| Protective measures Advice on general occupational hygiene | : | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|--|---|--|
| Conditions for safe storage, including any incompatibilities | : | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. |

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|---|--|
| 2-Propenenitrile, polymer with Ethenylbenzene | None. |
| Carbon black | OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction |
| Styrene | ACGIH TLV (1997-05-21) TWA 20 ppm STEL 40 ppm NIOSH REL (1994-06-01) |
| | 5/15 |

600R JET BLACK T85XF

Version Number 1.3 Revision Date 02/03/2021



Page 6 of 15 Print Date 02/04/2021

| | | TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm OSHA PEL 1989 (1989-03-01) TWA 215 mg/m3 50 ppm STEL 425 mg/m3 100 ppm OSHA PEL Z2 (1993-06-30) TWA 100 ppm CEIL 200 ppm AMP 600 ppm |
|---|---|---|
| Appropriate engineering controls Environmental exposure controls | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |
| Individual protection measures | | |
| Hygiene measures Eye/face protection | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. |
| Body protection Other skin protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |

600R JET BLACK T85XF

Version Number 1.3 Revision Date 02/03/2021

AVIENT

Page 7 of 15 Print Date 02/04/2021

Respiratory protection

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

:

Appearance

| Physical state | : | solid [Pellets.] |
|--|---|------------------------------|
| Color | : | BLACK |
| Odor | : | Faint odor. |
| Odor threshold | : | Not available. |
| рН | : | Not available. |
| Melting point | : | Not available. |
| Boiling point | : | Not available. |
| Flash point | : | Not available. |
| Burning time | : | Not available. |
| Burning rate | : | Not available. |
| Evaporation rate | : | Not available. |
| Flammability (solid, gas) | : | Not available. |
| Lower and upper explosive | : | Lower: Not available. |
| (flammable) limits | | Upper: Not available. |
| Vapor pressure | : | Not available. |
| Vapor density | : | Not available. |
| Relative density | : | Not available. |
| Solubility | : | Not available. |
| Solubility in water | : | insoluble in water. |
| Partition coefficient: n- octanol/water | : | Not available. |
| Auto-ignition temperature | : | Not available. |
| Decomposition temperature | : | Not available. |
| SADT | : | Not available. |
| Viscosity | : | Dynamic: Not available. |
| - | | Kinematic: Not available. |
| | | |

Section 10. Stability and reactivity

| Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|---|--|
| Chemical stability | : | Stable under recommended storage and handling conditions (see Section 7). |
| Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will |

XAVIENT

600R JET BLACK T85XF

Version Number 1.3 Revision Date 02/03/2021

Page 8 of 15 Print Date 02/04/2021

| | | not occur. |
|----------------------------------|---|--|
| Conditions to avoid | : | Keep away from extreme heat and oxidizing agents. |
| Incompatible materials | : | Keep away from strong acids. |
| | | Oxidizer. |
| Hazardous decomposition products | : | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | | |

Section 11. Toxicological information

Information on toxicological effects

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------------|------------------|---------|--------------|----------|
| Styrene | | | | |
| | LD50 Oral | Rat | 2,650 mg/kg | - |
| | LC50 Inhalation | Rat | 2,770 ppm | 4 h |
| | Gas. | | | |
| | LC50 Inhalation | Rat | 11.8 Mg/l | 4 h |
| | Vapor | | _ | |
| Carbon black | | | | |
| | LD50 Oral | Rat | 15,400 mg/kg | - |
| 2-Propenenitrile, polymer wit | h ethenylbenzene | | | |
| | LD50 Oral | Rat | 1,800 mg/kg | - |

Conclusion/Summary

Mixture.Not fully tested.

:

:

:

:

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------|--------------------------|---------|-------|----------|-------------|
| Styrene | Eyes - Mild irritant | Human | - | | - |
| | Skin - Mild irritant | Rabbit | - | | - |
| | Skin - Moderate irritant | Rabbit | - | | - |
| | Eyes - Severe irritant | Rabbit | - | | - |
| | Eyes - Moderate | Rabbit | - | 24 hrs | - |
| | irritant | | | | |

Conclusion/Summary Skin


Skin Eyes Mixture.Not fully tested. Mixture.Not fully tested. Mixture.Not fully tested.

Sensitization

Respiratory

Conclusion/Summary

600R JET BLACK T85XF





Page 9 of 15 Print Date 02/04/2021

| Skin Respiratory | : | Mixture.Not fully tested. Mixture.Not fully tested. | |
|------------------------|---|--|--|
| Mutagenicity | | | |
| Conclusion/Summary | : | Mixture.Not fully tested. | |
| <u>Carcinogenicity</u> | | | |
| Conclusion/Summary | : | Mixture.Not fully tested. | |

Classification

| Product/ingredient name | OSHA | IARC | NTP |
|---------------------------|------|------|--|
| Styrene | - | 2B | Reasonably anticipated to be a human carcinogen. |
| Carbon black | - | 2B | - |
| 2-Propenenitrile, polymer | - | 3 | - |
| with ethenylbenzene | | | |

Reproductive toxicity

| Conclusion/Summary | : | Mixture.Not fully tested. |
|---------------------------|---|---------------------------|
| | | |

Teratogenicity

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of : Not available. **exposure**

Potential acute health effects

| Eye contact | : | No known significant effects or critical hazards. |
|--------------|---|---|
| Inhalation | : | No known significant effects or critical hazards. |
| Skin contact | : | No known significant effects or critical hazards. |
| Ingestion | : | No known significant effects or critical hazards. |

Symptoms related to the physical, chemical and toxicological characteristics

SAFETY DATA SHEET

600R JET BLACK T85XF

Version Number 1.3 Revision Date 02/03/2021



Page 10 of 15 Print Date 02/04/2021

| Eye contact | : | No specific data. |
|--------------|---|-------------------|
| Inhalation | : | No specific data. |
| Skin contact | : | No specific data. |
| Ingestion | : | No specific data. |

Delayed and immediate effects and also chronic effects from short and long term exposure

| <u>Short term exposure</u> | | |
|----------------------------------|---|--|
| Potential immediate effects | : | Not available. |
| Potential delayed effects | : | Not available. |
| Long term exposure | | |
| Potential immediate effects | : | Not available. |
| Potential delayed effects | : | Not available. |
| Potential chronic health effects | | |
| Conclusion/Summary | : | Mixture.Not fully tested. |
| General | : | No known significant effects or critical hazards. |
| Carcinogenicity | : | No known significant effects or critical hazards. |
| Mutagenicity | : | No known significant effects or critical hazards. |
| Teratogenicity | : | No known significant effects or critical hazards. |
| Developmental effects | : | No known significant effects or critical hazards. |
| Fertility effects | : | No known significant effects or critical hazards. |
| Numerical measures of toxicity | | |
| Acute toxicity estimates | | |
| | | |
| Other information | : | This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. |

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|--------|---------|----------|
| | | | |
| | 10/15 | | |

(KOC)

SAFETY DATA SHEET

600R JET BLACK T85XF



Version Number 1.3 Revision Date 02/03/2021

Page 11 of 15 Print Date 02/04/2021

| Styrene | | | | | |
|--|--|----------------------------------|----------------|--|--|
| | Acute LC50 4.02 Mg/l Fresh | Fish - Pimephales promelas | 96 h | | |
| | water | | | | |
| | Acute EC50 0.0047 Mg/l Fresh | Daphnia - Daphnia magna | 48 h | | |
| | water | | | | |
| | Acute LC50 52 Mg/l Marine | Crustaceans - Artemia salina | a 48 h | | |
| | water | | | | |
| | Acute EC50 1.4 Mg/l Fresh | Algae - Pseudokirchneriella | 72 h | | |
| | water | subcapitata | | | |
| | Acute EC50 0.72 Mg/l Fresh | Algae - Pseudokirchneriella | 96 h | | |
| | water | subcapitata | | | |
| | Chronic NOEC 0.063 Mg/l Fresh | Algae - Pseudokirchneriella | 96 h | | |
| | water | subcapitata | | | |
| Carbon black | A suctor ECEO 27 EC2 May/ Event | Denhaia Denhaia asso | 40 1 | | |
| | Acute EC50 37.563 Mg/l Fresh | Daphnia - Daphnia magna | 48 h | | |
| 600R JET BLACK T85XF | water | | | | |
| Remarks - Acute - Aquatic | Chemicals are not readily availabl | a as they are bound within the | polymor matrix | | |
| invertebrates.: | Chemicals are not readily available | e as they are bound within the | porymer maurx. | | |
| <u>Persistence and degradability</u> Conclusion/Summary | | dily available as they are bound | d within the | | |
| Conclusion/Summary | : Chemicals are not readily available as they are bound within the polymer matrix. | | | | |
| Bioaccumulative potential | | | | | |
| Product/ingredient name | | BCF Potent | ial | | |
| Styrene | 0.35 | 13.49 low | | | |
| <u>Mobility in soil</u> Soil/water partition coefficies | nt : Not available. | | | | |
| | | | | | |

| Other adverse effects | : | No known significant effects or critical hazards. |
|-----------------------|---|---|

600R JET BLACK T85XF

Version Number 1.3 Revision Date 02/03/2021

ÀVIENT

Page 12 of 15 Print Date 02/04/2021

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

| U.S.DOT 49CFR Ground/Air/Water | : | Not regulated for transportation. |
|-----------------------------------|---|--|
| International Air ICAO/IATA | : | Not classified as dangerous goods under transport regulations. |
| International Water IMO/IMDG | : | Not classified as dangerous goods under transport regulations. |

Section 15. Regulatory information

| U.S. Federal regulations | United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed |
|--------------------------|--|
|--------------------------|--|

600R JET BLACK T85XF

Version Number 1.3 Revision Date 02/03/2021



| Page 13 of 15 |
|-----------------------|
| Print Date 02/04/2021 |

| | | United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Acrylonitrile United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed |
|---|---|--|
| Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) | : | Not listed |
| Clean Air Act Section 602 Class I : Substances | : | Not listed |
| Clean Air Act Section 602 Class II Substances | : | Not listed |
| DEA List I Chemicals (Precursor Chemicals) | : | Not listed |
| DEA List II Chemicals (Essential | : | Not listed |

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Chemicals)

Classification

: Not applicable.

Composition/information on ingredients

No products were found.

600R JET BLACK T85XF

Version Number 1.3 Revision Date 02/03/2021



Page 14 of 15 Print Date 02/04/2021

SARA 313

Form R - Reporting requirements

| Product name | CAS number | % |
|--------------------------------|------------|----------------|
| Rutile, antimony chromium buff | 68186-90-3 | >= 10 - < 25 |
| Styrene | 100-42-5 | >= 0.1 - < 0.3 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

| State regulations | | |
|-----------------------------------|---|--|
| Massachusetts | : | The following components are listed: Carbon black Iron oxide |
| New York | : | The following components are listed: Styrene |
| New Jersey | : | The following components are listed: 2-Propenenitrile, polymer with Ethenylbenzene Carbon black Iron oxide Styrene |
| Pennsylvania | : | The following components are listed: Carbon black |
| | | Iron oxide |
| | | Styrene |
| <u>California Prop. 65</u> | | |
| United States inventory (TSCA 8b) | : | All components are listed or exempted. |
| Canada inventory | : | All components are listed or exempted. |
| International regulations | | |
| Inventory list | | |
| Australia | : | Not determined. |
| Canada | : | All components are listed or exempted. |
| China | : | Not determined. |
| Europe inventory | : | All components are listed or exempted. |
| | | 11/15 |

14/15

600R JET BLACK T85XF

Version Number 1.3 Revision Date 02/03/2021



Page 15 of 15 Print Date 02/04/2021

| Japan | : | Not determined. |
|-------------------|---|--|
| New Zealand | : | Not determined. |
| Philippines | : | Not determined. |
| Republic of Korea | : | All components are listed or exempted. |
| Taiwan | : | |
| Turkey | : | |
| United States | : | All components are listed or exempted. |

Section 16. Other information

| <u>History</u> | | |
|--------------------------------|---|--|
| Date of printing | : | 02/04/2021 |
| Date of issue/Date of revision | : | 02/03/2021 |
| Date of previous issue | : | 10/20/2016 |
| Version | : | 1.3 |
| Key to abbreviations | : | ATE = Acute Toxicity Estimate |
| · | | BCF = Bioconcentration Factor |
| | | GHS = Globally Harmonized System of Classification and Labelling of |
| | | Chemicals |
| | | IATA = International Air Transport Association |
| | | IBC = Intermediate Bulk Container |
| | | IMDG = International Maritime Dangerous Goods |
| | | LogPow = logarithm of the octanol/water partition coefficient |
| | | MARPOL = International Convention for the Prevention of Pollution From |
| | | Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine |
| | | pollution) |
| | | UN = United Nations |
| References | : | Not available. |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.