PolvOne

MATERIAL SAFETY DATA SHEET CANARY YELLOW 120

Version Number 1.0 Revision Date 06/06/2013

Page 1 of 6 Print Date 6/6/2013

1.	PROD	UCT AND COMPANY IDENTIFICATION
POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone	:	1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CANARY YELLOW 120
Product code	:	CC10181576
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Miscellaneous Zinc Compounds	0-05-5	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact				
Acute exposure					
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.				
Ingestion	: May be harmful if swallowed.				
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.				
Skin	: Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				

PolyOne.

MATERIAL SAFETY DATA SHEET CANARY YELLOW 120

Version Number 1.0 Revision Date 06/06/2013 Page 2 of 6 Print Date 6/6/2013

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

PolyOne.

MATERIAL SAFETY DATA SHEET CANARY YELLOW 120

Version Number 1.0 Revision Date 06/06/2013 Page 3 of 6 Print Date 6/6/2013

Storage : Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. EXI	POSURE CONTROLS	/PERSONAL PROTECTION		
Respiratory protection	: No personal resp	piratory protective equipment normally req	uired.	
Eye/Face Protection	: Safety glasses w	ith side-shields		
Hand protection	: Protective glove	S		
Skin and body protection	: Long sleeved clo	othing		
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations		dance with good industrial hygiene and saf hands before breaks and at the end of work		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
	. PHYSICAL AND CH	EMICAL PROPERTIES		
9. Form	: solid	Evapouration rate : Not ap	plicable	
9. Form Appearance	: solid : pellets	Evapouration rate : Not ap Specific Gravity : Not de	termined	
9. Form Appearance Colour	: solid : pellets : YELLOW	Evapouration rate : Not ap Specific Gravity : Not de Bulk density : Not es	termined tablished	
Form Appearance Colour Odour	: solid : pellets : YELLOW : very faint	Evapouration rate : Not ap Specific Gravity : Not de Bulk density : Not es Vapour pressure : not ap	termined tablished plicable	
9. Form Appearance Colour Odour Melting point/range	: solid : pellets : YELLOW : very faint : Not determined	Evapouration rate : Not ap Specific Gravity : Not de Bulk density : Not es Vapour pressure : not ap Vapour density : not ap	termined tablished plicable plicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point:	: solid : pellets : YELLOW : very faint	Evapouration rate : Not ap Specific Gravity : Not de Bulk density : Not es Vapour pressure : not ap Vapour density : not ap	termined tablished plicable	
9. Form Appearance Colour Odour	 solid pellets YELLOW very faint Not determined not applicable insoluble 	Evapouration rate : Not ap Specific Gravity : Not de Bulk density : Not es Vapour pressure : not ap Vapour density : not ap	termined tablished plicable plicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets YELLOW very faint Not determined not applicable insoluble 10. STABILITY A	Evapouration rate : Not ap Specific Gravity : Not de Bulk density : Not es Vapour pressure : not app Vapour density : not app pH : not app	termined tablished plicable plicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets YELLOW very faint Not determined not applicable insoluble 10. STABILITY A	Evapouration rate : Not ap Specific Gravity : Not de Bulk density : Not es Vapour pressure : not ap Vapour density : not ap pH : not ap	termined tablished plicable plicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets YELLOW very faint Not determined not applicable insoluble 10. STABILITY A The product is s Will not occur. 	Evapouration rate : Not ap Specific Gravity : Not de Bulk density : Not es Vapour pressure : not ap Vapour density : not ap pH : not ap ND REACTIVITY table if stored and handled as prescribed. a oxidizing agents and open flame. To avo	termined tablished plicable plicable plicable	
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets YELLOW very faint Not determined not applicable insoluble 10. STABILITY A The product is s Will not occur. Keep away from decomposition, and applicable. 	Evapouration rate : Not ap Specific Gravity : Not de Bulk density : Not es Vapour pressure : not ap Vapour density : not ap pH : not ap ND REACTIVITY table if stored and handled as prescribed. a oxidizing agents and open flame. To avo	termined tablished plicable plicable plicable	

PolyOne

MATERIAL SAFETY DATA SHEET CANARY YELLOW 120

Version Number 1.0 Revision Date 06/06/2013

Page 4 of 6 Print Date 6/6/2013

Т

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

Г

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name		Effect	Target Organ			
0-05-5	Miscellaneous Zinc		Systemic effects	Eyes, Skin, Respiratory			
	Compound	S		system.			
12. ECOLOGICAL INFORMATION							
Persistence and degradability : Not readily biodegradable.							
Environmental Toxicity : Chemicals are no polymer matrix.			•	s they are bound within the			

Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the
		polymer matrix.

Additional advice : no data available

13. DISPOSAL CONSIDERATIONS

	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION

US Regulations:

PolyOne.

MATERIAL SAFETY DATA SHEET CANARY YELLOW 120

ersion Number 1.0 evision Date 06/06/2013							Pag 6 Print Date	e 5 of (/6/201
								0,2010
OSHA Status	:	Classified as haz	zardous t	based on co	mponen	ts.		
TSCA Status	TSCA Status : All compone TSCA Inven				listed or	n or exei	mpt from the	
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 3	302)					
not applicable								
California Proposition 65	:	Not applicable						
SARA Title III Section 302 Ex	trem	ely Hazardous Su	bstance					
Unless specific chemicals are id	denti	fied under this see	ction, thi	s product is	Not Ap	oplicable	e under this re	gulatio
SARA Title III Section 313 To								
Unless specific chemicals are in Chemical Name	denti	fied under this see	ction, thi	CAS-No.			t percent	gulatio
ZINC COMPOUNDS				0-05-5	•	1.00 -		
Canadian Regulations:								
-								
National Pollutant Relea	ase Ii	nventory (NPRI)	CAS-N	I.o.	Weigh	+	NPRI ID#	1
Chemical Name			CAS-P	10.	percen		INFKI ID#	
Rutile, antimony chromium b			68186-	90-3	0.10 -	1.00	2.11	
Miscellaneous Zinc Compou	inds		0-05-5		1.00 -	5.00	241	J
WHMIS Classification	:	Not controlled.						
DSL	:	DSL status has restricted by reg		determined	l. Quan	tity use	in Canada ma	y be
National Inventories:								
Australia AICS	:	Not determined						
China IECS	:	Not determined						
Europe EINECS	:	Not determined						



MATERIAL SAFETY DATA SHEET CANARY YELLOW 120

Version Number 1.0 Revision Date 06/06/2013 Page 6 of 6 Print Date 6/6/2013

Japan ENCS	:	Not determined
I I		

Korea KECI : Not determined

Philippines PICCS : Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.