MATERIAL SAFETY DATA SHEET 183170 RD SAN MASTERBATCH

Version Number 1.0 Revision Date 10/21/2013 Page 1 of 6 Print Date 10/21/2013

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	183170 RD SAN MASTERBATCH
Product code	:	CC10183170
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
2-Benzotriazolyl-4-methylphenol	2440-22-4	1 - 5
Decanedioic acid, bis(2,2,6,6-tetramethyl-4- piperidinyl) ester	52829-07-9	1 - 5
14H-Benz[4,5]isoquino[2,1-a]perimidin-14-	6829-22-7	10 - 30
one		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exp	osure:	Inhalation, Ingestion, Skin contact
Acute exposur	e	
Inhala	ition :	Resin particles, like other inert materials, can be mechanically irritating.
Ingest	tion :	May be harmful if swallowed.
Eyes	:	Resin particles, like other inert materials, are mechanically irritating to eyes.

PolyOne.

MATERIAL SAFETY DATA SHEET 183170 RD SAN MASTERBATCH

Version Number 1.0 Revision Date 10/21/2013 Page 2 of 6 Print Date 10/21/2013

	: Experience shows no unusual dermatitis hazard from routine handling		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIREFIGHTING MEASURES		
Flash point	: not applicable		
- mon point	. not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	 not applicable not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. 		
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature	 not applicable not applicable not applicable carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne 		
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive 		
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen 		
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 		
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6. ACCIDENTAL RELEASE MEASURES Wear appropriate personal protection during cleanup, such as 		

PolyOne.

MATERIAL SAFETY DATA SHEET 183170 RD SAN MASTERBATCH

Version Number 1.0 Revision Date 10/21/2013 Page 3 of 6 Print Date 10/21/2013

	7. HANDLING AN	ND STORAGE			
Handling		prevent the build up of electrostatic charge. Heat appropriate exhaust ventilation.			
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. EXI	POSURE CONTROLS/P	ERSONAL PROTECTION			
Respiratory protection	: No personal respira	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with	side-shields			
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved cloth	ing			
Additional Protective Measures	: Safety shoes				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
9.	. PHYSICAL AND CHEM	MICAL PROPERTIES			
Form	: solid	Evapouration rate : Not applicable			
Appearance	: pellets	Specific Gravity : Not determined			
Colour	: RED	Bulk density : Not established			
Odour	: very faint	Vapour pressure : not applicable			
Melting point/range	: Not determined	Vapour density : not applicable			
Boiling Point:	: not applicable	pH : not applicable			
	: insoluble				
	10. STABILITY AND	D REACTIVITY			
Water solubility Stability		D REACTIVITY le if stored and handled as prescribed.			
Water solubility					

MATERIAL SAFETY DATA SHEET 183170 RD SAN MASTERBATCH

Version Number 1.0 Revision Date 10/21/2013 Page 4 of 6 Print Date 10/21/2013

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
52829-07-9	Decanedioic acid,	Irritant	Eyes.
	bis(2,2,6,6-tetramethyl-4-		
	piperidinyl) ester		
6829-22-7	14H-	Irritant	Eyes.
	Benz[4,5]isoquino[2,1-		
	a]perimidin-14-one		

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
2440-22-4	2-Benzotriazolyl-4- methylphenol	Oral LD50	6,500 mg/kg	mouse
52829-07-9	Decanedioic acid, bis(2,2,6,6-tetramethyl-4- piperidinyl) ester	Oral LD50 Dermal LD50	3,700 mg/kg > 3,100 mg/kg	rat rabbit

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with

PolyOne.

MATERIAL SAFETY DATA SHEET 183170 RD SAN MASTERBATCH

/ersion Number 1.0 Revision Date 10/21/2013			Page 5 of 6 Print Date 10/21/2013
Contaminated packaging	: Recycling is preferred material has the respo	te/provincial and local r when possible. The ge nsibility for proper wast posal in accordance with cal regulations.	enerator of waste te classification,
	14. TRANSPORT INF	ORMATION	
U.S. DOT Classification	: Not regulated for tran	sportation.	
ICAO/IATA	: Refer to specific regul	ation.	
IMO/IMDG (maritime)	: Refer to specific regul		
	15. REGULATORY IN	FORMATION	
US Regulations:			
OSHA Status	: Classified as hazardou	is based on components	
TSCA Status		is product are listed on o	
US. EPA CERCLA Hazardou not applicable	is Substances (40 CFR 502)		
California Propositior 65	n : Not applicable		
SARA Title III Section 302 E	Extremely Hazardous Substan	ce	
Unless specific chemicals are	·		licable under this regulation
SARA Title III Section 313 T Unless specific chemicals are Chemical Name ZINC COMPOUNDS		CAS-No.	licable under this regulation Weight percent 10.00 - 30.00
		68187-51-9	10.00 - 30.00
Canadian Regulations:			
National Pollutant Rel	ease Inventory (NPRI)		

PolyOne

MATERIAL SAFETY DATA SHEET 183170 RD SAN MASTERBATCH

Version Number 1.0 Revision Date 10/21/2013 Page 6 of 6 Print Date 10/21/2013

Chemical Name			CAS-No.	Weight	NPRI ID#
				percent	
Cinc ferrite brown spinel (C.I. Pigment Yellow			68187-51-9	10.00 - 30.00	
119)					
WHMIS Classification	:	D2B			
DSL	:		ts of this product a t (DSL) or are exe	re on the Canadian mpt.	Domestic
ational Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined	1		
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			
			INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.