ML2 LINEN LG9000

Version Number 1.3 Revision Date 10/20/2016 PolyOne.

Page 1 of 15 Print Date 08/02/2018

SAFETY DATA SHEET

ML2 LINEN LG9000

Section 1. Identification	n	
GHS product identifier	:	ML2 LINEN LG9000
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10183524
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/15

ML2 LINEN LG9000

Version Number 1.3 Revision Date 10/20/2016 <u>PolyOne</u>

Page 2 of 15 Print Date 08/02/2018

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10183524

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	25 - 50	13463-67-7
2-Propenenitrile, polymer with Ethenylbenzene	10 - 25	9003-54-7
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole	10 - 25	3147-75-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

ML2 LINEN LG9000



Version Number 1.3 Revision Date 10/20/2016		Page 3 of 15 Print Date 08/02/2018
Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the

	upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)



ML2 LINEN LG9000

Version Number 1.3 Revision Date 10/20/2016

Page 4 of 15 Print Date 08/02/2018

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$. None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill :	: Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
---------------	---

ML2 LINEN LG9000

Version Number 1.3 Revision Date 10/20/2016

Page 5 of 15 Print Date 08/02/2018

Ine

Large spill

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

:

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Titanium dioxide	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01)
	ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3



ML2 LINEN LG9000

Version Number 1.3 Revision Date 10/20/2016

Page 6 of 15 Print Date 08/02/2018

2-Propenenitrile, polymer with Ethenylbenzene		
2-(2-Hydroxy-5-tert- octylphenyl)benzotriazole		
Appropriate engineering controls Environmental exposure controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure

ML2 LINEN LG9000

Version Number 1.3 Revision Date 10/20/2016



Page 7 of 15 Print Date 08/02/2018

levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

Appearance

:	solid [Pellets.]
:	WHITE
:	Faint odor.
:	Not available.
:	Lower: Not available.
	Upper: Not available.
:	Not available.
:	Not available.
:	Not available.
:	Not available.
:	insoluble in water.
:	Not available.
:	Not available.
:	Not available.
:	Not available.
:	Dynamic: Not available.
	Kinematic: Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.



ML2 LINEN LG9000

Version Number 1.3 Revision Date 10/20/2016

Page 8 of 15 Print Date 08/02/2018

Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure			
Titanium dioxide							
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h			
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-			
2-Propenenitrile, polymer with Ethenylbenzene							
	LD50 Oral	Rat	1,800 mg/kg	-			
2-(2-Hydroxy-5-tert-octylphenyl)benzotriazole							
	LD50 Oral	Rat	1,000 mg/kg	-			
Conclusion/Summary · Mixture Not fully tested							

Conclusion/Summary Mixture.Not fully tested. :

Irritation/Corrosion

Result	Species	Score	Exposure	Observation
Skin - Mild irritant	Human		72 hrs	-
: N	lixture.Not fu	lly tested.		
: N	lixture.Not fu	lly tested.		
: Mixture.Not fully tested.				
: N	lixture.Not fu	lly tested.		
: N	lixture.Not fu	lly tested.		
: N	lixture.Not fu	lly tested.		
	Skin - Mild irritant : M : M : M : M	Skin - Mild irritant Mixture.Not fu Mixture.Not fu Mixture.Not fu Mixture.Not fu Mixture.Not fu Mixture.Not fu	Skin - Mild Human irritant Human : Mixture.Not fully tested. : Mixture.Not fully tested.	Skin - Mild irritant Human 72 hrs : Mixture.Not fully tested. : Mixture.Not fully tested. : Mixture.Not fully tested. : Mixture.Not fully tested. : Mixture.Not fully tested. : Mixture.Not fully tested.



ML2 LINEN LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 9 of 15 Print Date 08/02/2018

Carcinogenicity

Conclusion/Summary <u>Classification</u>	:	Mixture.Not fu	lly tested.
	OSHA	IARC	NTP
Titanium dioxide		2B	
2-Propenenitrile, polymer		3	
with Ethenylbenzene			
<u>Reproductive toxicity</u>			
Conclusion/Summary	:	Mixture.Not fu	lly tested.
<u>Teratogenicity</u>			
Conclusion/Summary	:	Mixture.Not fu	lly tested.
Specific target organ toxicity (s Not available.	single expo	<u>sure)</u>	
Specific target organ toxicity (x Not available.	repeated ex	<u>kposure)</u>	
Aspiration hazard Not available.			
Information on the likely route exposure	s of :	Not available.	
Potential acute health effects			
Eye contact	:		ificant effects or critical hazards.
Inhalation	:		ificant effects or critical hazards.
Skin contact	:		ificant effects or critical hazards.
Ingestion	:	No known sign	ificant effects or critical hazards.
Symptoms related to the physic	al, chemic	al and toxicolog	gical characteristics
Eye contact	:	No specific dat	a.
Inhalation		No specific dat	
Skin contact		No specific dat	
Ingestion		No specific dat	
		-	

Delayed and immediate effects and also chronic effects from short and long term exposure

ML2 LINEN LG9000

Version Number 1.3 Revision Date 10/20/2016

Short term exposure

<u>PolyOne</u>

Page 10 of 15 Print Date 08/02/2018

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.
Numerical measures of toxicity		

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure	
Titanium dioxide				
	Acute LC50 > 1,000,000 μg/l Marine water	Fish - Fish	96 h	
	Acute LC50 > 1,000 mg/l Fresh water	Fish - Fish	96 h	
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h	
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h	
	Acute LC50 3 mg/l Fresh water	Aquatic invertebrates.	48 h	

ML2 LINEN LG9000

Version Number 1.3 Revision Date 10/20/2016 Page 11 of 15 Print Date 08/02/2018

		Crustaceans		
	Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h	
	Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h	
	Acute LC50 11 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h	
	Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h	
	Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h	
	Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h	
	Acute EC50 35.306 mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h	
ML2 LINEN LG9000				
Remarks - Acute - Aquatic invertebrates.:	Chemicals are not readily available a	s they are bound within the	e polymer matrix.	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.			
Persistence and degradabilit	<u>Y</u>			
Conclusion/Summary	: Chemicals are not readil polymer matrix.	y available as they are bou	nd within the	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.			

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low

<u>Mobility in soil</u>		
Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

:

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products



ML2 LINEN LG9000

Version Numbe	er 1.3
Revision Date	10/20/2016



should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Not classified as dangerous good under transport regulations.
IMO/IMDG (maritime)	:	Not classified as dangerous good under transport regulations.

Section 15. Regulatory information

U.S. Federal regulations	:	United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
		United States - TSCA 4(a) - Final Test Rules: Not listed
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		United States - TSCA 8(a) - Preliminary assessment report

ML2 LINEN LG9000

R	bly	One.
	_	

Version Number 1.3	Page 13 of 15
Revision Date 10/20/2016	Print Date 08/02/2018

(PAIR): Not listed
United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed
United States - TSCA 8(d) - Health and safety studies: Not listed
United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Not listed
United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed
United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed
United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed
United States - Department of commerce - Precursor chemical: Not listed
: Not listed

Clean Air Act Section 112(b)	:	Not listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
DEA List I Chemicals (Precursor	:	Not listed
Chemicals)		
DEA List II Chemicals (Essential	:	Not listed
Chemicals)		

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

Composition/information on ingredients

Name	%	Classification
2-Propenenitrile, polymer with	10 - 25	AH
Ethenylbenzene		
2-(2-Hydroxy-5-tert-	10 - 25	AH
octylphenyl)benzotriazole		

SARA 313

	Product name	CAS number	%
Form R - Reporting	Rutile, antimony chromium	68186-90-3	3 - 5
requirements	buff		



Version Number 1.3 Revision Date 10/20/2016

<u>PolyOne</u>

Page 14 of 15 Print Date 08/02/2018

Supplier notification	Rutile, antimony chromium68186-90-33 - 5buff		
SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.			
<u>State regulations</u> Massachusetts New York New Jersey Pennsylvania	 The following components are listed: Titanium dioxide Silica, amorphous None of the components are listed. The following components are listed: Titanium dioxide 2-Propenenitrile, polymer with Ethenylbenzene The following components are listed: 		
·	Titanium dioxide Silica, amorphous		
<u>California Prop. 65</u> WARNING: This product contains a chemical known to the State of California to cause cancer.			
United States inventory (TSCA	b) : All components are listed or exempted.		
Canada inventory	: All components are listed or exempted.		
International regulations			
International lists	 Australia inventory (AICS): Not determined. Taiwan inventory (CSNN): Not determined. Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted. Japan inventory: Not determined. China inventory (IECSC): Not determined. Korea inventory: All components are listed or exempted. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined. 		
Chemical Weapons Convention List Schedule I Chemicals	: Not listed		
Chemical Weapons Convention List Schedule II Chemicals	: Not listed		
Chemical Weapons Convention List Schedule III Chemicals	: Not listed		

ML2 LINEN LG9000

Version Number 1.3 Revision Date 10/20/2016

<u>PolyOne</u>

Page 15 of 15 Print Date 08/02/2018

Section 16. Other information

History		
Date of printing	:	08/02/2018
Date of issue/Date of revision	:	10/20/2016
Date of previous issue	:	09/10/2015
Version	:	1.3
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL $73/78$ = International Convention for the Prevention of Pollution
		From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.