

## **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Revision Date 10/21/2016 Page 1 of 17 Print Date 08/02/2018

# SAFETY DATA SHEET

#### 7NCC LIGHT WARM STEEL XCY620

## **Section 1. Identification**

GHS product identifier : 7NCC LIGHT WARM STEEL XCY620

Chemical name: MixtureCAS number: MixtureOther means of identification: CC10184343

**Product type** : solid

Relevant identified uses of the substance or mixture and uses advised against

Product use : Industrial applications. Plastics.

Supplier's details : POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

1 (440) 930-1000 or 1 (866) POLYONE

**Emergency telephone number** (with hours of operation)

CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or

accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Classification of the substance or

mixture

Not classified.

**GHS** label elements

Signal word : No signal word.

1/17



## **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Revision Date 10/21/2016 Page 2 of 17 Print Date 08/02/2018

**Hazard statements**: No known significant effects or critical hazards.

### **Precautionary statements**

General:Not applicable.Prevention:Not applicable.Response:Not applicable.Storage:Not applicable.Disposal:Not applicable.Supplemental label elements:None known.Hazards not otherwise classified:None known.

# Section 3. Composition/information on ingredients

Substance/mixture : Mixture
Chemical name : Mixture
Other means of identification : CC10184343

## CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with Ethenylbenzene	50 - 75	9003-54-7
Titanium dioxide	10 - 25	13463-67-7
Carbon black	1 - 3	1333-86-4
Styrene	0.1 - 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures



## **7NCC LIGHT WARM STEEL XCY620**

 Version Number 1.2
 Page 3 of 17

 Revision Date 10/21/2016
 Print Date 08/02/2018

#### Description of necessary first aid measures

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the

upper and lower eyelids. Check for and remove any contact lenses.

Get medical attention if irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable

for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated

clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by

medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.Ingestion: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician**: In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

**Specific treatments** : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without

suitable training.



## 7NCC LIGHT WARM STEEL XCY620

Version Number 1.2 Revision Date 10/21/2016 Page 4 of 17 Print Date 08/02/2018

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.

None known.

Specific hazards arising from the chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

Special protective actions for firefighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any

of the incident if there is a fire. No action shall be taken involving an personal risk or without suitable training.

Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and selfcontained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of

any information in Section 8 on suitable and unsuitable materials. See

also the information in "For non-emergency personnel".

**Environmental precautions**: Avoid dispersal of spilled material and runoff and contact with soil,

waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil

or air).

#### Methods and materials for containment and cleaning up

Small spill : Move containers from spill area. Vacuum or sweep up material and



## **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Revision Date 10/21/2016 Page 5 of 17 Print Date 08/02/2018

place in a designated, labeled waste container. Dispose of via a

licensed waste disposal contractor.

Large spill : Move containers from spill area. Prevent entry into sewers, water

courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

### Precautions for safe handling

Protective measures Advice on general occupational

hygiene

Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

Ingredient name	Exposure limits
Styrene	OSHA PEL 1989 (1989-03-01)
	PEL: Permissible Exposure Level 215 mg/m3 50 ppm
	Short Term Exposure Limit value for a 15-minute reference
	period expressed in parts per million or in mg/m3. 425 mg/m3 100
	ppm
	OSHA PEL Z2 (1993-06-30)
	PEL: Permissible Exposure Level 100 ppm
	Ceiling, is a a limit indicating the maximum concentration of a
	chemical substances in the breathing zone that should not be



# **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Revision Date 10/21/2016 Page 6 of 17 Print Date 08/02/2018

	exceeded. 200 ppm Acceptable Maximum Peak (AMP) 600 ppm NIOSH REL (1994-06-01) Time Weighted Average (TWA) 215 mg/m3 50 ppm Short Term Exposure Limit value for a 15-minute reference period expressed in parts per million or in mg/m3. 425 mg/m3 100 ppm ACGIH TLV (1997-05-21) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 85 mg/m3 20 ppm TLV-STEL: Threshold Limit Value - Short Time Exposure Level 170 mg/m3 40 ppm
Carbon black	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 3.5 mg/m3 OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 3.5 mg/m3 NIOSH REL (1994-06-01) Time Weighted Average (TWA) 3.5 mg/m3 Time Weighted Average (TWA) ACGIH TLV (2010-12-06) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 3 mg/m3 Form: Inhalable fraction
Titanium dioxide	OSHA PEL 1989 (1989-03-01) PEL: Permissible Exposure Level 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) PEL: Permissible Exposure Level 15 mg/m3 Form: Total dust NIOSH REL (1994-06-01)  ACGIH TLV (1996-05-18) TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m3
2-Propenenitrile, polymer with Ethenylbenzene	

Appropriate engineering controls

Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

**Environmental exposure controls** 

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.



## **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Revision Date 10/21/2016 Page 7 of 17 Print Date 08/02/2018

#### **Individual protection measures**

**Hygiene measures**: Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety

showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used

when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a

higher degree of protection: safety glasses with side-shields.

**Skin protection** 

**Hand protection**: Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical products

if a risk assessment indicates this is necessary.

**Body protection** : Personal protective equipment for the body should be selected based

on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

product.

**Respiratory protection**: Use a properly fitted, particulate filter respirator complying with an

approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state : solid [Pellets.]

ColorGREYOdorFaint odor.Odor thresholdNot available.pHNot available.Melting pointNot available.Boiling pointNot available.Flash pointNot available.



## **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Page 8 of 17 Revision Date 10/21/2016 Print Date 08/02/2018

Burning time: Not available.Burning rate: Not available.Evaporation rate: Not available.Flammability (solid, gas): Not available.

Lower and upper explosive : Lower: Not available. (flammable) limits : Upper: Not available.

Vapor pressure: Not available.Vapor density: Not available.Relative density: Not available.Solubility: Not available.Solubility in water: insoluble in water.

Partition coefficient: n-

octanol/water

: Not available.

Auto-ignition temperature: Not available.Decomposition temperature: Not available.SADT: Not available.

Viscosity : Dynamic: Not available.

Kinematic: Not available.

# Section 10. Stability and reactivity

**Reactivity**: No specific test data related to reactivity available for this product or

its ingredients.

Chemical stability : Stable under recommended storage and handling conditions (see

Section 7).

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will

not occur.

**Conditions to avoid** : Keep away from extreme heat and oxidizing agents.

**Incompatible materials** : Keep away from strong acids.

Oxidizer.

**Hazardous decomposition**: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### **Acute toxicity**

products

Product/ingredient name	Result	Species	Dose	Exposure
		8/17		



# **7NCC LIGHT WARM STEEL XCY620**

 Version Number 1.2
 Page 9 of 17

 Revision Date 10/21/2016
 Print Date 08/02/2018

Styrene				
	LD50 Oral	Rat	2,650 mg/kg	-
	LD50 Oral	Rat	5,000 mg/kg	-
	LC50 Inhalation	Rat	2,770 ppm	4 h
	LC50 Inhalation	Rat	11.8 mg/l	4 h
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Titanium dioxide				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-
2-Propenenitrile, polymer with	Ethenylbenzene			
	LD50 Oral	Rat	1,800 mg/kg	-

Conclusion/Summary : Mixture.Not fully tested.

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Styrene	Eyes - Mild	Human			-
	irritant				
	Skin - Mild	Rabbit			-
	irritant				
	Skin -	Rabbit			-
	Moderate				
	irritant				
	Eyes - Severe	Rabbit			=
	irritant				
	Eyes -	Rabbit		24 hrs	=
	Moderate				
	irritant				
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				

Conclusion/Summary

Skin:Mixture.Not fully tested.Eyes:Mixture.Not fully tested.Respiratory:Mixture.Not fully tested.

**Sensitization** 

Conclusion/Summary

Skin: Mixture.Not fully tested.Respiratory: Mixture.Not fully tested.

**Mutagenicity** 

Conclusion/Summary : Mixture.Not fully tested.



## **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Page 10 of 17 Revision Date 10/21/2016 Print Date 08/02/2018

#### **Carcinogenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

Classification

Product/ingredient	OSHA	IARC	NTP
name			
Styrene		2B	Reasonably anticipated to be a human carcinogen.
Carbon black		2B	
Titanium dioxide		2B	
2-Propenenitrile, polymer		3	
with Ethenylbenzene			

## **Reproductive toxicity**

**Conclusion/Summary**: Mixture.Not fully tested.

**Teratogenicity** 

**Conclusion/Summary** : Mixture. Not fully tested.

### **Specific target organ toxicity (single exposure)**

Not available.

## Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

**Information on the likely routes of** :

Not available.

exposure

#### Potential acute health effects

Eye contact: No known significant effects or critical hazards.Inhalation: No known significant effects or critical hazards.Skin contact: No known significant effects or critical hazards.Ingestion: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.Inhalation: No specific data.Skin contact: No specific data.



## **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Revision Date 10/21/2016 Page 11 of 17 Print Date 08/02/2018

**Ingestion** : No specific data.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

#### Long term exposure

Potential immediate effects: Not available.Potential delayed effects: Not available.

#### Potential chronic health effects

**Conclusion/Summary** : Mixture. Not fully tested.

General:No known significant effects or critical hazards.Carcinogenicity:No known significant effects or critical hazards.Mutagenicity:No known significant effects or critical hazards.Teratogenicity:No known significant effects or critical hazards.Developmental effects:No known significant effects or critical hazards.Fertility effects:No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Not available.

# Section 12. Ecological information

## **Toxicity**

Product/ingredient name	Result	Species	Exposure
Styrene			
	Acute LC50 9,900 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 9.1 mg/l Marine water	Fish - Fish	96 h
	Acute LC50 4,020 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 4.7 mg/l Fresh water	Fish - Fish	96 h
	Acute LC50 4,080 µg/l Fresh water	Fish - Fish	96 h
	Acute LC50 23,000 μg/l Fresh	Aquatic invertebrates.	48 h



# **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Revision Date 10/21/2016 Page 12 of 17 Print Date 08/02/2018

Acute EC50 4,700 μg/l Fresh water   Daphnia   Acute LC50 59,000 μg/l Fresh water   Aquatic invertebrates.   48 h   Daphnia   Acute LC50 59,000 μg/l Marine water   Aquatic invertebrates.   48 h   Aquatic invertebrates.   48 h   Acute EC50 33 mg/l Fresh water   Aquatic plants - Algae   96 h   Acute EC50 720 μg/l Fresh water   Aquatic plants - Algae   96 h   Acute EC50 1,400 μg/l Fresh water   Aquatic plants - Algae   72 h   Acute EC50 78,000 μg/l Marine water   Aquatic plants - Algae   96 h   Acute EC50 78,000 μg/l Marine water   Aquatic plants - Algae   96 h   Acute EC50 78,000 μg/l Marine water   Aquatic plants - Algae   4 d   Acute EC50 83 mg/l Fresh water   Aquatic invertebrates.   Agamatic invertebrates.			Donkaio	
Acute LC50 59,000 μg/l Fresh water   Aquatic invertebrates.   48 h   Daphnia   Acute LC50 52,000 μg/l Marine   Crustaceans   Aquatic invertebrates.   Aquatic invertebra		water	Daphnia	40.1
Water			Daphnia	
Acute LC50 52,000 µg/l Marine water				48 h
Acute EC50 33 mg/l Fresh water   Aquatic plants - Algae   96 h   Acute EC50 120 μg/l Fresh water   Aquatic plants - Algae   72 h   Aquatic plants - Algae   72 h   Aquatic plants - Algae   Aquatic plants - Aquatic plants - Aquatic plants - Aquat		Acute LC50 52,000 μg/l Marine	Aquatic invertebrates.	48 h
Acute EC50 720 μg/l Fresh water   Aquatic plants - Algae   Acute EC50 78,000 μg/l Fresh water   Aquatic plants - Algae   96 h   Acute EC50 78,000 μg/l Marine   Aquatic plants - Algae   96 h   Acute EC50 78,000 μg/l Marine   Aquatic plants - Algae   96 h   Acute NOEC 63 μg/l Fresh water   Aquatic plants - Algae   4 d   Acute EC50 37.563 mg/l Fresh   Aquatic invertebrates.   Aquatic invertebr		******		0.61
Acute EC50 1,400 µg/l Fresh water   Aquatic plants - Algae   72 h			1 1	
Acute EC50 78,000 μg/l Marine water  Acute NOEC 63 μg/l Fresh water  Acute NOEC 63 μg/l Fresh water  Acute EC50 37,563 mg/l Fresh Daphnia  Acute LC50 61,547 mg/l Fresh Daphnia  Acute LC50 61,547 mg/l Fresh Daphnia  Acute LC50 > 1,000,000 μg/l Marine water  Acute LC50 > 1,000,000 μg/l Fish - Fish  Marine water  Acute LC50 > 1,000 mg/l Fresh water  Acute LC50 13 mg/l Fresh water  Acute LC50 13 mg/l Fresh water  Acute LC50 3 mg/l Fresh water  Acute LC50 15.9 mg/l Fresh water  Acute LC50 15.9 mg/l Fresh water  Acute LC50 11 mg/l Fresh water  Acute LC50 13.4 mg/l Fresh water  Acute EC50 13.4 mg/l Fresh water  Acute EC50 13.4 mg/l Fresh water  Acute EC50 13.3 mg/l Fresh water  Acute EC50 15.9 mg/l Fre		10		
Water   Acute NOEC 63 μg/l Fresh water   Aquatic plants - Algae   4 d				
Carbon black  Acute EC50 37.563 mg/l Fresh water  Acute LC50 61.547 mg/l Fresh Aquatic invertebrates. Daphnia  Acute LC50 61.547 mg/l Fresh Aquatic invertebrates. Daphnia  Acute LC50 > 1,000,000 µg/l Marine water  Acute LC50 > 1,000 mg/l Fresh Fish 96 h Water  Acute LC50 > 1,000 mg/l Fresh Fish 96 h Water  Acute LC50 13 mg/l Fresh water Acute LC50 13 mg/l Fresh water Acute LC50 13 mg/l Fresh water Acute LC50 3 mg/l Fresh water Acute LC50 3 mg/l Fresh water Acute LC50 15.9 mg/l Fresh water Acute LC50 15.9 mg/l Fresh water Acute LC50 11 mg/l Fresh water Acute LC50 11 mg/l Fresh water Acute LC50 13 mg/l Fresh water Acute LC50 13 mg/l Fresh water Acute LC50 13 mg/l Fresh water Acute LC50 15.9 mg/l Fresh water Acute LC50 13.4 mg/l Fresh water Acute LC50 13.4 mg/l Fresh water Acute EC50 27.8 mg/l Fresh water Acute EC50 19.3 mg/l Fresh water Acute EC50 19.3 mg/l Fresh water Acute EC50 35.306 mg/l Fresh water Acute invertebrates. Daphnia Acute EC50 35.306 mg/l Fresh water Acute invertebrates. Acute EC50 35.306 mg/l Fresh water Acute EC50 35.306 mg/l Fresh water Acute invertebrates. Daphnia Acute EC50 35.306 mg/l Fresh water Acute invertebrates. Daphnia Acute EC50 35.306 mg/l Fresh water Acute invertebrates. Daphnia Acute EC50 35.306 mg/l Fresh water Acute invertebrates. Daphnia Acute EC50 35.306 mg/l Fresh water Acute invertebrates. Daphnia Acute EC50 35.306 mg/l Fresh water Acute invertebrates. Daphnia Acute EC50 35.306 mg/l Fresh water Acute invertebrates. Daphnia			Aquatic plants - Algae	96 n
Acute LC50 37.563 mg/l Fresh water  Acute LC50 61.547 mg/l Fresh paphnia  Acute LC50 61.547 mg/l Fresh paphnia  Acute LC50 > 1,000,000 µg/l Fish - Fish 96 h  Marine water  Acute LC50 > 1,000 mg/l Fresh water  Acute LC50 > 1,000 mg/l Fresh water  Acute LC50   13 mg/l Fresh water  Acute LC50   13 mg/l Fresh water  Acute LC50   3 mg/l Fresh water  Acute LC50   3 mg/l Fresh water  Acute LC50   3 mg/l Fresh water  Acute LC50   15.9 mg/l Fresh water  Acute LC50   15.9 mg/l Fresh water  Acute LC50   11 mg/l Fresh water  Acute LC50   13.4 mg/l Fresh water  Acute LC50   14.5 mg/l Fresh water  Acute LC50   14		Acute NOEC 63 µg/l Fresh water	Aquatic plants - Algae	4 d
Water   Acute LC50 61.547 mg/l Fresh   Aquatic invertebrates.   48 h   Daphnia	Carbon black			
Nature   Daphnia   Daphnia				48 h
Acute LC50 > 1,000,000 μg/l   Fish - Fish   96 h   Marine water   Acute LC50 > 1,000 mg/l Fresh   Fish - Fish   96 h   Marine water   Acute LC50 > 1,000 mg/l Fresh   Fish - Fish   96 h   Marine water   Acute LC50 13 mg/l Fresh water   Aquatic invertebrates. Daphnia   Acute LC50 6.5 mg/l Fresh water   Aquatic invertebrates. Daphnia   Acute LC50 3 mg/l Fresh water   Aquatic invertebrates. Crustaceans   Acute LC50 15.9 mg/l Fresh water   Aquatic invertebrates. Crustaceans   Acute LC50 3.6 mg/l Fresh water   Aquatic invertebrates. Crustaceans   Acute LC50 11 mg/l Fresh water   Aquatic invertebrates. Crustaceans   Acute LC50 11 mg/l Fresh water   Aquatic invertebrates. Crustaceans   Acute LC50 13.4 mg/l Fresh water   Aquatic invertebrates. Crustaceans   Acute EC50 27.8 mg/l Fresh water   Aquatic invertebrates. Crustaceans   Acute EC50 19.3 mg/l Fresh water   Aquatic invertebrates. Daphnia   Acute EC50 35.306 mg/l Fresh   Aquatic invertebrates. Daphnia   Acute EC50 35.306 mg/l Fresh   Aquatic invertebrates.   48 h   Aquatic invertebrates.   Aquatic invertebr				48 h
Marine water  Acute LC50 > 1,000 mg/l Fresh water  Acute LC50 13 mg/l Fresh water  Acute LC50 13 mg/l Fresh water  Acute LC50 6.5 mg/l Fresh water  Acute LC50 3 mg/l Fresh water  Acute LC50 3 mg/l Fresh water  Acute LC50 3 mg/l Fresh water  Acute LC50 15.9 mg/l Fresh water  Acute LC50 15.9 mg/l Fresh water  Acute LC50 11.9 mg/l Fresh water  Acute LC50 11 mg/l Fresh water  Acute LC50 11 mg/l Fresh water  Acute LC50 13.4 mg/l Fresh water  Acute LC50 13.4 mg/l Fresh water  Acute LC50 13.4 mg/l Fresh water  Acute EC50 27.8 mg/l Fresh water  Acute EC50 19.3 mg/l Fresh water  Acute EC50 35.306 mg/l Fresh water	Titanium dioxide		<u> </u>	
Acute LC50 > 1,000 mg/l Fresh water  Acute LC50 13 mg/l Fresh water  Acute LC50 6.5 mg/l Fresh water  Acute LC50 6.5 mg/l Fresh water  Acute LC50 3 mg/l Fresh water  Acute LC50 3 mg/l Fresh water  Acute LC50 15.9 mg/l Fresh water  Acute LC50 15.9 mg/l Fresh water  Acute LC50 3.6 mg/l Fresh water  Acute LC50 3.6 mg/l Fresh water  Acute LC50 11 mg/l Fresh water  Acute LC50 13.4 mg/l Fresh water  Acute LC50 13.4 mg/l Fresh water  Acute LC50 17.8 mg/l Fresh water  Acute LC50 19.3 mg/l Fresh water  Acute EC50 27.8 mg/l Fresh water  Acute EC50 19.3 mg/l Fresh water  Acute EC50 35.306 mg/l Fresh water  Acute EC50 35.306 mg/l Fresh			Fish - Fish	96 h
Acute LC50 13 mg/l Fresh water  Aquatic invertebrates. Daphnia  Acute LC50 6.5 mg/l Fresh water  Aquatic invertebrates. Daphnia  Acute LC50 3 mg/l Fresh water  Acute LC50 3 mg/l Fresh water  Acute LC50 15.9 mg/l Fresh water  Acute LC50 15.9 mg/l Fresh water  Acute LC50 3.6 mg/l Fresh water  Acute LC50 11 mg/l Fresh water  Acute LC50 11 mg/l Fresh water  Acute LC50 13.4 mg/l Fresh water  Acute LC50 13.4 mg/l Fresh water  Acute LC50 27.8 mg/l Fresh water  Acute EC50 27.8 mg/l Fresh water  Acute EC50 19.3 mg/l Fresh water  Acute EC50 35.306 mg/l Fresh Water		Acute LC50 > 1,000 mg/l Fresh	Fish - Fish	96 h
Acute LC50 6.5 mg/l Fresh water  Acute LC50 3 mg/l Fresh water  Acute LC50 3 mg/l Fresh water  Acute LC50 15.9 mg/l Fresh water  Acute LC50 15.9 mg/l Fresh water  Acute LC50 3.6 mg/l Fresh water  Acute LC50 3.6 mg/l Fresh water  Acute LC50 11 mg/l Fresh water  Acute LC50 11 mg/l Fresh water  Acute LC50 13.4 mg/l Fresh water  Acute LC50 13.4 mg/l Fresh water  Acute LC50 27.8 mg/l Fresh water  Acute EC50 27.8 mg/l Fresh water  Acute EC50 19.3 mg/l Fresh water  Acute EC50 35.306 mg/l Fresh		Acute LC50 13 mg/l Fresh water	-	48 h
Acute LC50 3 mg/l Fresh water  Acute LC50 15.9 mg/l Fresh water  Acute LC50 15.9 mg/l Fresh water  Acute LC50 3.6 mg/l Fresh water  Acute LC50 3.6 mg/l Fresh water  Acute LC50 11 mg/l Fresh water  Acute LC50 11 mg/l Fresh water  Acute LC50 13.4 mg/l Fresh water  Acute LC50 13.4 mg/l Fresh water  Acute LC50 27.8 mg/l Fresh water  Acute EC50 27.8 mg/l Fresh water  Acute EC50 19.3 mg/l Fresh water  Acute EC50 35.306 mg/l Fresh		Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates.	48 h
Acute LC50 15.9 mg/l Fresh water Crustaceans Acute LC50 3.6 mg/l Fresh water Aquatic invertebrates. Crustaceans Acute LC50 11 mg/l Fresh water Acute LC50 11 mg/l Fresh water Acute LC50 13.4 mg/l Fresh water Acute LC50 13.4 mg/l Fresh water Acute EC50 27.8 mg/l Fresh water Acute EC50 19.3 mg/l Fresh water Acute EC50 19.3 mg/l Fresh water Acute EC50 35.306 mg/l Fresh Acute EC50 35.306 mg/l Fresh Aquatic invertebrates. Daphnia		Acute LC50 3 mg/l Fresh water	Aquatic invertebrates.	48 h
Acute LC50 3.6 mg/l Fresh water Crustaceans Acute LC50 11 mg/l Fresh water Aquatic invertebrates. Crustaceans Acute LC50 13.4 mg/l Fresh water Aquatic invertebrates. Crustaceans Acute LC50 13.4 mg/l Fresh water Aquatic invertebrates. Crustaceans Acute EC50 27.8 mg/l Fresh water Aquatic invertebrates. Daphnia Acute EC50 19.3 mg/l Fresh water Aquatic invertebrates. Daphnia Acute EC50 35.306 mg/l Fresh Aquatic invertebrates. Daphnia Acute EC50 35.306 mg/l Fresh Aquatic invertebrates. Daphnia Acute EC50 35.306 mg/l Fresh Aquatic invertebrates. Daphnia		Acute LC50 15.9 mg/l Fresh water	Aquatic invertebrates.	48 h
Acute LC50 11 mg/l Fresh water Crustaceans  Acute LC50 13.4 mg/l Fresh water Aquatic invertebrates. Crustaceans  Acute EC50 27.8 mg/l Fresh water Aquatic invertebrates. Crustaceans  Acute EC50 27.8 mg/l Fresh water Aquatic invertebrates. Daphnia  Acute EC50 19.3 mg/l Fresh water Aquatic invertebrates. Daphnia  Acute EC50 35.306 mg/l Fresh water Aquatic invertebrates. Daphnia  Acute EC50 35.306 mg/l Fresh water Daphnia		Acute LC50 3.6 mg/l Fresh water	Aquatic invertebrates.	48 h
Acute LC50 13.4 mg/l Fresh water Crustaceans  Acute EC50 27.8 mg/l Fresh water Aquatic invertebrates. Daphnia  Acute EC50 19.3 mg/l Fresh water Aquatic invertebrates. Daphnia  Acute EC50 19.3 mg/l Fresh water Aquatic invertebrates. Daphnia  Acute EC50 35.306 mg/l Fresh Aquatic invertebrates. Daphnia  Acute EC50 35.306 mg/l Fresh Aquatic invertebrates. Daphnia		Acute LC50 11 mg/l Fresh water	Aquatic invertebrates.	48 h
Acute EC50 27.8 mg/l Fresh water Daphnia  Acute EC50 19.3 mg/l Fresh water Aquatic invertebrates. Daphnia  Acute EC50 19.3 mg/l Fresh water Daphnia  Acute EC50 35.306 mg/l Fresh Aquatic invertebrates. Daphnia  Acute EC50 35.306 mg/l Fresh Daphnia  7NCC LIGHT WARM STEEL XCY620		Acute LC50 13.4 mg/l Fresh water	Aquatic invertebrates.	48 h
Acute EC50 19.3 mg/l Fresh water Daphnia  Acute EC50 35.306 mg/l Fresh Aquatic invertebrates.  Acute EC50 35.306 mg/l Fresh Aquatic invertebrates.  Daphnia  7NCC LIGHT WARM STEEL XCY620		Acute EC50 27.8 mg/l Fresh water	Aquatic invertebrates.	48 h
Acute EC50 35.306 mg/l Fresh water Aquatic invertebrates. Daphnia 48 h Daphnia		Acute EC50 19.3 mg/l Fresh water	Aquatic invertebrates.	48 h
7NCC LIGHT WARM STEEL XCY620			Aquatic invertebrates.	48 h
	7NCC LIGHT WARM STE		Dapinia	
REMARKS ACTION AND AND THE TELEPHONIS ARE HOLDEROLLY AVAILABLE AS HIEV ARE DOUBLE WHITH THE DOLUMER MAINING	Remarks - Acute - Aquat		s they are hound within the	nolymer matrix



## **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Revision Date 10/21/2016 Page 13 of 17 Print Date 08/02/2018

invertebrates.:

**Conclusion/Summary** : Chemicals are not readily available as they are bound within the

polymer matrix.

Persistence and degradability

**Conclusion/Summary**: Chemicals are not readily available as they are bound within the

polymer matrix.

**Conclusion/Summary**: Chemicals are not readily available as they are bound within the

polymer matrix.

**Bioaccumulative potential** 

Product/ingredient name	LogPow	BCF	Potential
Styrene	2.96	13.49	low
Titanium dioxide		352.00	low

## Mobility in soil

**Soil/water partition coefficient** 

(KOC)

Other adverse effects

Not available.

No known significant effects or critical hazards.

# Section 13. Disposal considerations

#### Disposal methods

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed



### 7NCC LIGHT WARM STEEL XCY620

Version Number 1.2 Page 14 of 17 Revision Date 10/21/2016 Print Date 08/02/2018

# Section 14. Transport information

U.S. DOT Classification : Not regulated for transportation.

ICAO/IATA : Not classified as dangerous good under transport regulations.

IMO/IMDG (maritime) : Not classified as dangerous good under transport regulations.

## Section 15. Regulatory information

U.S. Federal regulations : United States - TSCA 12(b) - Chemical export notification: None

of the components are listed.

United States - TSCA 4(a) - Final Test Rules: Not listed
United States - TSCA 4(a) - ITC Priority list: Not listed
United States - TSCA 4(a) - Proposed test rules: Not listed
United States - TSCA 4(f) - Priority risk review: Not listed
United States - TSCA 5(a)2 - Final significant new use rules: Not

listed

United States - TSCA 5(a)2 - Proposed significant new use rules:

Not listed

United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined

United States - TSCA 8(a) - Preliminary assessment report

(PAIR): Not listed

United States - TSCA 8(c) - Significant adverse reaction (SAR):

Not listed

 $\begin{tabular}{ll} \textbf{United States - TSCA 8(d) - Health and safety studies:} & \textbf{Not listed} \\ \textbf{United States - EPA Clean water act (CWA) section 307 - Priority} \\ \end{tabular}$ 

pollutants: Listed Acrylonitrile

United States - EPA Clean water act (CWA) section 311 -

Hazardous substances: Listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Flammable substances: Not listed

United States - EPA Clean air act (CAA) section 112 - Accidental

release prevention - Toxic substances: Not listed

**United States - Department of commerce - Precursor chemical:** 

Not listed



## **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Revision Date 10/21/2016

Page 15 of 17 Print Date 08/02/2018

Clean Air Act Section 112(b)

**Hazardous Air Pollutants (HAPs)** 

Clean Air Act Section 602 Class I Not listed

**Substances** 

Clean Air Act Section 602 Class II **Substances** 

**DEA List I Chemicals (Precursor** 

Not listed

Not listed

Chemicals)

Not listed

**DEA List II Chemicals (Essential** Not listed

**Chemicals**)

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

**SARA 311/312** 

Classification Not applicable.

### **Composition/information on ingredients**

Name	%	Classification
Styrene	0.1 - 0.3	F, AH, CH
Carbon black	1 - 3	СН
2-Propenenitrile, polymer with	50 - 75	AH
Ethenylbenzene		

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	Rutile, antimony chromium buff	68186-90-3	3 - 5
	Styrene	100-42-5	0.1 - 0.3
Supplier notification	Styrene	100-42-5	0.1 - 0.3
	Rutile, antimony chromium buff	68186-90-3	3 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

**State regulations** 

Massachusetts The following components are listed:



## **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Revision Date 10/21/2016 Page 16 of 17 Print Date 08/02/2018

Silica, amorphous Titanium dioxide Carbon black

**New York** : The following components are listed:

Styrene

**New Jersey** : The following components are listed:

Styrene Carbon black Titanium dioxide

2-Propenenitrile, polymer with Ethenylbenzene

**Pennsylvania**: The following components are listed:

Styrene

Carbon black

Silica, amorphous

Titanium dioxide

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

United States inventory (TSCA 8b) : All components are listed or exempted.

**Canada inventory** : All components are listed or exempted.

**International regulations** 

International lists : Australia inventory (AICS): Not determined.

Taiwan inventory (CSNN): Not determined.

Malaysia Inventory (EHS Register): Not determined. EINECS: All components are listed or exempted.

Japan inventory: Not determined.

China inventory (IECSC): Not determined.

**Korea inventory:** All components are listed or exempted.

New Zealand Inventory of Chemicals (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

**Chemical Weapons Convention** 

**List Schedule I Chemicals** 

Not listed

Chemical Weapons Convention

List Schedule II Chemicals

Not listed

Chemical Weapons Convention List Schedule III Chemicals : Not listed



## **7NCC LIGHT WARM STEEL XCY620**

Version Number 1.2 Revision Date 10/21/2016 Page 17 of 17 Print Date 08/02/2018

# Section 16. Other information

**History** 

**Date of printing** : 08/02/2018

**Date of issue/Date of revision** : 10/21/2016, 10/21/2016

**Date of previous issue** : 09/30/2015 **Version** : 1, 1.2, 2

**Key to abbreviations** : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine

pollution)

UN = United Nations

**References** : Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.