PolvOne

MATERIAL SAFETY DATA SHEET **PET BLACK**

Version Number 1.1 Revision Date 09/26/2013 Page 1 of 6 Print Date 9/27/2013

POLYONE CORPORATI 33587 Walker Road, Avoi		OH 44012
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PET BLACK
Product code	:	CC10184363
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Miscellaneous Irritant	0-13-5	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

MATERIAL SAFETY DATA SHEET **PET BLACK**

POLYONE CORPORATION

Version Number 1.1 Revision Date 09/26/2013 Page 2 of 6 Print Date 9/27/2013

PolyOne.

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6. ACCIDENTAL RELEASE MEASURES
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **PET BLACK**

Version Number 1.1 Revision Date 09/26/2013

Page 3 of 6 Print Date 9/27/2013

		n. Keep in a dry, cool place.	
8. EXI	POSURE CONTROLS/I	PERSONAL PROTECTIO	N
Respiratory protection	: No personal respi	ratory protective equipment	normally required.
Eye/Face Protection	: Safety glasses wit	th side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clot	thing	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		ance with good industrial hyg ands before breaks and at the	
Engineering measures		s with appropriate exhaust ve 1st ventilation at machinery.	entilation. Provide
Exposure limit(s)			
- ···			
	. PHYSICAL AND CHE	EMICAL PROPERTIES	
Exposure limit(s) 9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHE solid pellets BLACK very faint Not determined not applicable insoluble 	EVAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets BLACK very faint Not determined not applicable 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	 solid pellets BLACK very faint Not determined not applicable insoluble 10. STABILITY ANDIAL COMPARENT COMPARE	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 solid pellets BLACK very faint Not determined not applicable insoluble 10. STABILITY ANDIAL COMPARENT COMPARE	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not determined Not established not applicable not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 solid pellets BLACK very faint Not determined not applicable insoluble 10. STABILITY AN The product is state the s	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH ND REACTIVITY where it stored and handled as providizing agents and open flate	 Not determined Not established not applicable not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	 solid pellets BLACK very faint Not determined not applicable insoluble 10. STABILITY AN The product is state Will not occur. Keep away from of decomposition, doe 	Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH ND REACTIVITY where it stored and handled as providizing agents and open flate	 Not determined Not established not applicable not applicable not applicable

PolyOne.

MATERIAL SAFETY DATA SHEET **PET BLACK**

Version Number 1.1 Revision Date 09/26/2013

Page 4 of 6 Print Date 9/27/2013

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

_

_

This product contains the following components which in their pure form have the following characteristics:

CAS-No. Chemical Name		Effect	Target Organ			
0-13-5 Miscellaneou		s Irritant	Irritant	Eyes, Skin.		
	12 1		L INFORMATIO	NI.		
	12. 6	LULUGICA				
Persistence and degradal	oility : N	ot readily biod	legradable.			
Environmental Toxicity		Chemicals are not readily available as they are bound within the polymer matrix.Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potenti						
Additional advice	: n	o data availabl	e			
	13. I	DISPOSAL C	ONSIDERATION	ĩS		
Product Contaminated packaging		ossible recyclin enerator of was assification, tr oplicable feder	ng is preferred to d ste material has the ansportation and d al, state/provincial	e product can be recycled. Where isposal or incineration. The responsibility for proper waste isposal in accordance with and local regulations.		
		material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14.	TRANSPOR	INFORMATIO	N		
U.S. DOT Classification	: N	ot regulated for	or transportation.			
ICAO/IATA	: R	Refer to specific regulation.				
IMO/IMDG (maritime)		Refer to specific regulation.				
	15. R	EGULATOR	Y INFORMATIO	DN		
US Regulations:						
OSHA Status	: C	lassified as ha	zardous based on c	omponents.		
			10			

4/6

PolyOne

a chemical known to the State of

Page 5 of 6 Print Date 9/27/2013

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET PET BLACK

Version Number 1.1 Revision Date 09/26/2013	Pag Print Date <i>9</i> /
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Subs	stances (40 CFR 302)
not applicable	
California Proposition : 65	WARNING! This product contains a chemical known to the Sta California to cause cancer.
SARA Title III Section 302 Extreme	ely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

C	mess speerne enernieurs are raenanieur anaer	tins section, tins pi	oddet is 110t ripp	medble under une	
	Chemical Name	CAS-No.	% in Product	RQ for	
				component	1
	Aniline	62-53-3	0.10 - 1.00	5,000 lbs	
					1

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Aniline	62-53-3	0.10 - 1.00	

	WHMIS Classification	:	D2B
	DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Natior	nal Inventories:		
	Australia AICS	:	Not determined
	China IECS	:	Not determined
	Europe EINECS	:	Not determined



MATERIAL SAFETY DATA SHEET **PET BLACK**

Version Number 1.1 Revision Date 09/26/2013 Page 6 of 6 Print Date 9/27/2013

Japan ENCS : Not determined

Korea KECI : Not determined

Philippines PICCS : Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.