PolyOne

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **RED 3020 OPQ**

Version Number 1.0 Revision Date 08/21/2013 Page 1 of 6 Print Date 8/21/2013

1. PRODUCT AND COMPANY IDENTIFICATION				
POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	RED 3020 OPQ		
Product code Chemical Name	:	CC10186390 Mixture		
CAS-No.	•	Mixture		
Product Use	•	Industrial Applications		

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
14H-Benz[4,5]isoquino[2,1-a]perimidin-14-	6829-22-7	1 - 5
one		
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **RED 3020 OPQ**

Version Number 1.0 Revision Date 08/21/2013 Page 2 of 6 Print Date 8/21/2013

Medical Conditions : None known. Aggravated by Exposure:			
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5. FIREFIGHTING MEASURES		
Flash point	: not applicable		
Flammable Limits Upper explosion limit	: not applicable		
Lower explosion limit	: not applicable		
Auto-ignition temperature	: not applicable		
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat		

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **RED 3020 OPQ**

sion Date 08/21/2013			Print	Page 3 t Date 8/21/2	
	0	nly in areas with appropriate	exhaust ventilation.		
~					
Storage	: Keep containers dry and tightly closed to avoid moisture absorptio and contamination. Keep in a dry, cool place.				
8.]	EXPOSURE	CONTROLS/PERSONAL	L PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	afety glasses with side-shield	ds		
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH	
			\mathbf{T} (11)		
	15 mg/m3	PEL:	Total dust.	OSHA Z	
	15 mg/m3 10 mg/m3	PEL: Time Weighted Average (TWA):	Total dust.		
		Time Weighted Average		OSHA Z1	
	10 mg/m3	Time Weighted Average (TWA): Time Weighted Average	Total dust. as Ti	OSHA Z1. MX OEL	
	10 mg/m3 10 mg/m3 20 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limi	Total dust. as Ti t as Ti	OSHA Z1. MX OEL	
Form	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limi (STEL): CAL AND CHEMICAL PH	Total dust. as Ti t as Ti ROPERTIES	OSHA Z1. MX OEL MX OEL	
Form	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : solid	Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limi (STEL): CAL AND CHEMICAL PH Evap	Total dust. as Ti t as Ti ROPERTIES popuration rate : No	OSHA Z1. MX OEL MX OEL	
Appearance	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle	Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limi (STEL): CAL AND CHEMICAL PH Evap ts Spec	Total dust. as Ti t as Ti t as Ti ROPERTIES pouration rate : No cific Gravity : No	OSHA Z1. MX OEL MX OEL	
Appearance Colour	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : solid : pelle : RED	Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limi (STEL): CAL AND CHEMICAL PH Evap ts Spec Bulk	Total dust. as Ti t as Ti t as Ti ROPERTIES pouration rate : No cific Gravity : No c density : No	OSHA Z1. MX OEL MX OEL	
Appearance Colour Odour	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIO : solid : pelle : RED : very	Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limi (STEL): CAL AND CHEMICAL PF ts Spec b Bulk faint Vapo	Total dust. as Ti t as Ti t as Ti couration rate : No couration rate : No cific Gravity : No c density : No cour pressure : not	OSHA Z1. MX OEL MX OEL ot applicable ot determined ot established t applicable	
Appearance Colour Odour Melting point/range	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIO : solid : pelle : RED : very : Not of	Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limi (STEL): CAL AND CHEMICAL PE ts Spec b Bulk faint Vapo determined Vapo	Total dust. as Ti t as Ti t as Ti coouration rate : No coour gressure : not cour density : not	OSHA Z1 MX OEL MX OEL MX OEL ot applicable ot determined ot established t applicable t applicable	
Appearance Colour Odour	10 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIO : solid : pelle : RED : very : Not of	Time Weighted Average (TWA): Time Weighted Average (TWA): Short Term Exposure Limi (STEL): CAL AND CHEMICAL PH ts Spece Bulk faint Vapo determined Vapo pplicable pH	Total dust. as Ti t as Ti t as Ti coouration rate : No coour gressure : not cour density : not	ot determined ot established t applicable	

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **RED 3020 OPQ**

Version Number 1.0 Revision Date 08/21/2013

Page 4 of 6 Print Date 8/21/2013

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
6829-22-7	14H-	Irritant	Eyes.
	Benz[4,5]isoquino[2,1-		
	a]perimidin-14-one		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **RED 3020 OPQ**

Version Number 1.0 Revision Date 08/21/2013 Page 5 of 6 Print Date 8/21/2013

	polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	us Substances (40 CFR 302)
not applicable	
California Proposition 65	a : Not applicable
SARA Title III Section 302 E	xtremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regula
-	

PolyOne

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET RED 3020 OPQ

Version Number 1.0	Page 6 of 6
Revision Date 08/21/2013	Print Date 8/21/2013

SARA Title III Section 313 Toxic Chemicals: Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Canadian Regulations: National Pollutant Release Inventory (NPRI) not applicable WHMIS Classification : D2A DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS Listed • China IECS Listed : Europe EINECS Listed : Japan ENCS Not determined : Korea KECI : Listed Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.