PolyOne

MATERIAL SAFETY DATA SHEET AOPETG 186616

Version Number 1.0 Revision Date 08/29/2013 Page 1 of 6 Print Date 8/29/2013

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012				
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		
Product name	:	AOPETG 186616		
Product code	:	CC10186616		
Chemical Name	:	Mixture		
CAS-No.	:	Mixture		
Product Use	:	Industrial Applications		

Components	CAS-No.	Weight percent
2,4,8,10-Tetraoxa-3,9-	26741-53-7	10 - 30
diphosphaspiro[5.5]undecane, 3,9-bis[2,4-		
bis(1,1-dimethylethyl)phenoxy]-		

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **AOPETG 186616**

Version Number 1.0 Revision Date 08/29/2013 Page 2 of 6 Print Date 8/29/2013

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature	 not applicable not applicable not applicable
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat



MATERIAL SAFETY DATA SHEET **AOPETG 186616**

sion Date 08/29/2013			Page 3 Print Date 8/29/2
	only in areas with ap	ppropriate exhaust ventilati	on.
Storage		and tightly closed to avoid Keep in a dry, cool place.	l moisture absorption
8. EX	POSURE CONTROLS/PE	RSONAL PROTECTION	N
Respiratory protection	: No personal respirat	ory protective equipment n	ormally required.
Eye/Face Protection	: Safety glasses with s	side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothin	ıg	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations		e with good industrial hyg ls before breaks and at the	
Engineering measures	· Heat only in areas w	vith appropriate exhaust ver	tilation. Provide
Exposure limit(s)		ventilation at machinery.	
Exposure limit(s)	appropriate exhaust	ventilation at machinery.	
Exposure limit(s) 9	appropriate exhaust	ventilation at machinery.	
Exposure limit(s) 9 Form	appropriate exhaust . PHYSICAL AND CHEM : solid	ventilation at machinery. ICAL PROPERTIES Evapouration rate	: Not applicable
Exposure limit(s) 9	appropriate exhaust	ventilation at machinery.	
Exposure limit(s) 9 Form Appearance	appropriate exhaust . PHYSICAL AND CHEM : solid : pellets	ventilation at machinery. ICAL PROPERTIES Evapouration rate Specific Gravity	 Not applicable Not determined Not established
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range	appropriate exhaust . PHYSICAL AND CHEM : solid : pellets : NO PIGMENT : very faint : Not determined	ventilation at machinery. ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density	 Not applicable Not determined Not established not applicable not applicable
Exposure limit(s) 9 Form Appearance Colour Odour	appropriate exhaust . PHYSICAL AND CHEM : solid : pellets : NO PIGMENT : very faint	ventilation at machinery. ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure	 Not applicable Not determined Not established not applicable
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust . PHYSICAL AND CHEM : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable	Ventilation at machinery. ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point:	appropriate exhaust PHYSICAL AND CHEM : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY AND	Ventilation at machinery. ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH	 Not applicable Not determined Not established not applicable not applicable not applicable
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	appropriate exhaust PHYSICAL AND CHEM : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY AND	Ventilation at machinery. ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY	 Not applicable Not determined Not established not applicable not applicable not applicable
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	appropriate exhaust PHYSICAL AND CHEM solid pellets NO PIGMENT very faint Not determined not applicable insoluble 10. STABILITY AND The product is stable Will not occur.	ventilation at machinery. ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY e if stored and handled as p	: Not applicable : Not determined : Not established : not applicable : not applicable : not applicable
Exposure limit(s) 9 Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	appropriate exhaust PHYSICAL AND CHEM Solid pellets NO PIGMENT very faint Not determined not applicable 10. STABILITY AND I The product is stable Will not occur. Keep away from oxi decomposition, do n	ventilation at machinery. ICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH REACTIVITY e if stored and handled as p	 Not applicable Not determined Not established not applicable not applicable not applicable

PolvOne.

MATERIAL SAFETY DATA SHEET AOPETG 186616

Version Number 1.0 Revision Date 08/29/2013

Page 4 of 6 Print Date 8/29/2013

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
26741-53-7	2,4,8,10-Tetraoxa-3,9- diphosphaspiro[5.5]undeca ne, 3,9-bis[2,4-bis(1,1-	Toxic	Refer to LC50 / LD50 Data on MSDS
	dimethylethyl)phenoxy]-		

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
26741-53-7	2,4,8,10-Tetraoxa-3,9-	LC50	> 2 gm/m3	rat
	diphosphaspiro[5.5]undeca	Oral LD50	5,580 mg/kg	rat
	ne, 3,9-bis[2,4-bis(1,1-	Dermal LD50	> 200 mg/kg	rabbit
	dimethylethyl)phenoxy]-			

12. ECOLOGICAL INFORMATION

			1
Persistence and degradability	:	Not readily biodegradable.	
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	:	no data available	
	1.	3. DISPOSAL CONSIDERATIONS	Γ
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	

PolyOne.

MATERIAL SAFETY DATA SHEET **AOPETG 186616**

Version Number 1.0 Revision Date 08/29/2013 Page 5 of 6 Print Date 8/29/2013

	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	ous Substances (40 CFR 302)
not applicable	
California Propositio 65	on : Not applicable
SARA Title III Section 302	Extremely Hazardous Substance
Unless specific chemicals an	
e mess specific chemicals al	e identified under this section, this product is Not Applicable under this regulation
ences speence encontents a	e identified under this section, this product is Not Applicable under this regulation
-	
SARA Title III Section 313	Toxic Chemicals:
SARA Title III Section 313 ' Unless specific chemicals are	Toxic Chemicals:
SARA Title III Section 313 ' Unless specific chemicals are Canadian Regulations:	Toxic Chemicals:
SARA Title III Section 313 Unless specific chemicals an Canadian Regulations: National Pollutant Re	Toxic Chemicals: e identified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 Unless specific chemicals are Canadian Regulations: National Pollutant Re not applicable	Toxic Chemicals: e identified under this section, this product is Not Applicable under this regulation elease Inventory (NPRI)
SARA Title III Section 313 Unless specific chemicals an Canadian Regulations: National Pollutant Re	e identified under this section, this product is Not Applicable under this regulations elease Inventory (NPRI)

PolyOne

MATERIAL SAFETY DATA SHEET AOPETG 186616

Version Number 1.0 Revision Date 08/29/2013 Page 6 of 6 Print Date 8/29/2013

National Inventories:

Australia AICS	: Not determined
China IECS	: Not determined
Europe EINECS	: Listed
Japan ENCS	: Not determined
Korea KECI	: Not determined
Philippines PICCS	: Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.