PolvOne

## MATERIAL SAFETY DATA SHEET ORANGE RS/LS

Version Number 1.0 Revision Date 09/18/2013

Page 1 of 7 Print Date 9/18/2013

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE RS/LS
Product code	:	CC10187627
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Lauric acid diethanolamide condensate	120-40-1	1 - 5
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5
Titanium dioxide	13463-67-7	1 - 5

## 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

**POLYONE CORPORATION** 

PolyOne.

# MATERIAL SAFETY DATA SHEET **ORANGE RS/LS**

Version Number 1.0 Revision Date 09/18/2013 Page 2 of 7 Print Date 9/18/2013

Medical Conditions	: None known.
Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits	
Upper explosion limit	: not applicable
Lower explosion limit	: not applicable
Auto-ignition temperature Suitable extinguishing media	<ul><li>not applicable</li><li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li></ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE



## MATERIAL SAFETY DATA SHEET **ORANGE RS/LS**

Version Number 1.0 Revision Date 09/18/2013		Page 3 of 7 Print Date 9/18/2013
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXPO	SU.	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous, precipitated and gel	6 mg/m3	Time Weighted Average (TWA):		OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	0.8 mg/m3	Time Weighted Average (TWA):		Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour

: solid : pellets : ORANGE

Bulk density

Evapouration rate:Not applicableSpecific Gravity:Not determined : Not established

# MATERIAL SAFETY DATA SHEET **ORANGE RS/LS**

Version Number 1.0 Revision Date 09/18/2013

Odour

Melting point/range Boiling Point: Water solubility	: no	ot determined ot applicable soluble	Vapour density pH		not applicable not applicable
	1(	). STABILITY AND RE	EACTIVITY		
Stability	:	The product is stable if	stored and handled as p	oresc	cribed.
Hazardous Polymerization	:	Will not occur.			
Conditions to avoid	:	Keep away from oxidiz decomposition, do not o	00	me.	To avoid thermal
Incompatible Materials	:	Incompatible with stron	ng acids and oxidizing a	gen	ts.
Hazardous decomposition products	:	Carbon dioxide (CO2), (NOx), other hazardous			Ũ

: very faint

## 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
120-40-1	Lauric acid	Irritant	Eyes, Skin.
	diethanolamide condensate		
112926-00-8	Silica, amorphous,	Irritant	Respiratory system, Eyes.
	precipitated and gel		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
120-40-1	Lauric acid	Oral LD50	2,700 mg/kg	rat
	diethanolamide condensate			

#### Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

4/7

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.



Vapour pressure

Page 4 of 7

Print Date 9/18/2013

: not applicable

PolyOne.

# MATERIAL SAFETY DATA SHEET **ORANGE RS/LS**

Version Number 1.0 Revision Date 09/18/2013 Page 5 of 7 Print Date 9/18/2013

NTP Carcinogen Classification 1 - The component is known to 2 - The component is reasonabl	a human carcinogen. nticipated to be a human carcinogen.	
	2. ECOLOGICAL INFORMATION	
Persistence and degradability	Not readily biodegradable.	
Environmental Toxicity	Chemicals are not readily available as they are bound with polymer matrix.	in the
Bioaccumulation Potential	Chemicals are not readily available as they are bound with polymer matrix.	in the
Additional advice	no data available	
	13. DISPOSAL CONSIDERATIONS	
Product	Like most thermoplastic plastics the product can be recycle possible recycling is preferred to disposal or incineration. generator of waste material has the responsibility for prope classification, transportation and disposal in accordance we applicable federal, state/provincial and local regulations.	The er waste
Contaminated packaging	Recycling is preferred when possible. The generator of wa material has the responsibility for proper waste classificati transportation and disposal in accordance with applicable f state/provincial and local regulations.	on,
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	Not regulated for transportation.	
ICAO/IATA	Refer to specific regulation.	
IMO/IMDG (maritime)	Refer to specific regulation.	
	5. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	Classified as hazardous based on components.	
TSCA Status	All components of this product are listed on or exempt from TSCA Inventory.	m the

olv0<u>ne</u>

## MATERIAL SAFETY DATA SHEET ORANGE RS/LS

Version Number 1.0 Revision Date 09/18/2013 Page 6 of 7 Print Date 9/18/2013

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

not applicable

WHMIS Classification : D2A
DSL : All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Philippines PICCS	: Not determined
Korea KECI	: Not determined
Japan ENCS	: Not determined
Europe EINECS	: Listed
China IECS	: Listed
Australia AICS	: Listed
	<b>T T T</b>

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

PolyOne

# MATERIAL SAFETY DATA SHEET ORANGE RS/LS

Version Number 1.0 Revision Date 09/18/2013 Page 7 of 7 Print Date 9/18/2013

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.