PolvOne

### **MATERIAL SAFETY DATA SHEET FROTHR 187766 BK**

Version Number 1.0 Revision Date 09/19/2013

Page 1 of 8 Print Date 9/19/2013

#### **1. PRODUCT AND COMPANY IDENTIFICATION**

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	FROTHR 187766 BK
Product code	:	CC10187766
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### : Industrial Applications

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
1,1'-(Ethane-1,2-	84852-53-9	30 - 60
diyl)bis[pentabromobenzene]		
Carbon black	1333-86-4	5 - 10
Antimony trioxide	1309-64-4	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the enduser (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

# MATERIAL SAFETY DATA SHEET **FROTHR 187766 BK**

Version Number 1.0 Revision Date 09/19/2013 Page 2 of 8 Print Date 9/19/2013

Medical Conditions Aggravated by Exposure:	: None	known.
	4. ]	FIRST AID MEASURES
Inhalation	over	e to fresh air in case of accidental inhalation of fumes from heating or combustion. When symptoms persist or in all cases of t seek medical advice.
Ingestion		ot induce vomiting without medical advice. When symptoms st or in all cases of doubt seek medical advice.
Eyes		e immediately with plenty of water, also under the eyelids, for at 15 minutes. If eye irritation persists, seek medical attention.
Skin		h off with soap and plenty of water. If skin irritation persists medical attention.
	5. FI	REFIGHTING MEASURES
Flash point	: not a	pplicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media	: not a : not a	pplicable pplicable pplicable on dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	press	ace self-contained breathing apparatus (SCBA) used in positive sure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	: Carb	aminants. on dioxide (CO2), carbon monoxide (CO), oxides of nitrogen x), other hazardous materials, and smoke are all possible.
	ACCID	ENTAL RELEASE MEASURES
Personal precautions		r appropriate personal protection during cleanup, such as rvious gloves, boots and coveralls.
Environmental precautions		Id not be released into the environment. The product should not lowed to enter drains, water courses or the soil.
Methods for cleaning up		n up promptly by sweeping or vacuum. Package all material in ic, cardboard or metal containers for disposal.
Methods for cleaning up	: Clea	n up promptly by sweeping or vacuum. Package all material in

PolyOne.

# MATERIAL SAFETY DATA SHEET **FROTHR 187766 BK**

Version Number 1.0 Revision Date 09/19/2013		Page 3 of 8 Print Date 9/19/2013
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat
		only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXI	POSU	RE CONTROLS/PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

PolyOne

## **MATERIAL SAFETY DATA SHEET FROTHR 187766 BK**

Version Number 1.0 Revision Date 09/19/2013 Page 4 of 8 Print Date 9/19/2013

Components	Value	Exposure time	Exposure type	List:
Antimony trioxide	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A
Carbon black	3.5 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.1 mg/m3	Recommended exposure limit (REL):		NIOSH
	3.5 mg/m3	PEL:		OSHA Z1
	3.5 mg/m3	Time Weighted Average (TWA):		OSHA Z1A
	3.5 mg/m3	Time Weighted Average (TWA):		MX OEL
	7 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Inhalable fraction.	ACGIH

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

#### : BLACK : very faint

Not determined : : not applicable : insoluble

: solid

: pellets

Specific Gravity Bulk density Vapour pressure Vapour density pН

Evapouration rate

Not applicable : Not determined : Not established : not applicable : : not applicable not applicable

:

# **10. STABILITY AND REACTIVITY**

Stability	:	The product is stable if stored and handled as prescribed.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

**11. TOXICOLOGICAL INFORMATION** 

## MATERIAL SAFETY DATA SHEET FROTHR 187766 BK

Version Number 1.0 Revision Date 09/19/2013 Page 5 of 8 Print Date 9/19/2013

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
84852-53-9	1,1'-(Ethane-1,2-	Chronic effects	Skin, Respiratory system.
	diyl)bis[pentabromobenze		
	ne]		
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
84852-53-9	1,1'-(Ethane-1,2-	Oral LD 50	> 5,000 mg/kg	Rat
	diyl)bis[pentabromobenze	Dermal LD 50	> 2,000 mg/kg	rabbit
	ne]			
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

### MATERIAL SAFETY DATA SHEET FROTHR 187766 BK

Version Number 1.0 Revision Date 09/19/2013

Page 6 of 8 Print Date 9/19/2013

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

#### Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

<ul> <li>Not readily biodegradable.</li> <li>Chemicals are not readily available as they are bound within the polymer matrix.</li> <li>Chemicals are not readily available as they are bound within the polymer matrix.</li> <li>no data available</li> </ul> <b>13. DISPOSAL CONSIDERATIONS</b> Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
<ul> <li>polymer matrix.</li> <li>Chemicals are not readily available as they are bound within the polymer matrix.</li> <li>no data available</li> <li><b>13. DISPOSAL CONSIDERATIONS</b></li> <li>Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with</li> </ul>
<ul> <li>polymer matrix.</li> <li>no data available</li> <li>13. DISPOSAL CONSIDERATIONS</li> <li>Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with</li> </ul>
<ul> <li>13. DISPOSAL CONSIDERATIONS</li> <li>Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with</li> </ul>
: Like most thermoplastic plastics the product can be recycled. When possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14. TRANSPORT INFORMATION
: Not regulated for transportation.
: Refer to specific regulation.
: Refer to specific regulation.

<u>PolyOne</u>

# **POLYONE CORPORATION**

## MATERIAL SAFETY DATA SHEET **FROTHR 187766 BK**

Version Number 1.0 /2012 10 **Revision Dat** 

1333-86-4

ion Number 1.0 sion Date 09/19/2013				Pri	Page nt Date <i>9/19</i> /	
15. REGULATOR	RY INFO	RMATION	J			
US Regulations:						
OSHA Status : Classified as ha	azardous b	ased on cor	nponents.			
	: All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardous Substances (40 CFR	302)					
not applicable						
California Proposition : WARNING! T 65 California to ca			a chemica	ll know	n to the State of	of
SARA Title III Section 302 Extremely Hazardous Su	ubstance					
Unless specific chemicals are identified under this se	ection, this	s product is	Not Appl	icable 1	under this regu	lation
SARA Title III Section 313 Toxic Chemicals:						
Unless specific chemicals are identified under this se	ection, this	s product is	Not Appl	icable 1	under this regu	lation
Chemical Name		CAS-No.			percent	
ANTIMONY COMPOUNDS		1309-64-4	1	0.00 -	30.00	
Canadian Regulations:						
National Pollutant Release Inventory (NPRI)						
Chemical Name	CAS-N	0.	Weight		NPRI ID#	
Antimony trioxide	1309-6	4-4	percent 10.00 - 3	0.00		
WHMIS Classification : D2A						
WHMIS Ingredient Disclosure List						
CAS-No.						
1309-64-4						

POLYONE CORPORATION



# MATERIAL SAFETY DATA SHEET **FROTHR 187766 BK**

Version Number 1.0 Revision Date 09/19/2013		Page 8 of 8 Print Date <i>9/19/2013</i>
DSL	:	DSL status has not been determined. Quantity use in Canada may be restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Not determined
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.