### White

Version Number 1.1 Revision Date 08/30/2018

ne

Page 1 of 17 Print Date 11/24/2018

# SAFETY DATA SHEET

#### White

Section 1. Identification		
GHS product identifier	:	White
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10187848
Product type	:	solid
<u>Relevant identified uses of the sub</u> Product use	stance :	or mixture and uses advised against Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

## Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/17

### White

Version Number 1.1 Revision Date 08/30/2018

# <u>PolyOne</u>

Page 2 of 17 Print Date 11/24/2018

Hazard statements

No known significant effects or critical hazards.

#### **Precautionary statements**

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

## Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10187848

CAS number/other identifiers

Ingredient name	%	CAS number
2-Propenenitrile, polymer with Ethenylbenzene	25 - 50	9003-54-7
Titanium dioxide	25 - 50	13463-67-7
Styrene	0 - 0.3	100-42-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

Description of necessary first aid measures

### White



Version Number 1.1 Revision Date 08/30/2018		Page 3 of 17 Print Date 11/24/2018
Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses.

	Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated
	clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities

of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical attention and special treatment needed, if necessary		
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

### White

Version Number 1.1 Revision Date 08/30/2018



Page 4 of 17 Print Date 11/24/2018

## **Section 5. Firefighting measures**

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : For emergency responders :	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions :	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Small spill :	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
---------------	---	---

### White

Version Number 1.1 Revision Date 08/30/2018

# <u>PolyOne</u>

Page 5 of 17 Print Date 11/24/2018

Large spill

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

:

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits			
Styrene	OSHA PEL 1989 (1989-03-01)			
	TWA 215 mg/m3 50 ppm			
	STEL 425 mg/m3 100 ppm			
	OSHA PEL Z2 (1993-06-30)			
	TWA 100 ppm			
	CEIL 200 ppm			
	CEIL 600 ppm			
	NIOSH REL (1994-06-01)			
	TWA 215 mg/m3 50 ppm			

## White

PolyOne

Version Number 1.1 Revision Date 08/30/2018 Page 6 of 17 Print Date 11/24/2018

		STEL 425 mg/m3 100 ppm         ACGIH TLV (1997-05-21)         TWA 85 mg/m3 20 ppm         STEL 170 mg/m3 40 ppm
2-Propenenitrile, polymer with Ethenylbenzene		None.
Titanium dioxide		OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures Eye/face protection	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection Body protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Personal protective equipment for the body should be selected based
Other skin protection	:	on the task being performed and the risks involved and should be approved by a specialist before handling this product. Appropriate footwear and any additional skin protection measures

### White

Version Number 1.1	Page 7 of 17
Revision Date 08/30/2018	Print Date 11/24/2018

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

ne

**Respiratory protection** 

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

:

#### Appearance

Physical state	:	solid [Pellets.]
Color	:	WHITE
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.

## Section 10. Stability and reactivity

:

Reactivity

No specific test data related to reactivity available for this product or its ingredients.

### White



Version Number 1.1 Revision Date 08/30/2018	Page 8 of 17 Print Date 11/24/2018
Chemical stability	: Stable under recommended storage and handling conditions (see
Possibility of hazardous reactions	<ul> <li>Section 7).</li> <li>Under normal conditions of storage and use, hazardous reactions will not occur.</li> </ul>
Conditions to avoid Incompatible materials	<ul><li>Keep away from extreme heat and oxidizing agents.</li><li>Keep away from strong acids. Oxidizer.</li></ul>

#### Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition : products products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure	
Styrene					
	LD50 Oral	Rat	2,650 mg/kg	-	
	LC50 Inhalation	Rat	2,770 ppm	4 h	
	LC50 Inhalation	Rat	11.8 Mg/l	4 h	
<b>Remarks - Dermal:</b>	No applicable toxic	city data			
2-Propenenitrile, polymer with	h Ethenylbenzene				
	LD50 Oral	Rat	1,800 mg/kg	-	
<b>Remarks - Inhalation:</b>	No applicable toxic	city data			
Remarks - Dermal:	No applicable toxic	No applicable toxicity data			
Titanium dioxide					
Remarks - Oral:	No applicable toxicity data				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h	
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-	
Conclusion/Summary : Mixture.Not fully tested.					

**Conclusion/Summary** 

Mixture.Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Styrene	Eyes - Mild irritant	Human			-
	Skin - Mild irritant	Rabbit			-
	Skin - Moderate	Rabbit			-

## White

Version Number 1.1 Revision Date 08/30/2018 Page 9 of 17 Print Date 11/24/2018

	L	1				
	irritant					
	Eyes - Severe	Rabbit			-	
	irritant					
	Eyes -	Rabbit		24 hrs	_	
	Moderate	ituoon		21115		
	irritant					
Titanium dioxide	Skin - Mild	Human		72 hrs		
I fiamum dioxide		пишан		72 1118	-	
~	irritant					
Conclusion/Summary						
Skin		ixture.Not full				
Eyes		ixture.Not full				
Respiratory	: M	ixture.Not full	y tested.			
<u>Sensitization</u>						
Conclusion/Summary						
Skin	: M	ixture.Not full	v tested.			
Respiratory		ixture.Not full				
Respiratory	• 11		y testea.			
<b>Mutagenicity</b>						
Conclusion/Summary	mary : Mixture.Not fully tested.					
<b>Carcinogenicity</b>						
Conclusion/Summary	: M	ixture.Not full	y tested.			
<b>Classification</b>						
Product/ingredient	OSHA	IARC	NTP			
name						
Styrene		2B	Reasonal	olv anticipated to	b be a human carcinogen.	
2-Propenenitrile, polymer		3				
with Ethenylbenzene		5				
Titanium dioxide		2B				
Thainum dioxide		20				
<b>Reproductive toxicity</b>						
Conclusion/Summary	: M	ixture.Not full	y tested.			
<b>Teratogenicity</b>						
Conclusion/Summary	: Mixture.Not fully tested.					
Specific target organ toxicit	<u>y (single exposu</u>	<u>re)</u>				
Not available.						

## White

PolyOne.

Version Number 1.1					
Revision Date 08/30/2018					

Page 10 of 17 Print Date 11/24/2018

<u>Specific target organ toxicity (repe</u> Not available.	eated o	exposure)
Aspiration hazard Not available.		
Information on likely routes of exposure	:	Not available.
Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Symptoms related to the physical, o	chemi	cal and toxicological characteristics
Eye contact Inhalation Skin contact Ingestion <u>Delayed and immediate effects as w</u> <u>Short term exposure</u>	vell as	No specific data. No specific data. No specific data. No specific data. <b>chronic effects from short and long-term exposure</b>
Potential immediate effects Potential delayed effects <u>Long term exposure</u>	:	Not available. Not available.
Potential immediate effects Potential delayed effects Potential chronic health effects	:	Not available. Not available.
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity Mutagenicity Teratogenicity Developmental effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards.

### White

Version Number 1.1 Revision Date 08/30/2018 PolyOne

Page 11 of 17 Print Date 11/24/2018

Numerical measures of toxicity

Acute toxicity estimates

Not available.

## Section 12. Ecological information

**Toxicity** 

Product/ingredient name	Result	Species	Exposure			
Styrene						
	Acute LC50 4.02 Mg/l Fresh water	Fish - Fish	96 h			
Remarks - Acute - Fish:	Acute					
	Acute EC50 0.0047 Mg/l Fresh	Aquatic invertebrates.	48 h			
	water	Daphnia				
Remarks - Acute - Aquatic	Acute					
invertebrates.:			1			
	Acute LC50 52 Mg/l Marine water	Aquatic invertebrates.	48 h			
		Crustaceans				
Remarks - Acute - Aquatic	Acute					
invertebrates.:	A suite EC50 1 4 Mg/l Erech suiter	A questio planta Alana	72 h			
Dennester Assets Asset	Acute EC50 1.4 Mg/l Fresh water	Aquatic plants - Algae	/2 n			
Remarks - Acute - Aquatic	Acute					
plants:	Acute EC50 0.72 Mg/l Fresh water	Aquatic plants - Algae	96 h			
Remarks - Acute - Aquatic	Acute EC50 0.72 Mg/11Tesh water	Aqualic plains - Algae	90 II			
plants:	Acute					
plants.	Acute NOEC 0.063 Mg/l Fresh	Aquatic plants - Algae	96 h			
	water	riquate plants rigae	<b>50 II</b>			
Remarks - Acute - Aquatic	Chronic					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
2-Propenenitrile, polymer with	Ethenylbenzene					
Remarks - Acute - Fish:	No applicable toxicity data					
Remarks - Acute - Aquatic	No applicable toxicity data					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
	11/17					



### White

Version Number 1.1 Revision Date 08/30/2018 Page 12 of 17 Print Date 11/24/2018

Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Titanium dioxide						
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h			
	water					
Remarks - Acute - Fish:	Acute		-			
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates.	48 h			
		Crustaceans				
Remarks - Acute - Aquatic	Acute					
invertebrates.:		-				
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates.	48 h			
		Daphnia				
Remarks - Acute - Aquatic	Acute					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:	l					
White						
<b>Remarks - Acute - Aquatic</b>	Chemicals are not readily available as they are bound within the polymer matrix.					
invertebrates.:						
Conclusion/Summary	: Chemicals are not readily available as they are bound within the					
	polymer matrix.					
Densistence and desug 1-1-114						
Persistence and degradability	<u>v</u>					
Conclusion/Summary	: Chemicals are not readi	ly available as they are bou	nd within the			
Concrusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.					

**Conclusion/Summary** : Chemicals are not readily available as they are bound within the polymer matrix.

### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Styrene	0.35	13.49	low

#### **Mobility in soil**

Soil/water partition coefficient	:	Not available.
(KOC)		

### White

Version Number 1.1 Revision Date 08/30/2018

# <u>PolyOne</u>

Page 13 of 17 Print Date 11/24/2018

Other adverse effects

No known significant effects or critical hazards.

## Section 13. Disposal considerations

:

:

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

## Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

## Section 15. Regulatory information

U.S. Federal regulations	: United States - TSCA 12(b) - Chemical export notification: None of the components are listed.
	United States - TSCA 4(a) - Final Test Rules: Not listed
	United States - TSCA 4(a) - ITC Priority list: Not listed
	United States - TSCA 4(a) - Proposed test rules: Not listed
	United States - TSCA 4(f) - Priority risk review: Not listed
	United States - TSCA 5(a)2 - Final significant new use rules: Not
	13/17

### White

ŀ	bh	νO	ne.
_			

Version Number 1.1	Page 14 of 17
Revision Date 08/30/2018	Print Date 11/24/2018

listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Acrylonitrile United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed

Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		
Clean Air Act Section 602 Class I	:	Not listed
Substances		
Clean Air Act Section 602 Class II	:	Not listed
Substances		
<b>DEA List I Chemicals (Precursor</b>	:	Not listed
Chemicals)		
<b>DEA List II Chemicals (Essential</b>	:	Not listed
Chemicals)		

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

#### SARA 311/312

Classification

Not applicable.

:

**Composition/information on ingredients** 



$P_{\alpha}$	blyO	ne.

### Version Number 1.1 Revision Date 08/30/2018

Page 15 of 17 Print Date 11/24/2018

Name	%	Classification
Styrene	0 - 0.3	F, AH, CH
2-Propenenitrile, polymer with Ethenylbenzene	25 - 50	АН
Titanium dioxide	25 - 50	СН

#### SARA 313

	Product name	CAS number	%
Form R - Reporting	Styrene	100-42-5	0 - 0.3
requirements			
Supplier notification	Styrene	100-42-5	0 - 0.3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	The following components are listed: Styrene
New Jersey	:	The following components are listed: Titanium dioxide 2-Propenenitrile, polymer with Ethenylbenzene Styrene
Pennsylvania	:	The following components are listed: Titanium dioxide
		Styrene
California Prop. 65 WARNING: This product contains a c	hemi	ical known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	All components are listed or exempted.
International regulations		
Inventory list		
Australia	:	All components are listed or exempted.
Canada	:	All components are listed or exempted.
		15/17

### White

Pol	vOne.

Version Number 1.1	Page 16 of 17
Revision Date 08/30/2018	Print Date 11/24/2018

China:Europe inventory:Japan:New Zealand:Philippines:Republic of Korea:Taiwan:Turkey:	All components are listed or exempted. All components are listed or exempted. Not determined. All components are listed or exempted. All components are listed or exempted. All components are listed or exempted. All components are listed or exempted. Not determined
<b>m</b> 1	All components are listed or exempted. Not determined. All components are listed or exempted.

## **Section 16. Other information**

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

	Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.
	IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient
	IATA = International Air Transport Association IBC = Intermediate Bulk Container
	IATA = International Air Transport Association
	GHS = Globally Harmonized System of Classification and Labelling of
•	BCF = Bioconcentration Factor
	ATE = Acute Toxicity Estimate
:	1.1
:	09/20/2013
:	08/30/2018
:	11/24/2018
	:::::::::::::::::::::::::::::::::::::::

16/17

### White

Version Number 1.1 Revision Date 08/30/2018



Page 17 of 17 Print Date 11/24/2018

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.