MATERIAL SAFETY DATA SHEET **NP**

Version Number 1.0 Revision Date 09/26/2013

Chemical Name

Page 1 of 6 Print Date 9/27/2013

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 1 (440) 930-1000 or 1 (866) POLYONE Telephone : **Emergency telephone** : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure number or accident). Product name : NP CC10187943 Product code :

CAS-No.:MixtureProduct Use:Industrial Applications

:

Mixture

2. COMPOSITION/INFORMATION ON INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
: Resin particles, like other inert materials, can be mechanically irritating.
: May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET **NP**

Version Number 1.0 Revision Date 09/26/2013 Page 2 of 6 Print Date 9/27/2013

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **NP**

		Pi	rint Date 9/27/
Storage		and tightly closed to avoid mois Keep in a dry, cool place.	sture absorption
8. EXI	POSURE CONTROLS/PE	ERSONAL PROTECTION	
Respiratory protection	: No personal respira	tory protective equipment norma	lly required.
Eye/Face Protection	: Safety glasses with	side-shields	
Hand protection	: Protective gloves		
Skin and body protection	: Long sleeved clothi	ng	
Additional Protective Measures	: Safety shoes		
General Hygiene Considerations	: Handle in accordance practice. Wash han	ce with good industrial hygiene a ds before breaks and at the end o	and safety of workday.
Engineering measures		vith appropriate exhaust ventilati ventilati ventilation at machinery.	on. Provide
Exposure limit(s)			
	is components above regilla		
	PHYSICAL AND CHEM	tory thresholds in this product.	
9. Form Appearance Colour Odour Melting point/range Boiling Point:		IICAL PROPERTIES Evapouration rate : Specific Gravity : Bulk density : Vapour pressure : Vapour density :	Not applicable Not determined Not established not applicable not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point:	 PHYSICAL AND CHEM solid pellets NO PIGMENT very faint Not determined not applicable 	IICAL PROPERTIES Evapouration rate : Specific Gravity : Bulk density : Vapour pressure : Vapour density : pH :	Not determined Not established not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	PHYSICAL AND CHEM : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY AND	IICAL PROPERTIES Evapouration rate : Specific Gravity : Bulk density : Vapour pressure : Vapour density : pH :	Not determined Not established not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEM : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY AND	IICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density pH SPEACTIVITY	Not determined Not established not applicable not applicable
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEM : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY AND : The product is stabl : Will not occur.	IICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Bulk density Vapour pressure Vapour density pH Exactivity Bulk density PH Exactivity Bulk density Support density PH Exactivity Bulk density Bulk density Support density PH Exactivity Bulk density Bulk density Support density Bulk density Support density PH Support density Bulk density Bulk density Support density Support density Bulk density<	Not determined Not established not applicable not applicable not applicable
	PHYSICAL AND CHEM : solid : pellets : NO PIGMENT : very faint : Not determined : not applicable : insoluble 10. STABILITY ANE : The product is stabl : Will not occur. : Keep away from ox decomposition, do not apply and the stable	IICAL PROPERTIES Evapouration rate Specific Gravity Bulk density Bulk density Vapour pressure Vapour density pH Exactivity Bulk density PH Exactivity Bulk density Support density PH Exactivity Bulk density Bulk density Support density PH Exactivity Bulk density Bulk density Support density Bulk density Support density PH Support density Bulk density Bulk density Support density Support density Bulk density<	Not determined Not established not applicable not applicable not applicable

PolyOne.

MATERIAL SAFETY DATA SHEET **NP**

Version Number 1.0 Revision Date 09/26/2013

Page 4 of 6 Print Date 9/27/2013

		ponents above regulatory thresholds in this product.
	12	2. ECOLOGICAL INFORMATION
Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available
	1.	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA	:	Refer to specific regulation.
IMO/IMDG (maritime)	:	Refer to specific regulation.
15. REGULATORY INFORMATION		
US Regulations:		
OSHA Status	:	There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **NP**

Version Number 1.0 Revision Date 09/26/2013 Page 5 of 6 Print Date 9/27/2013

not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Chemical Name	CAS-No.	Weight percent
ZINC COMPOUNDS	12767-90-7	60.00 - 100.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Boron zinc oxide (B6Zn2O11)	12767-90-7	60.00 - 100.00	

WHMIS Classification	n :	Not controlled.	
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed	
China IECS	:	Listed	
Europe EINECS	:	Listed	
Japan ENCS	:	Not determined	
Korea KECI	:	Listed	
Philippines PICCS	:	Listed	
	16. OTHER INFORMATION		

PolyOne

MATERIAL SAFETY DATA SHEET **NP**

Version Number 1.0 Revision Date 09/26/2013 Page 6 of 6 Print Date 9/27/2013

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.