MATERIAL SAFETY DATA SHEET **BUTTERFLY GREEN V3**

Version Number 1.1 Revision Date 10/21/2013

Page 1 of 7 Print Date 10/21/2013

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name :	BUTTERFLY GREEN V3	
Product code :	CC10189290	
Chemical Name :	Mixture	
CAS-No.	Mixture	
Product Use :	Industrial Applications	

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		

PolyOne.

MATERIAL SAFETY DATA SHEET **BUTTERFLY GREEN V3**

Version Number 1.1 Revision Date 10/21/2013 Page 2 of 7 Print Date 10/21/2013

Medical Conditions : None known. Aggravated by Exposure:				
		4. FIRST AID MEASURES		
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.		
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
		5. FIREFIGHTING MEASURES		
Flash point	:	not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	: :	not applicable not applicable carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.		
	6. A	CCIDENTAL RELEASE MEASURES		
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.		
		7. HANDLING AND STORAGE		
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		

POLYONE CORPORATION

PolyOne

MATERIAL SAFETY DATA SHEET BUTTERFLY GREEN V3

Version Number 1.1 Revision Date 10/21/2013

Storage

Page 3 of 7 Print Date 10/21/2013

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields
Hand protection	:	Protective gloves
Skin and body protection	:	Long sleeved clothing
Additional Protective Measures	:	Safety shoes
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):		MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range
- : solid
 : pellets
 : GREEN
 : very faint
 : Not determined
- Evapouration rate Specific Gravity Bulk density Vapour pressure Vapour density
- Not applicableNot determinedNot establishednot applicablenot applicable

MATERIAL SAFETY DATA SHEET **BUTTERFLY GREEN V3**

Version Number 1.1 Revision Date 10/21/2013

Page 4 of 7 Print Date 10/21/2013

Boiling Point: Water solubility	: not applicable : insoluble	pH	: not applicable				
10. STABILITY AND REACTIVITY							
Stability	: The product is sta	ble if stored and hand	dled as prescribed.				
Hazardous Polymerization	: Will not occur.						
Conditions to avoid	: Keep away from decomposition, de		open flame. To avoid thermal				
Incompatible Materials	: Incompatible with	n strong acids and oxi	dizing agents.				
Hazardous decomposition products	,	, · ·	de (CO), oxides of nitrogen smoke are all possible.				

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory
			system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.

PolyOne.

MATERIAL SAFETY DATA SHEET BUTTERFLY GREEN V3

micals are not readily available as they are bound within the mer matrix. micals are not readily available as they are bound within the mer matrix. ata available SPOSAL CONSIDERATIONS e most thermoplastic plastics the product can be recycled. Where bible recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations. ycling is preferred when possible. The generator of waste erator, and the proper waste classification, the product of the proper waste classification, the provincial has the responsibility for proper waste erated by the product of the product
 mer matrix. micals are not readily available as they are bound within the mer matrix. lata available SPOSAL CONSIDERATIONS e most thermoplastic plastics the product can be recycled. Where sible recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations. ycling is preferred when possible. The generator of waste
mer matrix. ata available SPOSAL CONSIDERATIONS e most thermoplastic plastics the product can be recycled. Where bible recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations. ycling is preferred when possible. The generator of waste
e most thermoplastic plastics the product can be recycled. Where sible recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations. ycling is preferred when possible. The generator of waste
e most thermoplastic plastics the product can be recycled. Where sible recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations. ycling is preferred when possible. The generator of waste
sible recycling is preferred to disposal or incineration. The erator of waste material has the responsibility for proper waste sification, transportation and disposal in accordance with icable federal, state/provincial and local regulations. ycling is preferred when possible. The generator of waste
sportation and disposal in accordance with applicable federal, /provincial and local regulations.
RANSPORT INFORMATION
regulated for transportation.
er to specific regulation.
er to specific regulation.
GULATORY INFORMATION
sified as hazardous based on components.
components of this product are listed on or exempt from the CA Inventory.
es (40 CFR 302)

MATERIAL SAFETY DATA SHEET **BUTTERFLY GREEN V3**

Version Number 1.1 Revision Date 10/21/2013

Page 6 of 7 Print Date 10/21/2013

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight	NPRI ID#
		percent	
Phthalocyanine green	1328-53-6	1.00 - 5.00	

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1328-53-6	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Listed
Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

PolyOne.

MATERIAL SAFETY DATA SHEET **BUTTERFLY GREEN V3**

Version Number 1.1 Revision Date 10/21/2013 Page 7 of 7 Print Date 10/21/2013