PolvOne

## MATERIAL SAFETY DATA SHEET LMPE 190785

Version Number 1.0 Revision Date 11/27/2013 Page 1 of 6 Print Date 11/27/2013

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012					
Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).			
Product name	:	LMPE 190785			
Product code	:	CC10190785			
Chemical Name	:	Mixture			
CAS-No.	:	Mixture			
Product Use	:	Industrial Applications			

Components	CAS-No.	Weight percent
Copper hydroxide phosphate	12158-74-6	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

## MATERIAL SAFETY DATA SHEET LMPE 190785

Version Number 1.0 Revision Date 11/27/2013 Page 2 of 6 Print Date 11/27/2013

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



# MATERIAL SAFETY DATA SHEET *LMPE 190785*

Version Number	er 1.0
<b>Revision Date</b>	11/27/2013

Page 3 of 6 Print Date 11/27/2013

	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. EXI	OSURE CONTROLS/P	ERSONAL PROTECTION			
Respiratory protection	: No personal respir	atory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with	n side-shields			
Hand protection	: Protective gloves				
Skin and body protection	: Long sleeved cloth	ing			
Additional Protective Measures	: Safety shoes	Safety shoes			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
9.	PHYSICAL AND CHEN				
<b>9.</b> Form	: solid	Evapouration rate : Not applicable			
9. Form Appearance Colour	: solid : pellets : NO PIGMENT	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not established			
9. Form Appearance Colour Odour	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable			
9. Form Appearance Colour Odour Melting point/range	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicable			
9. Form Appearance Colour Odour	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> </ul>	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicable			
9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> </ul>	Evapouration rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable			
9. Form Appearance Colour Odour Melting point/range Boiling Point:	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AN	Evapouration rate:Not applicableSpecific Gravity:Not determinedBulk density:Not establishedVapour pressure:not applicableVapour density:not applicablepH:not applicable			
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> 10. STABILITY AN	Evapouration rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapour pressure: not applicableVapour density: not applicablepH: not applicableD REACTIVITY			
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>The product is state</li> <li>Will not occur.</li> </ul>	Evapouration rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         D REACTIVITY         ole if stored and handled as prescribed.         xidizing agents and open flame. To avoid therma			
9. Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>solid</li> <li>pellets</li> <li>NO PIGMENT</li> <li>very faint</li> <li>Not determined</li> <li>not applicable</li> <li>insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>The product is state</li> <li>Will not occur.</li> <li>Keep away from o decomposition, do</li> </ul>	Evapouration rate       : Not applicable         Specific Gravity       : Not determined         Bulk density       : Not established         Vapour pressure       : not applicable         Vapour density       : not applicable         pH       : not applicable         D REACTIVITY         ole if stored and handled as prescribed.         xidizing agents and open flame. To avoid therma			

PolyOne

## MATERIAL SAFETY DATA SHEET LMPE 190785

#### Version Number 1.0 Revision Date 11/27/2013

Page 4 of 6 Print Date 11/27/2013

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12158-74-6	Copper hydroxide	Irritant	Eyes, Respiratory system,
	phosphate		Skin.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.		nical Name	Route	Value	Species	
12158-74-6	Copper hy phosphate	droxide	Oral LD50	> 2,000 mg/kg	rat	
	1	2. ECOLOGIC	AL INFORMAT	ION		
Persistence and degra		Not readily bi				
Environmental Toxicity		Chemicals are polymer matri		ble as they are bound	d within the	
Bioaccumulation Potential		Chemicals are polymer matri		ble as they are bound	d within the	
Additional advice	:	no data availa	ble			
	1	3. DISPOSAL	CONSIDERATIO	DNS		
Product	:	possible recyc generator of v classification,	ling is preferred to vaste material has t transportation and	the product can be r disposal or incinera he responsibility for disposal in accordar al and local regulation	tion. The proper waste nce with	
Contaminated packaging		Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	-	14. TRANSPO	RT INFORMATI	ON		
U.S. DOT Classificat	ion :	Not regulated	for transportation.			
ICAO/IATA	:	Refer to speci	fic regulation.			

4/6

PolyOne.

# MATERIAL SAFETY DATA SHEET *LMPE 190785*

Version Number 1.0 Revision Date 11/27/2013 Page 5 of 6 Print Date 11/27/2013

	:					15. REGULATORY INFORMATION					
TSCA Status US. EPA CERCLA Hazardous											
US. EPA CERCLA Hazardous	:	A 11	ardous base	ed on compo	nents.						
		TSCA Inventory		duct are listed	l on or exem	npt from the					
	JS. EPA CERCLA Hazardous Substances (40 CFR 302)										
not applicable											
California Proposition 65	:	Not applicable									
		ely Hazardous Sul fied under this sec		roduct is Not	Applicable	under this regula					
Unless specific chemicals are i SARA Title III Section 313 To	identif oxic C	fied under this sec Chemicals:	ction, this pr	roduct is Not	Applicable	under this regula					
Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i	identif oxic C identif	fied under this sec Themicals: fied under this sec	ction, this pr		Applicable	under this regula					
Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Chemical Name	identif oxic C <u>identif</u> WITH	fied under this sec Chemicals: fied under this sec EXCEPTIONS)	ction, this pr	roduct is Not CAS-No. 2158-74-6 We	Applicable Weight	under this regula					



## MATERIAL SAFETY DATA SHEET LMPE 190785

Version Number 1.0 Revision Date 11/27/2013		Page 6 of 6 Print Date 11/27/2013
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.