MATERIAL SAFETY DATA SHEET **GREY 115556**

Version Number 1.0 Revision Date 11/27/2013

Page 1 of 7 Print Date 11/27/2013

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	1 (440) 930-1000 or 1 (866) POLYONE CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREY 115556
Product code	:	CC10191346
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact		
: Resin particles, like other inert materials, can be mechanically irritating.		
: May be harmful if swallowed.		
: Resin particles, like other inert materials, are mechanically irritating to eyes.		
: Experience shows no unusual dermatitis hazard from routine handling.		
: Refer to Section 11 for Toxicological Information.		

POLYONE CORPORATION

MATERIAL SAFETY DATA SHEET **GREY 115556**

Version Number 1.0 Revision Date 11/27/2013 Page 2 of 7 Print Date 11/27/2013

PolyOne.

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIREFIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Auto-ignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 not applicable not applicable not applicable Carbon dioxide blanket, Water spray, Dry powder, Foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET **GREY 115556**

Version Number 1.0 Revision Date 11/27/2013 Page 3 of 7 Print Date 11/27/2013

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection	: No personal respiratory protective equipment normally req	uired.
Eye/Face Protection	: Safety glasses with side-shields	
Hand protection	: Protective gloves	
Skin and body protection	: Long sleeved clothing	
Additional Protective Measures	: Safety shoes	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and saf practice. Wash hands before breaks and at the end of work	•
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Pr appropriate exhaust ventilation at machinery.	ovide

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Silica, amorphous	6 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.8 mg/m3	Time Weighted Average (TWA):		Z3
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Colour : solid : pellets : GREY Evapouration rate Specific Gravity Bulk density

Not applicableNot determinedNot established

MATERIAL SAFETY DATA SHEET **GREY 115556**

Version Number 1.0 Revision Date 11/27/2013 Page 4 of 7 Print Date 11/27/2013

Odour Melting point/range Boiling Point: Water solubility	very faintNot determinednot applicableinsoluble	Vapour pressure Vapour density pH	not applicablenot applicablenot applicable
	10. STABILITY ANI	REACTIVITY	
Stability	: The product is stabl	le if stored and handled as	prescribed.
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	: Keep away from ox decomposition, do t	idizing agents and open fl not overheat.	ame. To avoid thermal
Incompatible Materials	: Incompatible with s	strong acids and oxidizing	agents.
Hazardous decomposition products		D2), carbon monoxide (CC dous materials, and smoke	<u> </u>

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability

: Not readily biodegradable.



MATERIAL SAFETY DATA SHEET **GREY 115556**

Bioaccumulation Potential : Chapol Additional advice : no 13. DI Product : Lik pos ger cla: app Contaminated packaging : Rea ma trai stat U.S. DOT Classification : No ICAO/IATA : Rei IMO/IMDG (maritime) : Rei	emicals are not readily available as they are bound within the ymer matrix. emicals are not readily available as they are bound within the ymer matrix. data available SPOSAL CONSIDERATIONS the most thermoplastic plastics the product can be recycled. Where estible recycling is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste satification, transportation and disposal in accordance with blicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste terial has the responsibility for proper waste terial has the responsibility for proper waste classification,
Bioaccumulation Potential : Chapol Additional advice : no 13. DI Product : Lik pos ger clai app Contaminated packaging : Rea ma transstat U.S. DOT Classification : No ICAO/IATA : Rea IMO/IMDG (maritime) : Rea	ymer matrix. emicals are not readily available as they are bound within the ymer matrix. data available SPOSAL CONSIDERATIONS e most thermoplastic plastics the product can be recycled. Where sible recycling is preferred to disposal or incineration. The serator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with blicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification,
Additional advice : no 13. DI Product : Lik pos ger clai app Contaminated packaging : Rea ma traistat U.S. DOT Classification : No ICAO/IATA : Rea IMO/IMDG (maritime) : Rea IS. REA	ymer matrix. data available SPOSAL CONSIDERATIONS the most thermoplastic plastics the product can be recycled. Where asible recycling is preferred to disposal or incineration. The therator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with oblicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification,
I3. Di Product : Lik pos ger cla: app Contaminated packaging : Ree ma traistal U.S. DOT Classification : No ICAO/IATA : Rei IMO/IMDG (maritime) : Rei	SPOSAL CONSIDERATIONS The most thermoplastic plastics the product can be recycled. Where asible recycling is preferred to disposal or incineration. The merator of waste material has the responsibility for proper waste satification, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. Cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification,
Product : Lik pos ger cla: app Contaminated packaging : Rea ma trai stat U.S. DOT Classification : No ICAO/IATA : Rei IMO/IMDG (maritime) : Rei	te most thermoplastic plastics the product can be recycled. Where solution is preferred to disposal or incineration. The herator of waste material has the responsibility for proper waste solution, transportation and disposal in accordance with plicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification,
Contaminated packaging : Rea ma transtat U.S. DOT Classification : No ICAO/IATA : Rea IMO/IMDG (maritime) : Rea IS. REA	sible recycling is preferred to disposal or incineration. The berator of waste material has the responsibility for proper waste ssification, transportation and disposal in accordance with blicable federal, state/provincial and local regulations. cycling is preferred when possible. The generator of waste terial has the responsibility for proper waste classification,
ma transtal U.S. DOT Classification : No ICAO/IATA : Ref IMO/IMDG (maritime) : Ref 15. RE	terial has the responsibility for proper waste classification,
U.S. DOT Classification : No ICAO/IATA : Ret IMO/IMDG (maritime) : Ret 15. RE	nsportation and disposal in accordance with applicable federal, re/provincial and local regulations.
ICAO/IATA : Ref IMO/IMDG (maritime) : Ref 15. RF	RANSPORT INFORMATION
IMO/IMDG (maritime) : Ret	t regulated for transportation.
15. RF	fer to specific regulation.
	fer to specific regulation.
US Regulations:	GULATORY INFORMATION
OSHA Status : Cla	ssified as hazardous based on components.
	l components of this product are listed on or exempt from the CA Inventory.
US. EPA CERCLA Hazardous Substanc	es (40 CFR 302)
not applicable	
California Proposition : No 65	t applicable

MATERIAL SAFETY DATA SHEET **GREY 115556**

Version Number 1.0 Revision Date 11/27/2013 Page 6 of 7 Print Date 11/27/2013

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

 National Pollutant Release Inventory (NPRI)

 Chemical Name
 CAS-No.
 Weight percent

 Rutile, antimony chromium buff
 68186-90-3
 0.10 - 1.00

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.
7631-86-9

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

PolyOne.

MATERIAL SAFETY DATA SHEET **GREY 115556**

Version Number 1.0 Revision Date 11/27/2013 Page 7 of 7 Print Date 11/27/2013