#### **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018

ne

Page 1 of 17 Print Date 10/24/2018

# SAFETY DATA SHEET

#### **UV WHITE PVC**

Section 1. Identification				
GHS product identifier Chemical name	:	UV WHITE PVC Mixture		
CAS number Other means of identification	:	Mixture CC10192840		
Product type	:	solid		
Relevant identified uses of the substance or mixture and uses advised against				
Product use	:	Industrial applications. Plastics.		
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012		
		1 (440) 930-1000 or 1 (866) POLYONE		
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).		

# Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/17

### **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018

Page 2 of 17 Print Date 10/24/2018

Hazard statements

No known significant effects or critical hazards.

#### **Precautionary statements**

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.

# Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10192840

CAS number/other identifiers

Ingredient name	%	CAS number
Titanium dioxide	25 - 50	13463-67-7
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	10 - 25	68515-48-0
Phenol, 2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimethylpropyl)-	3 - 5	25973-55-1
Silica, amorphous	1 - 3	7631-86-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018

# PolyOne

#### Page 3 of 17 Print Date 10/24/2018

#### **Description of necessary first aid measures**

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health effe	ects
-----------------------------	------

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
C		-

#### **Over-exposure signs/symptoms**

Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

# **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018 Page 4 of 17 Print Date 10/24/2018

<u>vOne</u>

See toxicological information (Section 11)

# Section 5. Firefighting measures

#### **Extinguishing media**

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or $\rm CO_2$ . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

### **UV WHITE PVC**



Version Number 1.5 Revision Date 10/10/2018		Page 5 of 17 Print Date 10/24/2018
Small spill	:	Move containers from spill area. Vacuum or sweep up material and

Large spillplace in a designated, labeled waste container. Dispose of via a<br/>licensed waste disposal contractor.Large spill:Move containers from spill area. Prevent entry into sewers, water<br/>courses, basements or confined areas. Vacuum or sweep up material<br/>and place in a designated, labeled waste container. Dispose of via a<br/>licensed waste disposal contractor. Note: see Section 1 for emergency

contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Silica, amorphous	NIOSH REL (1994-06-01) TWA 6 mg/m3
Phenol, 2-(2H-benzotriazol-2-yl)-4,6- bis(1,1-dimethylpropyl)-	None.

# **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018 Page 6 of 17 Print Date 10/24/2018

T C T A	<b>DSHA PEL 1989 (1989-03-01)</b> "WA 10 mg/m3 Form: Total dust <b>DSHA PEL (1993-06-30)</b> "WA 15 mg/m3 Form: Total dust <b>ACGIH TLV (1996-05-18)</b> "WA 10 mg/m3
e nvironmental exposure controls : E c e fi	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
lividual protection measures	
p oo r c s ye/face protection : S v li f	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to emove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety howers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to iquid splashes, mists, gases or dusts. If contact is possible, the collowing protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
kin protection	
s	Chemical-resistant, impervious gloves complying with an approved tandard should be worn at all times when handling chemical products f a risk assessment indicates this is necessary.
Body protection : P	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
<b>Other skin protection</b> :       A         s       in	Appropriate footwear and any additional skin protection measures hould be selected based on the task being performed and the risks nvolved and should be approved by a specialist before handling this product.
espiratory protection : Ē	Based on the hazard and potential for exposure, select a respirator that neets the appropriate standard or certification. Respirators must be 6/17

PolyOne.

### **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018

<u>vOne</u>

Page 7 of 17 Print Date 10/24/2018

used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### **Appearance**

Physical state	:	solid [Pellets.]
Color	:	WHITE
Odor	:	Faint odor.
Odor threshold	:	Not available.
рН	:	Not available.
Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
<b>Decomposition temperature</b>	:	Not available.
SADT	:	Not available.
Viscosity	:	<b>Dynamic:</b> Not available.
-		Kinematic: Not available.

# Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.

### **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018

Page 8 of 17 Print Date 10/24/2018

ne

Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure			
Remarks - Oral:	No applicable toxic	No applicable toxicity data					
<b>Remarks - Inhalation:</b>	No applicable toxic	No applicable toxicity data					
Remarks - Dermal:	No applicable toxic	No applicable toxicity data					
Remarks - Oral:	No applicable toxic	No applicable toxicity data					
<b>Remarks - Inhalation:</b>	No applicable toxic	No applicable toxicity data					
Remarks - Dermal:	No applicable toxicity data						
1,2-Benzenedicarboxylic acid,	di-C8-10-branched alkyl esters, C9-rich						
	LD50 Oral	Rat	10,000 mg/kg	-			
<b>Remarks - Inhalation:</b>	No applicable toxicity data						
<b>Remarks - Dermal:</b>	No applicable toxicity data						
Titanium dioxide							
Remarks - Oral:	No applicable toxicity data						
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h			
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-			
Conclusion/Summary : Mixture.Not fully tested.							

**Conclusion/Summary** 

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
Silica, amorphous	Eyes - Mild irritant	Rabbit		24 hrs	-
1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich	Eyes - Mild irritant	Rabbit			-
Titanium dioxide	Skin - Mild irritant	Human		72 hrs	-
Conclusion/Summary					
Skin : Mixture.Not fully tested.					
Eyes : Mixture.Not fully tested.					
		0/47	,		

8/17

### **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018 Page 9 of 17 Print Date 10/24/2018

Respiratory	: M	ixture.Not f	ully tested.		
Sensitization					
Conclusion/Summary Skin Respiratory		ixture.Not f ixture.Not f			
<u>Mutagenicity</u>					
Conclusion/Summary	: M	ixture.Not f	ully tested.		
<b>Carcinogenicity</b>					
Conclusion/Summary Classification	: M	ixture.Not f	ully tested.		
Product/ingredient name	OSHA	IARC	NTP		
Silica, amorphous		3			
Titanium dioxide		2B			
Conclusion/Summary <u>Teratogenicity</u> Conclusion/Summary <u>Specific target organ toxicity</u> Not available. <u>Specific target organ toxicity</u>	: M y (single exposu y (repeated expo	osure)	ully tested.		
Product/ingredient name	Category		Route of exposure	Target organs	
Phenol, 2-(2H-benzotriazol- 2-yl)-4,6-bis(1,1- dimethylpropyl)-	Category 2		OralOral	kidneys liver	
Aspiration hazard Not available.					
Information on likely routes of : Not available. exposure					
Potential acute health effects			17		
		9/1	17		



### **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018 PolyOne

Page 10 of 17

Print Date 10/24/2018

Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Not available.

# Section 12. Ecological information

# **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018 Page 11 of 17 Print Date 10/24/2018

#### **Toxicity**

Product/ingredient name	Result Species Exposure							
Silica, amorphous	· · · ·							
Remarks - Acute - Fish:	No applicable toxicity data							
Remarks - Acute - Aquatic	No applicable toxicity data							
invertebrates.:								
Remarks - Acute - Aquatic	No applicable toxicity data							
plants:								
Remarks - Chronic - Fish:	No applicable toxicity data							
Remarks - Chronic -	No applicable toxicity data							
Aquatic invertebrates.:								
Phenol, 2-(2H-benzotriazol-2-	yl)-4,6-bis(1,1-dimethylpropyl)-							
Remarks - Acute - Fish:	No applicable toxicity data							
Remarks - Acute - Aquatic	No applicable toxicity data							
invertebrates.:								
Remarks - Acute - Aquatic	No applicable toxicity data							
plants:								
Remarks - Chronic - Fish:	No applicable toxicity data							
<b>Remarks - Chronic -</b>	No applicable toxicity data							
Aquatic invertebrates.:								
	di-C8-10-branched alkyl esters, C9-ri	ch						
Remarks - Acute - Fish:	No applicable toxicity data							
Remarks - Acute - Aquatic	No applicable toxicity data							
invertebrates.:								
<b>Remarks - Acute - Aquatic</b>	No applicable toxicity data							
plants:								
Remarks - Chronic - Fish:	No applicable toxicity data							
<b>Remarks - Chronic -</b>	No applicable toxicity data							
Aquatic invertebrates.:								
Titanium dioxide			0.44					
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h					
	water							
Remarks - Acute - Fish:	Acute	A	401					
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h					
Remarks - Acute - Aquatic	Acute							
invertebrates.:								
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h					
Remarks - Acute - Aquatic invertebrates.:	Acute							
Remarks - Acute - Aquatic	No applicable toxicity data							
Tennering Treute Treute								





### **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018 Page 12 of 17 Print Date 10/24/2018

plants:	
Remarks - Chronic - Fish:	No applicable toxicity data
Remarks - Chronic -	No applicable toxicity data
Aquatic invertebrates.:	
UV WHITE PVC	
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.
invertebrates.:	
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.
Persistence and degradability	<u>/</u>
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
1,2-Benzenedicarboxylic acid, di-C8-	8.8	3.00	low
10-branched alkyl esters, C9-rich			

#### Mobility in soil

Soil/water partition coefficient	:	Not available.
(KOC)		
Other adverse effects	:	No known significant effects or critical hazards.

# Section 13. Disposal considerations

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some
---

### **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018 Page 13 of 17 Print Date 10/24/2018

product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

# Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

# Section 15. Regulatory information

U.S. Federal regulations	:	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Listed 1,2-Benzenedicarboxylic acid, di-C8-10-branched alkyl esters, C9-rich</li> </ul>
		United States - TSCA 4(a) - ITC Priority list: Not listed
		United States - TSCA 4(a) - Proposed test rules: Not listed
		United States - TSCA 4(f) - Priority risk review: Not listed
		United States - TSCA 5(a)2 - Final significant new use rules: Not listed
		United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed
		United States - TSCA 5(e) - Substances consent order: Not listed
		United States - TSCA 6 - Final risk management: Not listed
		United States - TSCA 6 - Proposed risk management: Not listed
		United States - TSCA 8(a) - Chemical risk rules: Not listed
		United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
		United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined
		United States - TSCA 8(a) - Preliminary assessment report
		(PAIR): Not listed
		United States - TSCA 8(c) - Significant adverse reaction (SAR):

13/17

# PolyOne.

# **UV WHITE PVC**

ŀ	olyOne.
_	

0111112110		
Version Number 1.5 Revision Date 10/10/2018		Page 14 of 17 Print Date 10/24/2018
		Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Vinyl chloride monomer Fatty acids, C16-18, zinc salts Zinc stearate United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs) Clean Air Act Section (02 Clean I	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

: Not applicable.

#### **Composition/information on ingredients**

Name	%	Classification
Silica, amorphous	1 - 3	AH
Phenol, 2-(2H-benzotriazol-2-yl)-	3 - 5	СН
4,6-bis(1,1-dimethylpropyl)-		
1,2-Benzenedicarboxylic acid, di-	10 - 25	AH
C8-10-branched alkyl esters, C9-		
rich		
Titanium dioxide	25 - 50	СН

# **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018

### Page 15 of 17 Print Date 10/24/2018

<u>PolyOne</u>

SARA 313		,
Not applicable.		
State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		Calcium carbonate
		Ethene, chloro-, homopolymer
		Titanium dioxide
Pennsylvania	:	The following components are listed:
		Titanium dioxide
		Calcium carbonate
		Silica, amorphous
		•
		Aluminum hydroxide
California Prop. 65 WARNING: This product contains a c	hemi	ical known to the State of California to cause cancer.
United States inventory (TSCA 8b)	:	All components are listed or exempted.
Canada inventory	:	Not determined.
International regulations		
Inventory list		
Australia	:	Not determined.
Canada	:	Not determined.
China	:	All components are listed or exempted.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	Not determined.
Republic of Korea	:	Not determined.
Taiwan Turkov	÷	All components are listed or exempted. Not determined.
Turkey United States	:	All components are listed or exempted.
United States	•	An components die fisieu of exempted.



### **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018 Page 16 of 17 Print Date 10/24/2018

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	0
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

Data of nuinting		10/24/2018
Date of printing	•	
Date of issue/Date of revision	:	10/10/2018, 10/10/2018
Date of previous issue	:	01/10/2018
Version	:	1, 1.5, 5
Key to abbreviations	:	ATE = Acute Toxicity Estimate
•		BCF = Bioconcentration Factor
		GHS = Globally Harmonized System of Classification and Labelling of
		Chemicals
		IATA = International Air Transport Association
		IBC = Intermediate Bulk Container
		IMDG = International Maritime Dangerous Goods
		LogPow = logarithm of the octanol/water partition coefficient
		MARPOL = International Convention for the Prevention of Pollution From
		Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine
		pollution)
		UN = United Nations
References	:	Not available.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.

# **UV WHITE PVC**

Version Number 1.5 Revision Date 10/10/2018

<u>PolyOne</u>

Page 17 of 17 Print Date 10/24/2018