RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020 Page 1 of 16 Print Date 02/29/2020

SAFETY DATA SHEET

RXF JET BLACK S610MW

Section 1. Identification		
GHS product identifier	:	RXF JET BLACK S610MW
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	CC10199053
Product type	:	solid
Relevant identified uses of the subs	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (866) POLYONE
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

Section 2. Hazards identification

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	:	Not classified.
GHS label elements		
Signal word	:	No signal word.
		1/16

RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020 <u>PolyOne</u>

Page 2 of 16 Print Date 02/29/2020

Hazard statements

No known significant effects or critical hazards.

Precautionary statements

General	:	Not applicable.
Prevention	:	Not applicable.
Response	:	Not applicable.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

:

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	CC10199053

CAS number/other identifiers

Ingredient name	%	CAS number
Carbon black	10 - 25	1333-86-4
Titanium dioxide	0.3 - 1	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

:

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

Immediately flush eyes with plenty of water, occasionally lifting the



RXF JET BLACK S610MW

Version Number 1.10	Page 3 of 16
Revision Date 02/28/2020	Print Date 02/29/2020

		upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
T 1 1 /		
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable
		for breathing. Get medical attention if symptoms occur. In case of
		inhalation of decomposition products in a fire, symptoms may be
		delayed. The exposed person may need to be kept under medical
		surveillance for 48 hours.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated
		clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:	Wash out mouth with water. Remove victim to fresh air and keep at
-		rest in a position comfortable for breathing. If material has been
		swallowed and the exposed person is conscious, give small quantities
		of water to drink. Do not induce vomiting unless directed to do so by
		medical personnel. Get medical attention if symptoms occur.
		medical personnel. Get medical attention il symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Indication of immediate medical atte	ntio	n and special treatment needed, if necessary
Notes to physician	:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	:	No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Firefighting measures



RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020

Page 4 of 16 Print Date 02/29/2020

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO_2 . None known.
Specific hazards arising from the chemical	:	No specific fire or explosion hazard.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containm	ent a	nd cleaning up
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material
4/16		

Ine

RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020 Page 5 of 16 Print Date 02/29/2020

and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures Advice on general occupational hygiene	:	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Carbon black	OSHA PEL 1989 (1989-03-01)
	TWA 3.5 mg/m3
	OSHA PEL (1993-06-30)
	TWA 3.5 mg/m3
	NIOSH REL (1994-06-01)
	TWA 3.5 mg/m3
	NIOSH REL (1994-06-01)
	TWA 0.1 mgPAH/m ³
	ACGIH TLV (2010-12-06)
	TWA 3 mg/m3 Form: Inhalable fraction
Titanium dioxide	OSHA PEL 1989 (1989-03-01)

<u>PolyOne</u>

RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020

	TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (1996-05-18) TWA 10 mg/m3
Appropriate engineering controls Environmental exposure controls	 Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures Eye/face protection	 Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	 Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper

RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020

P<u>olyOne</u>

Page 7 of 16 Print Date 02/29/2020

fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Developed state		solid [Pellets.]
Physical state Color	:	BLACK
Odor	:	Faint odor.
Odor threshold	:	Not available.
pH	:	Not available.
Melting point	:	Not available.
Boiling point		Not available.
Flash point		Not available.
Burning time		Not available.
Burning rate		Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	insoluble in water.
Partition coefficient: n-	:	Not available.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
-		Kinematic: Not available.
Aerosol product		
Heat of combustion		Not available.
Heat of compustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.
		740



RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020

Page 8 of 16 Print Date 02/29/2020

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Keep away from strong acids. Oxidizer.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure		
Titanium dioxide						
Remarks - Oral:	No applicable toxi	city data				
	LC50 Inhalation	Rat - Male	6.82 Mg/l	4 h		
	LD50 Dermal	Rabbit	> 5,000 mg/kg	-		
Carbon black						
	LD50 Oral	Rat	15,400 mg/kg	-		
Remarks - Inhalation:	No applicable toxicity data					
Remarks - Dermal:	No applicable toxicity data					
Conclusion/Summary	Mixture Not fully tested					

Conclusion/Summary

Mixture.Not fully tested.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium dioxide	Skin - Mild	Human		72 hrs	-
	irritant				
Conclusion/Summary					
Skin	: M	ixture.Not full	y tested.		
Eyes	: M	ixture.Not full	y tested.		

)ne

RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020 Page 9 of 16 Print Date 02/29/2020

Respiratory	:	Mixture.Not fully tested.
Sensitization		
Conclusion/Summary Skin Respiratory	:	Mixture.Not fully tested. Mixture.Not fully tested.
<u>Mutagenicity</u>		
Conclusion/Summary	:	Mixture.Not fully tested.
Carcinogenicity		
Conclusion/Summary	:	Mixture.Not fully tested.

Classification

Product/ingredient name	OSHA	IARC	NTP
Titanium dioxide	-	2B	-
Carbon black	-	2B	-

Reproductive toxicity

Conclusion/Summary : Mixture.Not fully tested.

Teratogenicity

exposure

Conclusion/Summary : Mixture.Not fully tested.

Specific target organ toxicity (single exposure) Not available.

 Specific target organ toxicity (repeated exposure) Not available.
 Aspiration hazard Not available.

Potential acute health effects

Information on likely routes of

Eye contact Inhalation	No known significant effects or critical hazards.No known significant effects or critical hazards.

: Not available.



RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020 Page 10 of 16 Print Date 02/29/2020

Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Long term exposure		
Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General	:	No known significant effects or critical hazards.
Carcinogenicity	:	No known significant effects or critical hazards.
Mutagenicity	:	No known significant effects or critical hazards.
Teratogenicity	:	No known significant effects or critical hazards.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity



RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020 Page 11 of 16 Print Date 02/29/2020

Product/ingredient name	Result	Species	Exposure			
Titanium dioxide						
	Acute LC50 > 1,000 Mg/l Marine	Fish - Fish	96 h			
	water					
Remarks - Acute - Fish:	Acute					
	Acute LC50 3 Mg/l Fresh water	Aquatic invertebrates. Crustaceans	48 h			
Remarks - Acute - Aquatic invertebrates.:	Acute					
	Acute LC50 6.5 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h			
Remarks - Acute - Aquatic	Acute					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:						
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
Carbon black						
Remarks - Acute - Fish:	No applicable toxicity data		-			
	Acute EC50 37.563 Mg/l Fresh water	Aquatic invertebrates. Daphnia	48 h			
Remarks - Acute - Aquatic	Acute					
invertebrates.:						
Remarks - Acute - Aquatic	No applicable toxicity data					
plants:	· · · ·					
Remarks - Chronic - Fish:	No applicable toxicity data					
Remarks - Chronic -	No applicable toxicity data					
Aquatic invertebrates.:						
RXF JET BLACK S610MW						
Remarks - Acute - Aquatic	Chemicals are not readily available as they are bound within the polymer matrix.					
invertebrates.:						
Conclusion/Summary	: Chemicals are not readily available as they are bound within the polymer matrix.					
Persistence and degradability	<u>v</u>					
Conclusion/Summary	: Chemicals are not readil polymer matrix.	ly available as they are bou	nd within the			

Bioaccumulative potential



RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020 Page 12 of 16 Print Date 02/29/2020

Not available.

Mobility in soil

Soil/water partition coefficient:Not available.(KOC):No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Not classified as dangerous goods under transport regulations.
International Water IMO/IMDG	:	Not classified as dangerous goods under transport regulations.

Section 15. Regulatory information

RXF JET BLACK S610MW

Version Number 1.10	Page 13 of 16
Revision Date 02/28/2020	Print Date 02/29/2020

United States - TSCA 12(b) - Chemical export notification: None **U.S. Federal regulations** : of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(f) - Priority risk review: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 6 - Final risk management: Not listed United States - TSCA 6 - Proposed risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Phthalocyanine green **Phthalocyanine Blue** United States - EPA Clean water act (CWA) section 311 -Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed Clean Air Act Section 112(b) Not listed Hazardous Air Pollutants (HAPs) Clean Air Act Section 602 Class I Not listed : Substances Clean Air Act Section 602 Class II Not listed • Substances **DEA List I Chemicals (Precursor** Not listed • Chemicals) DEA List II Chemicals (Essential Not listed : Chemicals)

ne.

RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020 Page 14 of 16 Print Date 02/29/2020

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

Not applicable.

:

Composition/information on ingredients

No products were found.

Name	%	Classification
Carbon black	>= 10 - <= 25	CARCINOGENICITY - Category 2
Titanium dioxide	>= 0.3 - <= 1	CARCINOGENICITY - Category 2

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed:
		Carbon black
		Phthalocyanine green
		Calcium carbonate
		Phthalocyanine Blue
		White mineral oil (petroleum)
		Titanium dioxide
Pennsylvania	:	The following components are listed:
		Carbon black
		Phthalocyanine green
		Calcium carbonate
		Phthalocyanine Blue
		Titanium dioxide

California Prop. 65

WARNING: This product can expose you to chemicals including Titanium dioxide, Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.



RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020 Page 15 of 16 Print Date 02/29/2020

Ingredient name	No significant risk level	Maximum acceptable dosage level
Titanium dioxide	-	-
Carbon black	-	-

United States inventory (TSCA 8b)	:	All components are active or exempted.
Canada inventory	:	At least one component is not listed in DSL but all such components are listed in NDSL.
International regulations		
Inventory list		
Australia Canada	:	All components are listed or exempted. At least one component is not listed in DSL but all such components are listed in NDSL.
China	:	Not determined.
Europe inventory	:	All components are listed or exempted.
Japan	:	Not determined.
New Zealand	:	Not determined.
Philippines	:	Not determined.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Turkey	:	Not determined.
United States	:	All components are active or exempted.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on

ne

RXF JET BLACK S610MW

Version Number 1.10 Revision Date 02/28/2020 Page 16 of 16 Print Date 02/29/2020

HMIS® Personal Protective Equipm	ent (PPE) codes, consult the HMIS® Implementation Manual.
History		-
Date of printing	:	02/29/2020
Date of issue/Date of revision	:	02/28/2020
Date of previous issue	:	08/28/2019
Version	:	1.10
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	:	Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.