

**SAFETY DATA SHEET****BEIGE FR/UV PP**Version Number 1.0  
Revision Date 08/27/2014Page 1 of 17  
Print Date 08/28/2014**SAFETY DATA SHEET****BEIGE FR/UV PP****Section 1. Identification**

**GHS product identifier** : BEIGE FR/UV PP  
**Chemical name** : Mixture  
**CAS number** : Mixture  
**Other means of identification** : CC10203686  
**Product type** : solid

**Relevant identified uses of the substance or mixture and uses advised against**

**Product use** : Industrial applications. Plastics.

**Supplier's details** : **POLYONE CORPORATION**  
33587 Walker Road, Avon Lake, OH 44012  
  
1 (440) 930-1000 or 1 (866) POLYONE

**Emergency telephone number (with hours of operation)** : **CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).**CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

**Section 2. Hazards identification**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. After handling, always wash hands thoroughly with soap and water.

**OSHA/HCS status** : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.

**Classification of the substance or mixture** : Not classified.  
  
: Not applicable.

## SAFETY DATA SHEET

### BEIGE FR/UV PP

Version Number 1.0  
Revision Date 08/27/2014

Page 2 of 17  
Print Date 08/28/2014

**Supplemental label elements** : None known.  
**Hazards not otherwise classified** : None known.

### Section 3. Composition/information on ingredients

**Substance/mixture** : Mixture  
**Chemical name** : Mixture  
**Other means of identification** : CC10203686

#### CAS number/other identifiers

Ingredient name	%	CAS number
Antimony trioxide	10 - 30	1309-64-4
Titanium dioxide	1 - 5	13463-67-7
Xylenes (o-, m-, p- isomers)	1 - 5	1330-20-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated

## SAFETY DATA SHEET

### BEIGE FR/UV PP

Version Number 1.0  
Revision Date 08/27/2014

Page 3 of 17  
Print Date 08/28/2014

- Ingestion** : clothing and shoes. Get medical attention if symptoms occur.  
: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

##### Potential acute health effects

- Eye contact** : No known significant effects or critical hazards.  
**Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.  
**Skin contact** : No known significant effects or critical hazards.  
**Ingestion** : No known significant effects or critical hazards.

##### Over-exposure signs/symptoms

- Eye contact** : No specific data.  
**Inhalation** : No specific data.  
**Skin contact** : No specific data.  
**Ingestion** : No specific data.

##### Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.  
**Specific treatments** : No specific treatment.  
**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

##### Extinguishing media

- Suitable extinguishing media** : In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.  
**Unsuitable extinguishing media** : None known.

- Specific hazards arising from the** : No specific fire or explosion hazard.

## SAFETY DATA SHEET

### BEIGE FR/UV PP

Version Number 1.0  
Revision Date 08/27/2014

Page 4 of 17  
Print Date 08/28/2014

#### chemical

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
halogenated compounds  
metal oxide/oxides
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

- Small spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

## SAFETY DATA SHEET

### BEIGE FR/UV PP

Version Number 1.0  
Revision Date 08/27/2014

Page 5 of 17  
Print Date 08/28/2014

#### Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### Control parameters

##### Occupational exposure limits

Ingredient name	Exposure limits
Antimony trioxide	<b>ACGIH TLV (1994-09-01)</b>  <b>OSHA PEL (1993-06-30) Calculated as Sb</b> PEL: Permissible Exposure Level 0.5 mg/m <sup>3</sup> <b>NIOSH REL (1994-06-01) Calculated as Sb</b> Time Weighted Average (TWA) 0.5 mg/m <sup>3</sup> <b>OSHA PEL 1989 (1989-03-01) Calculated as Sb</b> PEL: Permissible Exposure Level 0.5 mg/m <sup>3</sup>
Titanium dioxide	<b>OSHA PEL 1989 (1989-03-01)</b> PEL: Permissible Exposure Level 10 mg/m <sup>3</sup> Form: Total dust <b>OSHA PEL (1993-06-30)</b> PEL: Permissible Exposure Level 15 mg/m <sup>3</sup> Form: Total dust <b>NIOSH REL (1994-06-01)</b>  <b>ACGIH TLV (1996-05-18)</b> TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 10 mg/m <sup>3</sup>

## SAFETY DATA SHEET

**BEIGE FR/UV PP**

Version Number 1.0  
Revision Date 08/27/2014

Page 6 of 17  
Print Date 08/28/2014

Xylenes (o-, m-, p- isomers)	<p><b>NIOSH REL (2005-09-30)</b></p> <p><b>OSHA PEL (1993-06-30)</b> PEL: Permissible Exposure Level 435 mg/m<sup>3</sup> 100 ppm</p> <p><b>OSHA PEL 1989 (1989-03-01)</b> PEL: Permissible Exposure Level 435 mg/m<sup>3</sup> 100 ppm</p> <p><b>Short Term Exposure Limit</b> 655 mg/m<sup>3</sup> 150 ppm</p> <p><b>ACGIH TLV (1996-05-18)</b> TLV-TWA: Threshold Limit Value - Time weighted average PEL: Permissible Exposure Level 434 mg/m<sup>3</sup> 100 ppm</p> <p><b>TLV-STEL: Threshold Limit Value - Short Time Exposure Level</b> 651 mg/m<sup>3</sup> 150 ppm</p>
------------------------------	--

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures

## SAFETY DATA SHEET

### BEIGE FR/UV PP

Version Number 1.0  
Revision Date 08/27/2014

Page 7 of 17  
Print Date 08/28/2014

#### Respiratory protection

should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

- : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Section 9. Physical and chemical properties

### Appearance

Physical state	: solid [Pellets.]
Color	: TAN
Odor	: Faint odor.
Odor threshold	: Not available.
pH	: Not available.
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Not available.
Burning time	: Not available.
Burning rate	: Not available.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: <b>Lower:</b> Not available. <b>Upper:</b> Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: Not available.
Solubility	: Not available.
Solubility in water	: insoluble in water.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
SADT	: Not available.
Viscosity	: <b>Dynamic:</b> Not available. <b>Kinematic:</b> Not available.

## Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or

## SAFETY DATA SHEET

### BEIGE FR/UV PP

Version Number 1.0  
Revision Date 08/27/2014

Page 8 of 17  
Print Date 08/28/2014

<b>Chemical stability</b>	:	its ingredients. Stable under recommended storage and handling conditions (see Section 7).
<b>Possibility of hazardous reactions</b>	:	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	:	Keep away from extreme heat and oxidizing agents.
<b>Incompatible materials</b>	:	Keep away from strong acids. Oxidizer.
<b>Hazardous decomposition products</b>	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Antimony trioxide	LD50 Oral	Rat	34,000 mg/kg	-
Titanium dioxide				
Xylenes (o-, m-, p- isomers)	LD50 Oral	Rat	4,300 mg/kg	-
	LD50 Oral	Rat	4,300 mg/kg	-
	LC50 Inhalation	Rat	6670 ppm	4 h
	LC50 Inhalation	Rat	5000 ppm	4 h
	LC50 Inhalation	Rat	6700 ppm	4 h

**Conclusion/Summary** : Mixture. Not fully tested.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Antimony trioxide	Eyes - Mild irritant	Rabbit			-
Xylenes (o-, m-, p- isomers)	Skin - Mild irritant	Rat		8 hrs	-
	Skin - Moderate irritant	Rabbit			-
	Skin - Moderate	Rabbit		24 hrs	-



## SAFETY DATA SHEET

### BEIGE FR/UV PP

Version Number 1.0  
Revision Date 08/27/2014

Page 9 of 17  
Print Date 08/28/2014

	irritant				
	Eyes - Mild irritant	Rabbit			-
	Eyes - Severe irritant	Rabbit		24 hrs	-

#### Conclusion/Summary

**Skin** : Mixture.Not fully tested.  
**Eyes** : Mixture.Not fully tested.  
**Respiratory** : Mixture.Not fully tested.

#### Sensitization

#### Conclusion/Summary

**Skin** : Mixture.Not fully tested.  
**Respiratory** : Mixture.Not fully tested.

#### Mutagenicity

**Conclusion/Summary** : Mixture.Not fully tested.

#### Carcinogenicity

**Conclusion/Summary** : Mixture.Not fully tested.

#### Classification

Product/ingredient name	OSHA	IARC	NTP
Antimony trioxide		2B	
Titanium dioxide		2B	
Xylenes (o-, m-, p- isomers)		3	

#### Reproductive toxicity

**Conclusion/Summary** : Mixture.Not fully tested.

#### Teratogenicity

**Conclusion/Summary** : Mixture.Not fully tested.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

**SAFETY DATA SHEET****BEIGE FR/UV PP**

Version Number 1.0  
Revision Date 08/27/2014

Page 10 of 17  
Print Date 08/28/2014

---

**Information on the likely routes of exposure** : Not available.

**Potential acute health effects**

**Eye contact** : No known significant effects or critical hazards.  
**Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.  
**Skin contact** : No known significant effects or critical hazards.  
**Ingestion** : No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

**Eye contact** : No specific data.  
**Inhalation** : No specific data.  
**Skin contact** : No specific data.  
**Ingestion** : No specific data.

**Delayed and immediate effects and also chronic effects from short and long term exposure****Short term exposure**

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

**Long term exposure**

**Potential immediate effects** : Not available.  
**Potential delayed effects** : Not available.

**Potential chronic health effects**

**Conclusion/Summary** : Mixture. Not fully tested.  
**General** : No known significant effects or critical hazards.  
**Carcinogenicity** : No known significant effects or critical hazards.  
**Mutagenicity** : No known significant effects or critical hazards.  
**Teratogenicity** : No known significant effects or critical hazards.  
**Developmental effects** : No known significant effects or critical hazards.  
**Fertility effects** : No known significant effects or critical hazards.

**Numerical measures of toxicity****Acute toxicity estimates**

## SAFETY DATA SHEET

**BEIGE FR/UV PP**

Version Number 1.0  
Revision Date 08/27/2014

Page 11 of 17  
Print Date 08/28/2014

Not available.

## Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure
Antimony trioxide			
	Acute LC50 80,000 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 530 mg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 1,000,000 µg/l Marine water	Fish - Mummichog	96 h
	Acute EC50 423,450 µg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 730 µg/l Fresh water	Aquatic plants - Green algae	72 h
	Acute EC50 4.15 mg/l Marine water	Aquatic plants - Diatom	96 h
Titanium dioxide			
	Acute LC50 1,000,000 µg/l Marine water	Fish - Mummichog	96 h
	Acute LC50 1,000 mg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 1,000,000 µg/l Marine water	Fish - Mummichog	96 h
	Acute LC50 5.5 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 10 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 100 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 13 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute LC50 6.5 mg/l Fresh water	Aquatic invertebrates. Water flea	48 h
	Acute EC50 35.9 mg/l Fresh water	Aquatic plants - Green algae	72 h
	Acute EC50 5.83 mg/l Fresh water	Aquatic plants - Green algae	72 h
Xylenes (o-, m-, p- isomers)			

## SAFETY DATA SHEET

**BEIGE FR/UV PP**

Version Number 1.0  
Revision Date 08/27/2014

Page 12 of 17  
Print Date 08/28/2014

	Acute LC50 13,400 µg/l Fresh water	Fish - Fathead minnow	96 h
	Acute LC50 19,000 µg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 20,870 µg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 15,700 µg/l Fresh water	Fish - Bluegill	96 h
	Acute LC50 16,940 µg/l Fresh water	Fish - Goldfish	96 h
BEIGE FR/UV PP			
<b>Remarks - Acute - Aquatic invertebrates.:</b>	Chemicals are not readily available as they are bound within the polymer matrix.		

**Conclusion/Summary** : Chemicals are not readily available as they are bound within the polymer matrix.

**Persistence and degradability**

**Conclusion/Summary** : Chemicals are not readily available as they are bound within the polymer matrix.

**Conclusion/Summary** : Chemicals are not readily available as they are bound within the polymer matrix.

**Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Titanium dioxide		352.00	low
Xylenes (o-, m-, p- isomers)	3.23.153.12	8.10	low

**Mobility in soil**

**Soil/water partition coefficient (KOC)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

<b>Section 13. Disposal considerations</b>
--

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be

## SAFETY DATA SHEET

### BEIGE FR/UV PP

Version Number 1.0  
Revision Date 08/27/2014

Page 13 of 17  
Print Date 08/28/2014

disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**United States - RCRA Acute hazardous waste "P" List:** Not listed

**United States - RCRA Toxic hazardous waste "U" List:** Listed

Ingredient	CAS #	Status	Reference number
Xylenes (o-, m-, p- isomers)	1330-20-7	Listed	

## Section 14. Transport information

U.S. DOT Classification : Not regulated for transportation.  
ICAO/IATA : Consult mode specific transport rules  
IMO/IMDG (maritime) : Consult mode specific transport rules

## Section 15. Regulatory information

U.S. Federal regulations : **United States - TSCA 12(b) - Chemical export notification:** None of the components are listed.  
**United States - TSCA 4(a) - Final Test Rules:** Listed  
**Tetrabromobisphenol A - bis-2,3-dibromopropyl ether**  
**United States - TSCA 4(a) - ITC Priority list:** Not listed  
**United States - TSCA 4(a) - Proposed test rules:** Not listed  
**United States - TSCA 4(f) - Priority risk review:** Not listed  
**United States - TSCA 5(a)2 - Final significant new use rules:** Not listed  
**United States - TSCA 5(a)2 - Proposed significant new use rules:** Not listed  
**United States - TSCA 5(e) - Substances consent order:** Not listed  
**United States - TSCA 6 - Final risk management:** Not listed  
**United States - TSCA 6 - Proposed risk management:** Listed  
**Lead**  
**United States - TSCA 8(a) - Chemical risk rules:** Not listed  
**United States - TSCA 8(a) - Dioxin/Furane precursor:** Not listed

## SAFETY DATA SHEET

**BEIGE FR/UV PP**

Version Number 1.0  
Revision Date 08/27/2014

Page 14 of 17  
Print Date 08/28/2014

**United States - TSCA 8(a) - Chemical Data Reporting (CDR):** Not determined

**United States - TSCA 8(a) - Preliminary assessment report (PAIR):** Not listed

**United States - TSCA 8(c) - Significant adverse reaction (SAR):** Not listed

**United States - TSCA 8(d) - Health and safety studies:** Not listed

**United States - EPA Clean water act (CWA) section 307 - Priority pollutants:** Listed Antimony trioxide

Zinc ferrite brown spinel (C.I. Pigment Yellow 119)

Ethyl benzene

Arsenic

Lead

Nickel

**United States - EPA Clean water act (CWA) section 311 - Hazardous substances:** Listed

**United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances:** Not listed

**United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances:** Not listed

**United States - Department of commerce - Precursor chemical:** Not listed

**Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)** : Listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

**US. EPA CERCLA Hazardous Substances (40 CFR 302)**

Chemical Name	CAS-No.	RQ for component
Antimony trioxide	1309-64-4	1,000 lb(s) 454 kg
Arsenic	7440-38-2	1 lb(s) 0.454 kg

## SAFETY DATA SHEET

### BEIGE FR/UV PP

Version Number 1.0  
Revision Date 08/27/2014

Page 15 of 17  
Print Date 08/28/2014

#### SARA 311/312

Classification : Not applicable.

#### Composition/information on ingredients

Name	%	Classification
Antimony trioxide	10 - 30	AH, CH
Titanium dioxide	1 - 5	CH
Xylenes (o-, m-, p- isomers)	1 - 5	F, AH

#### SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	Antimony trioxide	1309-64-4	0
	Xylenes (o-, m-, p- isomers)	1330-20-7	0
Supplier notification	Antimony trioxide	1309-64-4	0
	Xylenes (o-, m-, p- isomers)	1330-20-7	0

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### State regulations

- Massachusetts** : The following components are listed:  
Antimony trioxide  
Titanium dioxide  
Xylenes (o-, m-, p- isomers)
- New York** : The following components are listed:  
Antimony trioxide  
Xylenes (o-, m-, p- isomers)
- New Jersey** : The following components are listed:  
Antimony trioxide  
Titanium dioxide  
Xylenes (o-, m-, p- isomers)
- Pennsylvania** : The following components are listed:  
Antimony trioxide  
  
Titanium dioxide  
  
Xylenes (o-, m-, p- isomers)

## SAFETY DATA SHEET

### BEIGE FR/UV PP

Version Number 1.0  
Revision Date 08/27/2014

Page 16 of 17  
Print Date 08/28/2014

#### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

- United States inventory (TSCA 8b)** : All components are listed or exempted.
- Canada inventory** : At least one component is not listed in DSL but all such components are listed in NDSL.

#### International regulations

- International lists** :
- Australia inventory (AICS):** Not determined.
  - Taiwan inventory (CSNN):** Not determined.
  - Malaysia Inventory (EHS Register):** Not determined.
  - EINECS:** Please contact your supplier for information on the inventory status of this material.
  - Japan inventory:** Not determined.
  - China inventory (IECSC):** All components are listed or exempted.
  - Korea inventory:** Not determined.
  - New Zealand Inventory of Chemicals (NZIoC):** Not determined.
  - Philippines inventory (PICCS):** Not determined.
- Chemical Weapons Convention List Schedule I Chemicals** : Not listed
- Chemical Weapons Convention List Schedule II Chemicals** : Not listed
- Chemical Weapons Convention List Schedule III Chemicals** : Not listed

## Section 16. Other information

#### History

- Date of printing** : 08/28/2014
- Date of issue/Date of revision** : 08/27/2014
- Date of previous issue** : 00/00/0000
- Version** : 1.0

- Key to abbreviations** :
- ATE = Acute Toxicity Estimate
  - BCF = Bioconcentration Factor
  - GHS = Globally Harmonized System of Classification and Labelling of Chemicals
  - IATA = International Air Transport Association
  - IBC = Intermediate Bulk Container
  - IMDG = International Maritime Dangerous Goods
  - LogPow = logarithm of the octanol/water partition coefficient
  - MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)



## SAFETY DATA SHEET

### BEIGE FR/UV PP

Version Number 1.0  
Revision Date 08/27/2014

Page 17 of 17  
Print Date 08/28/2014

---

#### References

UN = United Nations  
: Not available.

#### Notice to reader

**To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.**